

BioLock

Características Generales de Candados de Seguridad: Huella Dactilar, BioLock

El BioLock de VentDepot, es un candado de alta seguridad que integra la tecnología de lectura de huella dactilar más avanzada del mundo.

Con capacidad de almacenamiento de 10 huellas dactilares.

Alta mente resistente al agua y al uso rudo.

Cuenta con una batería de Litio de 300MAh, que ofrece su máxima duración para más de 2500 desbloques.

Cuenta con un Cargador USB para cargar la pila.

Cargar al 100% antes de comenzar a usar el BioLock para maximizar su desempeño.

Aplicaciones de Candados de Seguridad: Huella Dactilar, BioLock

El BioLock es perfecto para locker personal, puertas de bodegas pequeñas, puertas con pasador, portón para garaje, áreas de acceso restringido, cadenas de bicicleta, Sierres de Mochila, etc.

Garantía de Candados de Seguridad: Huella Dactilar, BioLock

El BioLock Cuenta con un año de garantía sujeto a cláusulas de VentDepot.



Características Técnicas Específicas de Candados de Seguridad: Huella Dactilar, BioLock


Clave	Sistema	Tiempo de desbloqueo en sg	Número de usuarios	Tipo de batería	Alarma de batería baja	Color	Peso	Dimensiones con empaque de Cartón		
							kg	cm	cm	cm
MXOLK-001	Biométrico	0.5	10	Recargable	Si	Negro	0.2	11	7	3.5



BioLock

Dimensiones Específicas de Candados de Seguridad: Huella Dactilar, BioLock

Clave	A	B	C
	cm	cm	cm
MXOLK-001	7.5	4.5	1.5





BioLock

Galería de Imágenes de Candados de Seguridad: Huella Dactilar, BioLock





Manual del Candado en Ingles



I .USB Interface:

The product is charged by USB.
Please fully charge the product
for the first time.



Components:

- 1.USB Port 2.Fingerprint Reader
- 3.LED Light 4.Lock Beam

II .Indicator

Use 3-color indicator. Different indicator represents
different devices and status.


Please check the details as below chart:

Indicator status	Function
Low power	Red light flash
Charging	Red light always on
Full charged	Lights off
Green light flash	Fingerprint collection mode
Green light always on	Successful to collect fingerprint
Blue light always on	Administrator fingerprint authorization
Green light flash	Unlocked successfully
Red light always on	Delete fingerprint mode
Red light flash	Failed to collect fingerprint




Manual del Candado en Ingles

III .Description Of First Administrator' s Fingerprint Record



IV.Number 2 to 10 Fingerprint Recording Instructions



Remarks:

1. The first and second fingerprints are the administrator fingerprint by default.
2. Collecting the second to tenth fingerprints requires administrator fingerprint authorization.



Manual del Candado en Ingles

V. Description Of Delete Fingerprint



1. Long press sensor 10 seconds



2. Administrator authorize fingerprint when red light flash continuously



3. The fingerprint was deleted successfully when green light flash continuously and sound continuously

Remarks:

Only the administrator can delete the fingerprint and delete all the fingerprints at once.

VI. Low voltage

When the voltage $\leq 3.5V$, the red indicator flash fast for 15s. If keep in the status of low batter, it will alarming per minute.

VI. Specifications

Support 360 degree angel fingerprint recognize

Resolution: 508DPI

ESD: +/- 12kV air, +/- 8kV contact

FRR: <1%

FAR: <0.002%

Recognize time: <300mS

Battery: 3.7V 300mAh

Charger: 5V 1A