



# 3320 Series Commercial Fan Forced Wall Heater Now Available 480V Models with Additional Rough-in Box

Data Sheet

## General Characteristics 3320 Series Commercial Fan Forced Wall Heater Now Available 480V Models with Additional Rough-in Box

Disconnect switch.

Automatic fan delay circuit.

Automatic reset thermal limit.

Powder coated 18 gauge steel grill with extruded Aluminum front frame.

Steel block fin element.

Vane axial fan blade: 600 RPM motor; 175 CFM.

Rough-in dimensions: 14 1/8" Wide x 19 1/2" High x 4" Deep.

Grill dimensions: 15 29/32" Wide x 20 27/32" High.

Built-In tamper proof thermostat.

Made in U.S.A.

Heavy-Duty Forced Air wall heaters, where specified. The heaters shall be constructed of a heavy 18 gauge steel housing with an extruded Aluminum frame. The rough-in dimensions are 14 1/8" Wide x 19 1/2" High x 4" Deep. The units shall be available in ratings from 3000 to 4800 Watts at 240, 208, and 277 Volts. The heaters shall have a low-speed 600 RPM, 4-pole motor which drives a vane axial blower to deliver a quiet 175 CFM of down flow air. The heating element shall be of the sealed tubular type with large, parallel steel fins for quick heat transfer. Unit shall have as a standard, a thermal overload cut-off for added safety, fan delay switch and built-in tamper proof thermostat which shall be calibrated to provide a range of 0°F. to 110°F. and manual disconnect switch. Optional accessories shall include a surface and semi-recess mounting adapter. All heaters shall be listed by ETL. The heating element shall be supplied with a manufacturer's 1-year limited warranty.

In-built single pole tamperproof thermostat (0° - 110° temperature range)

Includes Additional Rough-in Box.

## Product Applications 3320 Series Commercial Fan Forced Wall Heater Now Available 480V Models with Additional Rough-in Box

Heavy-Duty Forced Air wall heaters.

## Warranties 3320 Series Commercial Fan Forced Wall Heater Now Available 480V Models with Additional Rough-in Box

Manufacturer's Limited Warranty: 1 Year.





**3320 Series Commercial Fan Forced Wall Heater Now Available 480V Models with Additional Rough-in Box**

**Data Sheet**

Specific Characteristics 3320 Series Commercial Fan Forced Wall Heater Now Available 480V Models with Additional Rough-in Box										
Item #	KW	BTU's	Volts	PH	Amps	CFM	RPM	Thermostat	Weight and Dimensions with Packaging (CM)	
									Lbs	W, H, D
<b>USDGH-001</b>	3000	10239	208	3	8.3	175	600	Single Pole	30	38,50,11
<b>USDGH-002</b>	3000	10239	240	3	7.2	175	600	Single Pole	30	38,50,11
<b>USDGH-003</b>	3000	10239	480	3	3.6	175	600	Single Pole	30	38,50,11
<b>USDGH-004</b>	4000	13649	208	3	11.11	175	600	Single Pole	30	38,50,11
<b>USDGH-005</b>	4000	13649	240	3	9.64	175	600	Single Pole	30	38,50,11
<b>USDGH-006</b>	4000	13649	480	3	4.8	175	600	Single Pole	30	38,50,11
<b>USDGH-007</b>	4800	16382	208	3	13.33	175	600	Single Pole	30	38,50,11
<b>USDGH-008</b>	4800	16382	240	3	11.57	175	600	Single Pole	30	38,50,11
<b>USDGH-009</b>	4800	16382	480	3	5.8	175	600	Single Pole	30	38,50,11

Item #	Description		
	<b>Accessories</b>		
	<b>Description</b>	<b>TYPE</b>	<b>LBS</b>
<b>USDGH-001 a USDGH-009</b>	Additional Rough-in Box	Field Installed	3




**3320 Series Commercial Fan  
Forced Wall Heater Now  
Available 480V Models with  
Additional Rough-in Box**

Data Sheet

**Dimensions (in) 3320 Series Commercial Fan Forced Wall Heater Now Available 480V Models with Additional Rough-in Box**



Item #	A	B	C
USDGH-001 a USDGH-009	15	20	4





**3320 Series Commercial Fan  
 Forced Wall Heater Now  
 Available 480V Models with  
 Additional Rough-in Box**

Data Sheet



ID	Author	Description Error	Description Update	Supervisor Name
V1	Angelica Romero	New Data Sheet	New Data Sheet	Jessica Lorenzo