

PORTACOOL

36" Hazardous Location Evaporative Coolers Data Sheet

General Characteristics of Portacool 36" Hazardous location Evaporative Coolers

The Portacool 36" Hazardous location evaporative coolers are ideal for residential, commercial, industrial and agricultural use. Used for indoor and outdoor use.

These are not air conditioners or misters but evaporative coolers, plus

are less expensive to run than an air conditioner.

Perfect for cooling areas where airborne gas or debris is potentially combustible.

Equipped with sealed switches, cords, motors and pumps to prevent sparking.

Made from polyethylene so they don't rust, crack or leak.

Comes with a variable speed fan, cord wrap and 4 castors. Heavy duty castors are standard on the 48" coolers and optional for the rest. These items are easy to operate, clean and maintain.

Maintained properly the pads should last between 3-5 years. The Evaporative coolers cool areas from 600-1000 to 4000 square Ft.,

and lowers the temperate by 15-25°F.

Designed with a water control valve, water release valve and flow valve to fill the reservoir.

Depending on the model the reservoirs can hold up to 40 gallons of water.

Designed with water control valve and centrifugal air delivery. Are environmentally friendly.

Comes fully assembled, with locking castors, also comes in multiple selections of colors.

Made in the U.S.A. with domestic and foreign parts.

Product Applications of Portacool 36" Hazardous location Evaporative Coolers

Recommended for industrial, commercial, residential, agricultural and hazardous location use.

For indoor and outdoor use, for hot spot cooling.

Perfect for use in areas such as fitness areas, industrial, automotive, aviation and farms or anywhere, where animals are kept.

Warranty of Portacool 36" Hazardous location Evaporative Coolers

Evaporative Coolers

Manufacturer's Limited Warranty: 1 Year.



Specific Characteristics of Portacool 36" Hazardous location Evaporative Coolers									
ltem #	Manufacturing #	CFM	Speeds	Cooling Capacity (s.f.)	Gallons G	Weight and Dimensions with Packaging			
						Lbs.	L,W,H In.		
USHLE-001	PAC2K36HZ	9600	1	2500	32	305	34,64,69		



36" Hazardous Location Evaporative Coolers Data Sheet

Dimensions (In.) of Portacool 36" Hazardous location Evaporative Coolers						
Series	Length	Width	Height			
USHLE-001	32"	62"	67"			

PORTACOOL

WHEN COMFORT COUNTS"



hort Description of Portacool 36" Hazardous location Evaporative Coolers						
ltem #	Manufacturing	Short Description 70 Characters Maximum				
itein #	#	0123456789012345678901234567890123456789012345678901234567890123456789				
USHLE-001	PAC2K36HZ	36", 9600CFM, 1 Speed, Cooling Capacity (s.f.) 2500, Gallons 32.				

SEO Table of Portacool 36" Hazardous location Evaporative Coolers

Title				
Portacool 36" Hazardous location Evaporative Coolers.				
Meta Description				
Portacool 36" Hazardous location Evaporative Coolers for Industrial Use, Portacool 36" Hazardous location Evaporative Coolers Commercial use, Portacool 36" Hazardous location Evaporative Coolers for Residential Use, Portacool 36" Hazardous location Evaporative Coolers for Agricultural Use, Portacool 36" Hazardous location Evaporative Coolers for Indoor Use, Portacool 36" Hazardous location Evaporative Coolers for Outdoor Use, Portacool 36" Hazardous location Evaporative Coolers for Hot Spot Cooling Use, Portacool 36" Hazardous location Evaporative Coolers for Evaporative Cooling Use, Portacool 36" Hazardous location Evaporative Coolers for Hazardous Location Evaporative Cooling Use, Portacool 36" Hazardous location Evaporative Coolers for				
Meta Key Words				
Portacool 36" Hazardous location Evaporative Coolers for Industrial Use, Portacool 36" Hazardous location Evaporative Coolers Commercial use, Portacool 36" Hazardous location Evaporative Coolers for Residential Use, Portacool 36" Hazardous location Evaporative Coolers for Agricultural Use, Portacool 36" Hazardous location Evaporative Coolers for Indoor Use, Portacool 36" Hazardous location Evaporative Coolers for Outdoor Use, Portacool 36" Hazardous location Evaporative Coolers for Hot Spot Cooling Use, Portacool 36" Hazardous location				

Evaporative Coolers for Evaporative Cooling Use, Portacool 36" Hazardous location Evaporative Coolers for Hazardous Location Use. Meta URL (file name)

portacool-36-hazardous-location-evporative-coolers-us-english.htm





36" Hazardous

Location

Evaporative Coolers

Data Sheet

WHEN COMFORT COUNTS"

Product Line Description of Portacool 36" Hazardous location Evaporative Coolers

 Product Description: Portacool 36" Hazardous location Evaporative Coolers
 Weather Rating: Indoor/Outdoor
 CFM: 9600CFM
 Gallons: 32Gebr> Speeds: 1
 Coverage Capacity (Sq. ft.): 2500
 Product Type: Portacool 36" Hazardous location Evaporative Coolers
 Usual Delivery Time or Lead Time: 1 to 2 weeks
