



### 48" Hazardous Location **Evaporative Coolers**

**Data Sheet** 

#### General Characteristics of Portacool 48" Hazardous **Location Evaporative Coolers**

The Portacool 48" Hazardous Location evaporative coolers are ideal for residential, commercial, industrial and agricultural use. Used for indoor and outdoor use.

These are not air conditioners or misters but evaporative coolers, plus are less expensive to run than an air conditioner.

Perfect for cooling areas where airborne gas or debris is potentially combustible.

Equipped with sealed switches, cords, motors and pumps to prevent sparking.

Made from polyethylene so they don't rust, crack or leak.

Comes with a variable speed fan, cord wrap and 4 castors. Heavy duty castors are standard on the 48" coolers and optional for the rest. These items are easy to operate, clean and maintain.

Maintained properly the pads should last between 3-5 years.

The Evaporative coolers cool areas from 600-1000 to 4000 square Ft., and lowers the temperate by 15-25°F.

Designed with a water control valve, water release valve and flow valve to fill the reservoir.

Depending on the model the reservoirs can hold up to 40 gallons of water.

Designed with water control valve and centrifugal air delivery. Are environmentally friendly.

Comes fully assembled, with locking castors, also comes in multiple selections of colors.

Made in the U.S.A. with domestic and foreign parts.

#### Product Applications of Portacool 48" Hazardous **Location Evaporative Coolers**

Recommended for industrial, commercial, residential, agricultural and hazardous location use.

For indoor and outdoor use, for hot spot cooling.

Perfect for use in areas such as fitness areas, industrial, automotive, aviation and farms or anywhere, where animals are kept.

#### Warranty of Portacool 48" Hazardous Location **Evaporative Coolers**

Manufacturer's Limited Warranty: 1 Year.



	Specific Characteristics of Portacool 48" Hazardous Location Evaporative Coolers								
Item #	Manufacturing #	CFM	Speeds	Cooling Capacity	Gallons G	Weight and Dimensions with Packaging			
					(s.f.)		Lbs.	L,W,H In.	
	USFHL-001	PAC2K48HZ	20000	1	4000	40	405	38,76,88	





# 48" Hazardous Location Evaporative Coolers Data Sheet

Dimensions (In.) of Portacool 48" Hazardous Location Evaporative Coolers							
Series	Length	Width	Height				
Series	Α	В	С				
USFHL-001	36"	74"	86"				



Short Description of Portacool 48" Hazardous Location Evaporative Coolers							
Item #	Manufacturing						
iteili#	#	012345678901234567890123456789012345678901234567890123456789					
USFHL-001	PAC2K48HZ	48", 20000CFM, 1 Speed, Cooling Capacity (s.f.) 4000, Gallons 40.					

USFHL-001   PAC2K48HZ   48", 20000CFM, I Speed, Cooling Capacity (s.f.) 4000, Gallons 40.			
SEO Table of Portacool 48" Hazardous Location Evaporative Coolers			
Title			
Portacool 48" Hazardous Location Evaporative Coolers.			
Meta Description			
Portacool 48" Hazardous Location Evaporative Coolers for Industrial Use, Portacool 48" Hazardous Location Evaporative Coolers Commercial use, Portacool 48" Hazardous Location Evaporative Coolers for Residential Use, Portacool 48" Hazardous Location Evaporative Coolers for Agricultural Use, Portacool 48" Hazardous Location Evaporative Coolers for Indoor Use, Portacool 48" Hazardous Location Evaporative Coolers for Outdoor Use, Portacool 48" Hazardous Location Evaporative Coolers for By Hazardous Location Evaporative Coolers for E			
Hazardous Location Use.			
Meta Key Words			
Portacool 48" Hazardous Location Evaporative Coolers for Industrial Use, Portacool 48" Hazardous Location Evaporative Coolers Commercial use, Portacool 48" Hazardous Location Evaporative Coolers for Residential Use, Portacool 48" Hazardous Location Evaporative Coolers for Agricultural Use, Portacool 48" Hazardous Location Evaporative Coolers for Indoor Use, Portacool 48" Hazardous Location Evaporative Coolers for Outdoor Use, Portacool 48" Hazardous Location Evaporative Coolers for Hot Spot Cooling Use, Portacool 48" Hazardous Location Evaporative Coolers for Evaporative Coolers for Hazardous Location Use.			
Meta URL (file name)			
portacool-48-hazardous-location-evporative-coolers-us-english.htm			





## 48" Hazardous Location Evaporative Coolers Data Sheet

#### **Product Line Description of Portacool 48" Hazardous Location Evaporative Coolers**

<FONT Size=1>

<br/><b>Product Description:</b> Portacool 48" Hazardous Location Evaporative Coolers<br/>

<b>Weather Rating:</b> Indoor/Outdoor<br>

<b>CFM:</b> 20000CFM<br>

<b>Gallons:</b> 40G<br>

<b>Speeds:</b> 1<br>

<b>Coverage Capacity (Sq. ft.):</b> 4000<br>

<b>Product Type: Portacool 48" Hazardous Location Evaporative Coolers<bre><bre>

<b>Usual Delivery Time or Lead Time:</b> 1 to 2 weeks<br>

</FONT>