



General Characteristics of Portacool Air Driven Series Evaporative Coolers

The Portacool Air Driven Series evaporative coolers are ideal for residential, commercial, industrial and agricultural use. Used for indoor and outdoor use. These are not air conditioners or misters but evaporative coolers, plus are less expensive to run than an air conditioner. Made from polyethylene so they don't rust, crack or leak. Comes with a variable speed fan, cord wrap and 4 castors. Heavy duty castors are standard on the 48" coolers and optional for the rest. These items are easy to operate, clean and maintain. Maintained properly the pads should last between 3-5 years. The Evaporative coolers cool areas from 600-1000 to 4000 square Ft., and lowers the temperate by 15-25°F. Designed with a water control valve, water release valve and flow valve to fill the reservoir. Depending on the model the reservoirs can hold up to 16 gallons of water. Designed with water control valve and centrifugal air delivery. Are environmentally friendly. The 3000 and 3300 are the same product but with different outer design, as to is the 2000 and 2200. Comes fully assembled, with locking castors, also comes in multiple selections of colors. Made in the U.S.A. with domestic and foreign parts.



Product Applications of Portacool Air Driven Series Evaporative Coolers

Recommended for industrial, commercial, residential and agricultural use. For indoor and outdoor use, for hot spot cooling. Perfect for use in areas such as fitness areas, industrial, automotive, aviation and farms or anywhere, where animals are kept.

Warranty of Portacool Air Driven Series Evaporative Coolers

Manufacturer's Limited Warranty: 1 Year.


Specific Characteristics of Portacool Air Driven Series Evaporative Coolers

Item #	Manufacturing #	CFM	Air Requirements	Support Frame	Gallons G	Weight and Dimensions with Packaging	
						Lbs.	L,W,H In.
USPAD-001	PAC2K16AD	2200	73 SCFM @ 40 PSIG	Aluminum	3	95	67,41,60
USPAD-002	PAC2K24AD	4900	164 SCFM @ 40 PSIG	Aluminum	14	187	74,51,75
USPAD-003	PAC2K36AD	9100	196 SCFM @ 80 PSIG	Welded Steel	32	357	45,65,67



Dimensions (In.) of Portacool Air Driven Series Evaporative Coolers

Series	Length A	Width B	Height C
USPAD-001	65"	39"	58"
USPAD-002	72"	49"	73"
USPAD-003	43"	63"	65"



Images of Portacool Air Driven Series Evaporative Coolers

16" Air Driven

24" Air Driven



36" Air Driven





Short Description of Portacool Air Driven Series Evaporative Coolers

Item #	Manufacturing #	Short Description 70 Characters Maximum
USPAD-001	PAC2K16AD	2200CFM, Air Requirements 73SCFM@40PSIG, Frame Aluminum, 3G.

SEO Table of Portacool Air Driven Series Evaporative Coolers

Title
Portacool Air Driven Series Evaporative Coolers.
Meta Description
Portacool Air Driven Series Evaporative Coolers for Industrial Use, Portacool Air Driven Series Evaporative Coolers Commercial use, Portacool Air Driven Series Evaporative Coolers for Residential Use, Portacool Air Driven Series Evaporative Coolers for Agricultural Use, Portacool Air Driven Series Evaporative Coolers for Indoor Use, Portacool Air Driven Series Evaporative Coolers for Outdoor Use, Portacool Air Driven Series Evaporative Coolers for Hot Spot Cooling Use, Portacool Air Driven Series Evaporative Coolers for Evaporative Cooling Use.
Meta Key Words
Portacool Air Driven Series Evaporative Coolers for Industrial Use, Portacool Air Driven Series Evaporative Coolers Commercial use, Portacool Air Driven Series Evaporative Coolers for Residential Use, Portacool Air Driven Series Evaporative Coolers for Agricultural Use, Portacool Air Driven Series Evaporative Coolers for Indoor Use, Portacool Air Driven Series Evaporative Coolers for Outdoor Use, Portacool Air Driven Series Evaporative Coolers for Hot Spot Cooling Use, Portacool Air Driven Series Evaporative Coolers for Evaporative Cooling Use.
Meta URL (file name)
portacool-air-driven-evaporative-coolers-us-english.htm

Product Line Description of Portacool Air Driven Series Evaporative Coolers

```

<FONT Size=1>
<b>Product Description:</b> Portacool Air Driven Series Evaporative Coolers<br>
<b>Weather Rating:</b> Indoor/Outdoor<br>
<b>CFM:</b> 2200, 4900 & 9100CFM<br>
<b>Air Requirements:</b> 73SCFM@40PSIG, 164SCFM@40PSIG & 196SCFM@80PSIG<br>
<b>Support Frame:</b> Aluminum & Welded Steel<br>
<b>Gallons:</b> 3, 14 & 32<br>
<b>Product Type:</b> Portacool Air Driven Series Evaporative Coolers<br>
<b>Usual Delivery Time or Lead Time:</b> 1 to 2 weeks<br>
</FONT>
    
```