


General Characteristics of Ridge Roof Mounting Base AlumRidge

The AlumRidge is an aluminum made ridge base made for aluminum turbines.
 Installed properly the ridge bases will stop the turbines from leaking water.
 For Industrial, Commercial and residential use.
 Perfect for Ventilation, cooling and the extraction of fumes, dust, smoke, pollen or gases ect.
 The AlumRidge bases are made from sheet aluminum, with excellent manufacturing detail.
 The aluminum bases for the turbines, allow them to operate correctly and more efficiently.
 All turbines and bases must be leveled horizontally for them to work properly and have proper air flow.
 When ordering the AlumRidge the pitch will need to be supplied by customer.
 For Industrial and Commercial use.



Product Applications of Ridge Roof Mounting Base AlumRidge

These bases are used with our Turbine Vents for ventilation in small, medium, and large areas, bathrooms, warehouses, factories, commercial buildings, and all large ventilation projects.



Warranties of Ridge Roof Mounting Base AlumRidge

Manufacturer's Limited Warranty: 10 Years, void with Tornados, Hurricanes, and Chemical Destruction

Specific characteristics of Ridge Roof Mounting Base AlumRidge

Item #	Manufacturing #	Diameter (S) In.	Pitch	Material	Base Height (H) In.	Roof Opening (O) In.	Flange (F) In.	Weight and Dimension with Packaging	
								Lbs.	L,W,H In.
USADG-001	RB04AU-1/12	4	1/12	Aluminum	10	6x6	4	7	12,12,15
USADG-002	RB04AU-2/12	4	2/12	Aluminum	10	6x6	4	7	12,12,15
USADG-003	RB04AU-3/12	4	3/12	Aluminum	10	6x6	4	7	12,12,15
USADG-004	RB04AU-4/12	4	4/12	Aluminum	10	6x6	4	7	12,12,15
USADG-005	RB04AU-5/12	4	5/12	Aluminum	10	6x6	4	7	12,12,15
USADG-006	RB04AU-6/12	4	6/12	Aluminum	10	6x6	4	7	12,12,15
USADG-007	RB04AO-7/12	4	7/12	Aluminum	10	6x6	4	7	12,12,15
USADG-008	RB04AO-8/12	4	8/12	Aluminum	10	6x6	4	7	12,12,15
USADG-009	RB04AO-9/12	4	9/12	Aluminum	10	6x6	4	7	12,12,15
USADG-010	RB04AO-10/12	4	10/12	Aluminum	10	6x6	4	7	12,12,15
USADG-011	RB04AO-11/12	4	11/12	Aluminum	10	6x6	4	7	12,12,15
USADG-012	RB04AO-12/12	4	12/12	Aluminum	10	6x6	4	7	12,12,15
USADG-013	RB05AU-1/12	5	1/12	Aluminum	10	8x8	4	9	14,14,15
USADG-014	RB05AU-2/12	5	2/12	Aluminum	10	8x8	4	9	14,14,15

Item #	Manufacturing #	Diameter (S) In.	Pitch	Material	Base Height (H) In.	Roof Opening (O) In.	Flange (F) In.	Weight and Dimension with Packaging	
								Lbs.	L,W,H In.
USADG-015	RB05AU-3/12	5	3/12	Aluminum	10	8x8	4	9	14,14,15
USADG-016	RB05AU-4/12	5	4/12	Aluminum	10	8x8	4	9	14,14,15
USADG-017	RB05AU-5/12	5	5/12	Aluminum	10	8x8	4	9	14,14,15
USADG-018	RB05AU-6/12	5	6/12	Aluminum	10	8x8	4	9	14,14,15
USADG-019	RB05AO-7/12	5	7/12	Aluminum	10	8x8	4	9	14,14,15
USADG-020	RB05AO-8/12	5	8/12	Aluminum	10	8x8	4	9	14,14,15
USADG-021	RB05AO-9/12	5	9/12	Aluminum	10	8x8	4	9	14,14,15
USADG-022	RB05AO-10/12	5	10/12	Aluminum	10	8x8	4	9	14,14,15
USADG-023	RB05AO-11/12	5	11/12	Aluminum	10	8x8	4	9	14,14,15
USADG-024	RB05AO-12/12	5	12/12	Aluminum	10	8x8	4	9	14,14,15
USADG-025	RB06AU-1/12	6	1/12	Aluminum	10	8x8	4	9	14,14,15
USADG-026	RB06AU-2/12	6	2/12	Aluminum	10	8x8	4	9	14,14,15
USADG-027	RB06AU-3/12	6	3/12	Aluminum	10	8x8	4	9	14,14,15
USADG-028	RB06AU-4/12	6	4/12	Aluminum	10	8x8	4	9	14,14,15
USADG-029	RB06AU-5/12	6	5/12	Aluminum	10	8x8	4	9	14,14,15
USADG-030	RB06AU-6/12	6	6/12	Aluminum	10	8x8	4	9	14,14,15
USADG-031	RB06AO-7/12	6	7/12	Aluminum	10	8x8	4	9	14,14,15
USADG-032	RB06AO-8/12	6	8/12	Aluminum	10	8x8	4	9	14,14,15
USADG-033	RB06AO-9/12	6	9/12	Aluminum	10	8x8	4	9	14,14,15
USADG-034	RB06AO-10/12	6	10/12	Aluminum	10	8x8	4	9	14,14,15
USADG-035	RB06AO-11/12	6	11/12	Aluminum	10	8x8	4	9	14,14,15
USADG-036	RB06AO-12/12	6	12/12	Aluminum	10	8x8	4	9	14,14,15
USADG-037	RB07AU-1/12	7	1/12	Aluminum	10	10x10	4	10	16,16,15
USADG-038	RB07AU-2/12	7	2/12	Aluminum	10	10x10	4	10	16,16,15
USADG-039	RB07AU-3/12	7	3/12	Aluminum	10	10x10	4	10	16,16,15
USADG-040	RB07AU-4/12	7	4/12	Aluminum	10	10x10	4	10	16,16,15
USADG-041	RB07AU-5/12	7	5/12	Aluminum	10	10x10	4	10	16,16,15
USADG-042	RB07AU-6/12	7	6/12	Aluminum	10	10x10	4	10	16,16,15
USADG-043	RB07AO-7/12	7	7/12	Aluminum	10	10x10	4	10	16,16,15
USADG-044	RB07AO-8/12	7	8/12	Aluminum	10	10x10	4	10	16,16,15
USADG-045	RB07AO-9/12	7	9/12	Aluminum	10	10x10	4	10	16,16,15
USADG-046	RB07AO-10/12	7	10/12	Aluminum	10	10x10	4	10	16,16,15
USADG-047	RB07AO-11/12	7	11/12	Aluminum	10	10x10	4	10	16,16,15
USADG-048	RB07AO-12/12	7	12/12	Aluminum	10	10x10	4	10	16,16,15
USADG-049	RB08AU-1/12	8	1/12	Aluminum	10	10x10	4	10	16,16,15
USADG-050	RB08AU-2/12	8	2/12	Aluminum	10	10x10	4	10	16,16,15
USADG-051	RB08AU-3/12	8	3/12	Aluminum	10	10x10	4	10	16,16,15
USADG-052	RB08AU-4/12	8	4/12	Aluminum	10	10x10	4	10	16,16,15
USADG-053	RB08AU-5/12	8	5/12	Aluminum	10	10x10	4	10	16,16,15
USADG-054	RB08AU-6/12	8	6/12	Aluminum	10	10x10	4	10	16,16,15
USADG-055	RB08AO-7/12	8	7/12	Aluminum	10	10x10	4	10	16,16,15
USADG-056	RB08AO-8/12	8	8/12	Aluminum	10	10x10	4	10	16,16,15
USADG-057	RB08AO-9/12	8	9/12	Aluminum	10	10x10	4	10	16,16,15
USADG-058	RB08AO-10/12	8	10/12	Aluminum	10	10x10	4	10	16,16,15
USADG-059	RB08AO-11/12	8	11/12	Aluminum	10	10x10	4	10	16,16,15
USADG-060	RB08AO-12/12	8	12/12	Aluminum	10	10x10	4	10	16,16,15



Item #	Manufacturing #	Diameter (S) In.	Pitch	Material	Base Height (H) In.	Roof Opening (O) In.	Flange (F) In.	Weight and Dimension with Packaging	
								Lbs.	L,W,H In.
USADG-061	RB09AU-1/12	9	1/12	Aluminum	10	12x12	4	13	18,18,15
USADG-062	RB09AU-2/12	9	2/12	Aluminum	10	12x12	4	13	18,18,15
USADG-063	RB09AU-3/12	9	3/12	Aluminum	10	12x12	4	13	18,18,15
USADG-064	RB09AU-4/12	9	4/12	Aluminum	10	12x12	4	13	18,18,15
USADG-065	RB09AU-5/12	9	5/12	Aluminum	10	12x12	4	13	18,18,15
USADG-066	RB09AU-6/12	9	6/12	Aluminum	10	12x12	4	13	18,18,15
USADG-067	RB09AO-7/12	9	7/12	Aluminum	10	12x12	4	13	18,18,15
USADG-068	RB09AO-8/12	9	8/12	Aluminum	10	12x12	4	13	18,18,15
USADG-069	RB09AO-9/12	9	9/12	Aluminum	10	12x12	4	13	18,18,15
USADG-070	RB09AO-10/12	9	10/12	Aluminum	10	12x12	4	13	18,18,15
USADG-071	RB09AO-11/12	9	11/12	Aluminum	10	12x12	4	13	18,18,15
USADG-072	RB09AO-12/12	9	12/12	Aluminum	10	12x12	4	13	18,18,15
USADG-073	RB10AU-1/12	10	1/12	Aluminum	10	12x12	4	13	18,18,15
USADG-074	RB10AU-2/12	10	2/12	Aluminum	10	12x12	4	13	18,18,15
USADG-075	RB10AU-3/12	10	3/12	Aluminum	10	12x12	4	13	18,18,15
USADG-076	RB10AU-4/12	10	4/12	Aluminum	10	12x12	4	13	18,18,15
USADG-077	RB10AU-5/12	10	5/12	Aluminum	10	12x12	4	13	18,18,15
USADG-078	RB10AU-6/12	10	6/12	Aluminum	10	12x12	4	13	18,18,15
USADG-079	RB10AO-7/12	10	7/12	Aluminum	10	12x12	4	13	18,18,15
USADG-080	RB10AO-8/12	10	8/12	Aluminum	10	12x12	4	13	18,18,15
USADG-081	RB10AO-9/12	10	9/12	Aluminum	10	12x12	4	13	18,18,15
USADG-082	RB10AO-10/12	10	10/12	Aluminum	10	12x12	4	13	18,18,15
USADG-083	RB10AO-11/12	10	11/12	Aluminum	10	12x12	4	13	18,18,15
USADG-084	RB10AO-12/12	10	12/12	Aluminum	10	12x12	4	13	18,18,15
USADG-085	RB12AU-1/12	12	1/12	Aluminum	10	14x14	4	15	20,20,15
USADG-086	RB12AU-2/12	12	2/12	Aluminum	10	14x14	4	15	20,20,15
USADG-087	RB12AU-3/12	12	3/12	Aluminum	10	14x14	4	15	20,20,15
USADG-088	RB12AU-4/12	12	4/12	Aluminum	10	14x14	4	15	20,20,15
USADG-089	RB12AU-5/12	12	5/12	Aluminum	10	14x14	4	15	20,20,15
USADG-090	RB12AU-6/12	12	6/12	Aluminum	10	14x14	4	15	20,20,15
USADG-091	RB12AO-7/12	12	7/12	Aluminum	10	14x14	4	15	20,20,15
USADG-092	RB12AO-8/12	12	8/12	Aluminum	10	14x14	4	15	20,20,15
USADG-093	RB12AO-9/12	12	9/12	Aluminum	10	14x14	4	15	20,20,15
USADG-094	RB12AO-10/12	12	10/12	Aluminum	10	14x14	4	15	20,20,15
USADG-095	RB12AO-11/12	12	11/12	Aluminum	10	14x14	4	15	20,20,15
USADG-096	RB12AO-12/12	12	12/12	Aluminum	10	14x14	4	15	20,20,15
USADG-097	RB14AU-1/12	14	1/12	Aluminum	10	16x16	4	23	22,22,15
USADG-098	RB14AU-2/12	14	2/12	Aluminum	10	16x16	4	23	22,22,15
USADG-099	RB14AU-3/12	14	3/12	Aluminum	10	16x16	4	23	22,22,15
USADG-100	RB14AU-4/12	14	4/12	Aluminum	10	16x16	4	23	22,22,15
USADG-101	RB14AU-5/12	14	5/12	Aluminum	10	16x16	4	23	22,22,15
USADG-102	RB14AU-6/12	14	6/12	Aluminum	10	16x16	4	23	22,22,15
USADG-103	RB14AO-7/12	14	7/12	Aluminum	10	16x16	4	23	22,22,15
USADG-104	RB14AO-8/12	14	8/12	Aluminum	10	16x16	4	23	22,22,15
USADG-105	RB14AO-9/12	14	9/12	Aluminum	10	16x16	4	23	22,22,15

Item #	Manufacturing #	Diameter (S) In.	Pitch	Material	Base Height (H) In.	Roof Opening (O) In.	Flange (F) In.	Weight and Dimension with Packaging	
								Lbs.	L,W,H In.
USADG-106	RB14AO-10/12	14	10/12	Aluminum	10	16x16	4	23	22,22,15
USADG-107	RB14AO-11/12	14	11/12	Aluminum	10	16x16	4	23	22,22,15
USADG-108	RB14AO-12/12	14	12/12	Aluminum	10	16x16	4	23	22,22,15
USADG-109	RB16AU-1/12	16	1/12	Aluminum	10	18x18	4	33	24,24,15
USADG-110	RB16AU-2/12	16	2/12	Aluminum	10	18x18	4	33	24,24,15
USADG-111	RB16AU-3/12	16	3/12	Aluminum	10	18x18	4	33	24,24,15
USADG-112	RB16AU-4/12	16	4/12	Aluminum	10	18x18	4	33	24,24,15
USADG-113	RB16AU-5/12	16	5/12	Aluminum	10	18x18	4	33	24,24,15
USADG-114	RB16AU-6/12	16	6/12	Aluminum	10	18x18	4	33	24,24,15
USADG-115	RB16AO-7/12	15	7/12	Aluminum	10	18x18	4	33	24,24,15
USADG-116	RB16AO-8/12	15	8/12	Aluminum	10	18x18	4	33	24,24,15
USADG-117	RB16AO-9/12	15	9/12	Aluminum	10	18x18	4	33	24,24,15
USADG-118	RB16AO-10/12	15	10/12	Aluminum	10	18x18	4	33	24,24,15
USADG-119	RB16AO-11/12	15	11/12	Aluminum	10	18x18	4	33	24,24,15
USADG-120	RB16AO-12/12	15	12/12	Aluminum	10	18x18	4	33	24,24,15
USADG-121	RB18AU-1/12	18	1/12	Aluminum	10	22x22	4	40	28,28,15
USADG-122	RB18AU-2/12	18	2/12	Aluminum	10	22x22	4	40	28,28,15
USADG-123	RB18AU-3/12	18	3/12	Aluminum	10	22x22	4	40	28,28,15
USADG-124	RB18AU-4/12	18	4/12	Aluminum	10	22x22	4	40	28,28,15
USADG-125	RB18AU-5/12	18	5/12	Aluminum	10	22x22	4	40	28,28,15
USADG-126	RB18AU-6/12	18	6/12	Aluminum	10	22x22	4	40	28,28,15
USADG-127	RB18AO-7/12	18	7/12	Aluminum	10	22x22	4	40	28,28,15
USADG-128	RB18AO-8/12	18	8/12	Aluminum	10	22x22	4	40	28,28,15
USADG-129	RB18AO-9/12	18	9/12	Aluminum	10	22x22	4	40	28,28,15
USADG-130	RB18AO-10/12	18	10/12	Aluminum	10	22x22	4	40	28,28,15
USADG-131	RB18AO-11/12	18	11/12	Aluminum	10	22x22	4	40	28,28,15
USADG-132	RB18AO-12/12	18	12/12	Aluminum	10	22x22	4	40	28,28,15
USADG-133	RB20AU-1/12	20	1/12	Aluminum	10	24x24	4	48	30,30,15
USADG-134	RB20AU-2/12	20	2/12	Aluminum	10	24x24	4	48	30,30,15
USADG-135	RB20AU-3/12	20	3/12	Aluminum	10	24x24	4	48	30,30,15
USADG-136	RB20AU-4/12	20	4/12	Aluminum	10	24x24	4	48	30,30,15
USADG-137	RB20AU-5/12	20	5/12	Aluminum	10	24x24	4	48	30,30,15
USADG-138	RB20AU-6/12	20	6/12	Aluminum	10	24x24	4	48	30,30,15
USADG-139	RB20AO-7/12	20	7/12	Aluminum	10	24x24	4	48	30,30,15
USADG-140	RB20AO-8/12	20	8/12	Aluminum	10	24x24	4	48	30,30,15
USADG-141	RB20AO-9/12	20	9/12	Aluminum	10	24x24	4	48	30,30,15
USADG-142	RB20AO-10/12	20	10/12	Aluminum	10	24x24	4	48	30,30,15
USADG-143	RB20AO-11/12	20	11/12	Aluminum	10	24x24	4	48	30,30,15
USADG-144	RB20AO-12/12	20	12/12	Aluminum	10	24x24	4	48	30,30,15
USADG-145	RB24AU-1/12	24	1/12	Aluminum	12	30x30	4	60	36,36,17
USADG-146	RB24AU-2/12	24	2/12	Aluminum	12	30x30	4	60	36,36,17
USADG-147	RB24AU-3/12	24	3/12	Aluminum	12	30x30	4	60	36,36,17
USADG-148	RB24AU-4/12	24	4/12	Aluminum	12	30x30	4	60	36,36,17
USADG-149	RB24AU-5/12	24	5/12	Aluminum	12	30x30	4	60	36,36,17
USADG-150	RB24AU-6/12	24	6/12	Aluminum	12	30x30	4	60	36,36,17

Item #	Manufacturing #	Diameter (S) In.	Pitch	Material	Base Height (H) In.	Roof Opening (O) In.	Flange (F) In.	Weight and Dimension with Packaging	
								Lbs.	L,W,H In.
USADG-151	RB24AO-7/12	24	7/12	Aluminum	12	30x30	4	60	36,36,17
USADG-152	RB24AO-8/12	24	8/12	Aluminum	12	30x30	4	60	36,36,17
USADG-153	RB24AO-9/12	24	9/12	Aluminum	12	30x30	4	60	36,36,17
USADG-154	RB24AO-10/12	24	10/12	Aluminum	12	30x30	4	60	36,36,17
USADG-155	RB24AO-11/12	24	11/12	Aluminum	12	30x30	4	60	36,36,17
USADG-156	RB24AO-12/12	24	12/12	Aluminum	12	30x30	4	60	36,36,17

Dimensions (in) of Ridge Roof Mounting Base AlumRidge

Series	Length		Width		Height C
	A	B	B	A	
USADG-001 to 012	6"	6"	6"	6"	10
USADG-013 to 034	8"	8"	8"	8"	10
USADG-035 to 036	8"	8"	8"	8"	10
USADG-037 to 048	10"	10"	10"	10"	10
USADG-049 to 060	10"	10"	10"	10"	10
USADG-061 to 072	12"	12"	12"	12"	10
USADG-073 to 084	12"	12"	12"	12"	10
USADG-085 to 096	14"	14"	14"	14"	10
USADG-097 to 108	16"	16"	16"	16"	10
USADG-109 to 120	18"	18"	18"	18"	10
USADG-121 to 132	22"	22"	22"	22"	10"
USADG-133 to 144	24"	24"	24"	24"	10"
USADG-145 to 156	30"	30"	30"	30"	12"



Short Description of Ridge Roof Mounting Base AluminumRidge		
Item #	Manufacturing #	Short Description 70 Characters Maximum
		012345678901234567890123456789012345678901234567890123456789
USADG-001	RB04AU-1/12	4"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 6x6", Height 10", 1/12 Pitch
USADG-002	RB04AU-2/12	4"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 6x6", Height 10", 2/12 Pitch
USADG-003	RB04AU-3/12	4"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 6x6", Height 10", 3/12 Pitch
USADG-004	RB04AU-4/12	4"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 6x6", Height 10", 4/12 Pitch
USADG-005	RB04AU-5/12	4"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 6x6", Height 10", 5/12 Pitch
USADG-006	RB04AU-6/12	4"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 6x6", Height 10", 6/12 Pitch
USADG-007	RB04AO-7/12	4"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 6x6", Height 10", 7/12 Pitch
USADG-008	RB04AO-8/12	4"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 6x6", Height 10", 8/12 Pitch
USADG-009	RB04AO-9/12	4"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 6x6", Height 10", 9/12 Pitch
USADG-010	RB04AO-10/12	4"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 6x6", Height 10", 10/12 Pitch
USADG-011	RB04AO-11/12	4"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 6x6", Height 10", 11/12 Pitch
USADG-012	RB04AO-12/12	4"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 6x6", Height 10", 12/12 Pitch
USADG-013	RB05AU-1/12	5"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 8x8", Height 10", 1/12 Pitch
USADG-014	RB05AU-2/12	5"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 8x8", Height 10", 2/12 Pitch
USADG-015	RB05AU-3/12	5"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 8x8", Height 10", 3/12 Pitch
USADG-016	RB05AU-4/12	5"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 8x8", Height 10", 4/12 Pitch
USADG-017	RB05AU-5/12	5"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 8x8", Height 10", 5/12 Pitch
USADG-018	RB05AU-6/12	5"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 8x8", Height 10", 6/12 Pitch
USADG-019	RB05AO-7/12	5"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 8x8", Height 10", 7/12 Pitch
USADG-020	RB05AU-8/12	5"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 8x8", Height 10", 8/12 Pitch
USADG-021	RB05AO-9/12	5"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 8x8", Height 10", 9/12 Pitch
USADG-022	RB05AO-10/12	5"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 8x8", Height 10", 10/12 Pitch
USADG-023	RB05AO-11/12	5"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 8x8", Height 10", 11/12 Pitch
USADG-024	RB05AO-12/12	5"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 8x8", Height 10", 12/12 Pitch
USADG-025	RB06AU-1/12	6"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 8x8", Height 10", 1/12 Pitch
USADG-026	RB06AU-2/12	6"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 8x8", Height 10", 2/12 Pitch
USADG-027	RB06AU-3/12	6"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 8x8", Height 10", 3/12 Pitch

Item #	Manufacturing #	Short Description 70 Characters Maximum
		012345678901234567890123456789012345678901234567890123456789
USADG-028	RB06AU-4/12	6"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 8x8", Height 10", 4/12 Pitch
USADG-029	RB06AU-5/12	6"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 8x8", Height 10", 5/12 Pitch
USADG-030	RB06AU-6/12	6"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 8x8", Height 10", 6/12 Pitch
USADG-031	RB06AO-7/12	6"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 8x8", Height 10", 7/12 Pitch
USADG-032	RB06AO-8/12	6"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 8x8", Height 10", 8/12 Pitch
USADG-033	RB06AO-9/12	6"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 8x8", Height 10", 9/12 Pitch
USADG-034	RB06AO-10/12	6"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 8x8", Height 10", 10/12 Pitch
USADG-035	RB06AO-11/12	6"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 8x8", Height 10", 11/12 Pitch
USADG-036	RB06AO-12/12	6"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 8x8", Height 10", 12/12 Pitch
USADG-037	RB07AU-1/12	7"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 10x10", Height 10", 1/12 Pitch
USADG-038	RB07AU-2/12	7"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 10x10", Height 10", 2/12 Pitch
USADG-039	RB07AU-3/12	7"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 10x10", Height 10", 3/12 Pitch
USADG-040	RB07AU-4/12	7"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 10x10", Height 10", 4/12 Pitch
USADG-041	RB07AU-5/12	7"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 10x10", Height 10", 5/12 Pitch
USADG-042	RB07AU-6/12	7"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 10x10", Height 10", 6/12 Pitch
USADG-043	RB07AO-7/12	7"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 10x10", Height 10", 7/12 Pitch
USADG-044	RB07AO-8/12	7"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 10x10", Height 10", 8/12 Pitch
USADG-045	RB07AO-9/12	7"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 10x10", Height 10", 9/12 Pitch
USADG-046	RB07AO-10/12	7"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 10x10", Height 10", 10/12 Pitch
USADG-047	RB07AO-11/12	7"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 10x10", Height 10", 11/12 Pitch
USADG-048	RB07AO-12/12	7"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 10x10", Height 10", 12/12 Pitch
USADG-049	RB08AU-1/12	8"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 10x10", Height 10", 1/12 Pitch
USADG-050	RB08AU-2/12	8"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 10x10", Height 10", 2/12 Pitch
USADG-051	RB08AU-3/12	8"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 10x10", Height 10", 3/12 Pitch
USADG-052	RB08AU-4/12	8"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 10x10", Height 10", 4/12 Pitch
USADG-053	RB08AU-5/12	8"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 10x10", Height 10", 5/12 Pitch
USADG-054	RB08AU-6/12	8"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 10x10", Height 10", 6/12 Pitch
USADG-055	RB08AO-7/12	8"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 10x10", Height 10", 7/12 Pitch

Item #	Manufacturing #	Short Description 70 Characters Maximum
		012345678901234567890123456789012345678901234567890123456789
USADG-056	RB08AO-8/12	8"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 0x10", Height 10", 8/12 Pitch
USADG-057	RB08AO-9/12	8"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 10x10", Height 10", 9/12 Pitch
USADG-058	RB08AO-10/12	8"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 10x10", Height 10", 10/12 Pitch
USADG-059	RB08AO-11/12	8"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 10x10", Height 10", 11/12 Pitch
USADG-060	RB08AO-12/12	8"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 10x10", Height 10", 12/12 Pitch
USADG-061	RB09AU-1/12	9"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 2x12", Height 10", 1/12 Pitch
USADG-062	RB09AU-2/12	9"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 12x12", Height 10", 2/12 Pitch
USADG-063	RB09AU-3/12	9"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 12x12", Height 10", 3/12 Pitch
USADG-064	RB09AU-4/12	9"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 12x12", Height 10", 4/12 Pitch
USADG-065	RB09AU-5/12	9"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 12x12", Height 10", 5/12 Pitch
USADG-066	RB09AU-6/12	9"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 12x12", Height 10", 6/12 Pitch
USADG-067	RB09AO-7/12	9"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 12x12", Height 10", 7/12 Pitch
USADG-067	RB09AO-7/12	9"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 12x12", Height 10", 7/12 Pitch
USADG-068	RB09AO-8/12	9"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 12x12", Height 10", 8/12 Pitch
USADG-069	RB09AO-9/12	9"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 12x12", Height 10", 9/12 Pitch
USADG-070	RB09AO-10/12	9"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 12x12", Height 10", 10/12 Pitch
USADG-071	RB09AO-11/12	9"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 12x12", Height 10", 11/12 Pitch
USADG-072	RB09AO-12/12	9"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 12x12", Height 10", 12/12 Pitch
USADG-073	RB10AU-1/12	10"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 12x12", Height 10", 1/12 Pitch
USADG-074	RB10AU-2/12	10"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 12x12", Height 10", 2/12 Pitch
USADG-075	RB10AU-3/12	10"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 12x12", Height 10", 3/12 Pitch
USADG-076	RB10AU-4/12	10"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 12x12", Height 10", 4/12 Pitch
USADG-077	RB10AU-5/12	10"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 12x12", Height 10", 5/12 Pitch
USADG-078	RB10AU-6/12	10"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 12x12", Height 10", 6/12 Pitch
USADG-079	RB10AO-7/12	10"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 12x12", Height 10", 7/12 Pitch
USADG-080	RB10AO-8/12	10"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 12x12", Height 10", 8/12 Pitch

Item #	Manufacturing #	Short Description 70 Characters Maximum
		012345678901234567890123456789012345678901234567890123456789
USADG-081	RB10AO-9/12	10"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 12x12", Height 10", 9/12 Pitch
USADG-082	RB10AO-10/12	10"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 12x12", Height 10", 10/12 Pitch
USADG-083	RB10AO-11/12	10"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 12x12", Height 10", 11/12 Pitch
USADG-084	RB10AO-12/12	10"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 12x12", Height 10", 12/12 Pitch
USADG-085	RB12AU-1/12	12"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 14x14", Height 10", 1/12 Pitch
USADG-086	RB12AU-2/12	12"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 14x14", Height 10", 2/12 Pitch
USADG-087	RB12AU-3/12	12"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 14x14", Height 10", 3/12 Pitch
USADG-088	RB12AU-4/12	12"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 14x14", Height 10", 4/12 Pitch
USADG-089	RB12AU-5/12	12"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 14x14", Height 10", 5/12 Pitch
USADG-090	RB12AU-6/12	12"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 14x14", Height 10", 6/12 Pitch
USADG-091	RB12AO-7/12	12"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 14x14", Height 10", 7/12 Pitch
USADG-092	RB12AO-8/12	12"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 14x14", Height 10", 8/12 Pitch
USADG-093	RB12AO-9/12	12"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 14x14", Height 10", 9/12 Pitch
USADG-094	RB12AO-10/12	12"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 14x14", Height 10", 10/12 Pitch
USADG-095	RB12AO-11/12	12"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 14x14", Height 10", 11/12 Pitch
USADG-096	RB12AO-12/12	12"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 14x14", Height 10", 12/12 Pitch
USADG-097	RB14AU-1/12	14"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 16x16", Height 10", 1/12 Pitch
USADG-098	RB14AU-2/12	14"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 16x16", Height 10", 2/12 Pitch
USADG-099	RB14AU-3/12	14"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 16x16", Height 10", 3/12 Pitch
USADG-100	RB14AU-4/12	14"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 16x16", Height 10", 4/12 Pitch
USADG-101	RB14AU-5/12	14"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 16x16", Height 10", 5/12 Pitch
USADG-102	RB14AU-6/12	14"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 16x16", Height 10", 6/12 Pitch
USADG-103	RB14AO-7/12	14"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 16x16", Height 10", 7/12 Pitch
USADG-104	RB14AO-8/12	14"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 16x16", Height 10", 8/12 Pitch
USADG-105	RB14AO-9/12	14"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 16x16", Height 10", 9/12 Pitch
USADG-106	RB14AO-10/12	14"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 16x16", Height 10", 10/12 Pitch
USADG-107	RB14AO-11/12	14"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 16x16", Height 10", 11/12 Pitch

Item #	Manufacturing #	Short Description 70 Characters Maximum
		012345678901234567890123456789012345678901234567890123456789
USADG-108	RB14AO-12/12	14"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 16x16", Height 10", 12/12 Pitch
USADG-109	RB16AU-1/12	16"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 18x18", Height 10", 1/12 Pitch
USADG-110	RB16AU-2/12	16"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 18x18", Height 10", 2/12 Pitch
USADG-111	RB16AU-3/12	16"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 18x18", Height 10", 3/12 Pitch
USADG-112	RB16AU-4/12	16"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 18x18", Height 10", 4/12 Pitch
USADG-113	RB16AU-5/12	16"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 18x18", Height 10", 5/12 Pitch
USADG-114	RB16AU-6/12	16"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 18x18", Height 10", 6/12 Pitch
USADG-115	RB16AO-7/12	16"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 18x18", Height 10", 7/12 Pitch
USADG-116	RB16AO-8/12	16"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 18x18", Height 10", 8/12 Pitch
USADG-117	RB16AO-9/12	16"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 18x18", Height 10", 9/12 Pitch
USADG-118	RB16AO-10/12	16"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 18x18", Height 10", 10/12 Pitch
USADG-119	RB16AO-11/12	16"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 18x18", Height 10", 11/12 Pitch
USADG-120	RB16AO-12/12	16"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 18x18", Height 10", 12/12 Pitch
USADG-121	RB18AU-1/12	18"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 22x22", Height 10", 1/12 Pitch
USADG-122	RB18AU-2/12	18"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 22x22", Height 10", 2/12 Pitch
USADG-123	RB18AU-3/12	18"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 22x22", Height 10", 3/12 Pitch
USADG-124	RB18AU-4/12	18"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 22x22", Height 10", 4/12 Pitch
USADG-125	RB18AU-5/12	18"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 22x22", Height 10", 5/12 Pitch
USADG-126	RB18AU-6/12	18"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 22x22", Height 10", 6/12 Pitch
USADG-127	RB18AO-7/12	18"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 22x22", Height 10", 7/12 Pitch
USADG-128	RB18AO-8/12	18"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 22x22", Height 10", 8/12 Pitch
USADG-129	RB18AO-9/12	18"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 22x22", Height 10", 9/12 Pitch
USADG-130	RB18AO-10/12	18"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 22x22", Height 10", 10/12 Pitch
USADG-131	RB18AO-11/12	18"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 22x22", Height 10", 11/12 Pitch
USADG-132	RB18AO-12/12	18"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 22x22", Height 10", 12/12 Pitch
USADG-133	RB20AU-1/12	20"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 24x24", Height 10", 1/12 Pitch
USADG-134	RB20AU-2/12	20"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 24x24", Height 10", 2/12 Pitch

Item #	Manufacturing #	Short Description 70 Characters Maximum
		012345678901234567890123456789012345678901234567890123456789
USADG-135	RB20AU-3/12	20"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 24x24", Height 10", 3/12 Pitch
USADG-136	RB20AU-4/12	20"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 24x24", Height 10", 4/12 Pitch
USADG-137	RB20AU-5/12	20"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 24x24", Height 10", 5/12 Pitch
USADG-138	RB20AU-6/12	20"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 24x24", Height 10", 6/12 Pitch
USADG-139	RB20AO-7/12	20"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 24x24", Height 10", 7/12 Pitch
USADG-140	RB20AO-8/12	20"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 24x24", Height 10", 8/12 Pitch
USADG-141	RB20AO-9/12	20"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 24x24", Height 10", 9/12 Pitch
USADG-142	RB20AO-10/12	20"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 24x24", Height 10", 10/12 Pitch
USADG-143	RB20AO-11/12	20"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 24x24", Height 10", 11/12 Pitch
USADG-144	RB20AO-12/12	20"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 24x24", Height 10", 12/12 Pitch
USADG-145	RB24AU-1/12	24"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 30x30", Height 12", 1/12 Pitch
USADG-146	RB24AU-2/12	24"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 30x30", Height 12", 2/12 Pitch
USADG-147	RB24AU-3/12	24"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 30x30", Height 12", 3/12 Pitch
USADG-148	RB24AU-4/12	24"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 30x30", Height 12", 4/12 Pitch
USADG-149	RB24AU-5/12	24"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 30x30", Height 12", 5/12 Pitch
USADG-150	RB24AU-6/12	24"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 30x30", Height 12", 6/12 Pitch
USADG-151	RB24AO-7/12	24"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 30x30", Height 12", 7/12 Pitch
USADG-152	RB24AO-8/12	24"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 30x30", Height 12", 8/12 Pitch
USADG-153	RB24AO-9/12	24"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 30x30", Height 12", 9/12 Pitch
USADG-154	RB24AO-10/12	24"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 30x30", Height 12", 10/12 Pitch
USADG-155	RB24AO-11/12	24"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 30x30", Height 12", 11/12 Pitch
USADG-156	RB24AO-12/12	24"Ø Neck, Aluminum Ridge Base, Flange 4", Square Opening 30x30", Height 12", 12/12 Pitch

SEO Table of Ridge Roof Mounting Base AlumRidge

Title
Ridge Roof Mounting Base Aluminum AlumRidge.
Meta Description
Ridge Roof Mounting Base Aluminum AlumRidge for Commercial Use, Ridge Roof Mounting Base Aluminum AlumRidge for Industrial Use, Ridge Roof Mounting Base Aluminum AlumRidge for Residential Use, Ridge Roof Mounting Base Aluminum AlumRidge for Outdoor Use, Ridge Roof Mounting Base Aluminum AlumRidge for Ventilation Use, Ridge Roof Mounting Base Aluminum AlumRidge for Cooling Use, Ridge Roof Mounting Base Aluminum AlumRidge for Extraction Use.
Meta Key Words
Ridge Roof Mounting Base Aluminum AlumRidge for Commercial Use, Ridge Roof Mounting Base Aluminum AlumRidge for Industrial Use, Ridge Roof Mounting Base Aluminum AlumRidge for Residential Use, Ridge Roof Mounting Base Aluminum AlumRidge for Outdoor Use, Ridge Roof Mounting Base Aluminum AlumRidge for Ventilation Use, Ridge Roof Mounting Base Aluminum AlumRidge for Cooling Use, Ridge Roof Mounting Base Aluminum AlumRidge for Extraction Use.
Meta URL (file name)
ridge-roof-mounting-base-aluminum-alumridge-us-english.htm

Product Line Description of Ridge Roof Mounting Base AlumRidge

```

<FONT Size=1>
<b>Product Description:</b> Ridge Roof Mounting Base AlumRidge<br>
<b>Neck Diameters:</b> 4,5,6,7,8,9,10,12,14,16,18,20 & 24<br>
<b>Base Type:</b> Ridge Base<br>
<b>Material:<b> Aluminum<br>
<b>Finish:</b> Natural<br>
<b>Color:</b> Natural Aluminum<br>
<b>Use:</b> Turbine Vents for Ventilation in small, medium and large areas, Industrial, Commercial, and Residential<br>
<b>Warranty:</b> 10 years<br>
<b>Manufactured in:</b> 0-15 business days<br>
</FONT>
  
```