

**General Characteristics of Ridge Roof Mounting Base AlumRidge**

The AlumRidge is an aluminum made ridge base made for aluminum turbines.  
 Installed properly the ridge bases will stop the turbines from leaking water.  
 For Industrial, Commercial, and residential use.  
 Perfect for Ventilation, cooling and the extraction of fumes, dust, smoke, pollen, or gases.  
 The AlumRidge bases are made from sheet aluminum, with excellent manufacturing detail.  
 The aluminum bases for the turbines, allow them to operate correctly and more efficiently.  
 All turbines and bases must be leveled horizontally for them to work properly and have proper air flow.  
 When ordering the AlumRidge the pitch will need to be supplied by customer.  
 For Industrial and Commercial use.




**Product Applications of Ridge Roof Mounting Base AlumRidge**

These bases are used with our Turbine Vents for ventilation in small, medium, and large areas, bathrooms, warehouses, factories, commercial buildings, and all large ventilation projects.

**Warranties of Ridge Roof Mounting Base AlumRidge**

Manufacturer's Limited Warranty: 10 Years, void with Tornados, Hurricanes, Chimney Installation, and Chemical Destruction. These products are built to order, they are nonreturnable or nonrefundable.



**Specific characteristics of Ridge Roof Mounting Base AlumRidge**

Item #	Manufacturing #	Diameter (S) In.	Pitch P	Material	Base Height (H) In.	Roof Opening (O) In.	Flange (F) In.	Weight and Dimension with Packaging	
								Lbs.	L,W,H In.
USARB-001	RB04AU-1/12	4	1/12	Aluminum	10	6x6	4	7	6,6,12
USARB-002	RB04AU-2/12	4	2/12	Aluminum	10	6x6	4	7	6,6,12
USARB-003	RB04AU-3/12	4	3/12	Aluminum	10	6x6	4	7	6,6,12
USARB-004	RB04AU-4/12	4	4/12	Aluminum	10	6x6	4	7	6,6,12
USARB-005	RB04AU-5/12	4	5/12	Aluminum	10	6x6	4	7	6,6,12
USARB-006	RB04AU-6/12	4	6/12	Aluminum	10	6x6	4	7	6,6,12
USARB-007	RB04AO-7/12	4	7/12	Aluminum	10	6x6	4	7	6,6,12
USARB-008	RB04AO-8/12	4	8/12	Aluminum	10	6x6	4	7	6,6,12
USARB-009	RB04AO-9/12	4	9/12	Aluminum	10	6x6	4	7	6,6,12
USARB-010	RB04AO-10/12	4	10/12	Aluminum	10	6x6	4	7	6,6,12
USARB-011	RB04AO-11/12	4	11/12	Aluminum	10	6x6	4	7	6,6,12
USARB-012	RB04AO-12/12	4	12/12	Aluminum	10	6x6	4	7	6,6,12
USARB-013	RB05AU-1/12	5	1/12	Aluminum	10	8x8	4	9	8,8,12
USARB-014	RB05AU-2/12	5	2/12	Aluminum	10	8x8	4	9	8,8,12

Item #	Manufacturing #	Diameter (S) In.	Pitch P	Material	Base Height (H) In.	Roof Opening (O) In.	Flange (F) In.	Weight and Dimension with Packaging	
								Lbs.	L,W,H In.
USARB-015	RB05AU-3/12	5	3/12	Aluminum	10	8x8	4	9	8,8,12
USARB-016	RB05AU-4/12	5	4/12	Aluminum	10	8x8	4	9	8,8,12
USARB-017	RB05AU-5/12	5	5/12	Aluminum	10	8x8	4	9	8,8,12
USARB-018	RB05AU-6/12	5	6/12	Aluminum	10	8x8	4	9	8,8,12
USARB-019	RB05AO-7/12	5	7/12	Aluminum	10	8x8	4	9	8,8,12
USARB-020	RB05AU-8/12	5	8/12	Aluminum	10	8x8	4	9	8,8,12
USARB-021	RB05AO-9/12	5	9/12	Aluminum	10	8x8	4	9	8,8,12
USARB-022	RB05AO-10/12	5	10/12	Aluminum	10	8x8	4	9	8,8,12
USARB-023	RB05AO-11/12	5	11/12	Aluminum	10	8x8	4	9	8,8,12
USARB-024	RB05AO-12/12	5	12/12	Aluminum	10	8x8	4	9	8,8,12
USARB-025	RB06AU-1/12	6	1/12	Aluminum	10	8x8	4	9	8,8,12
USARB-026	RB06AU-2/12	6	2/12	Aluminum	10	8x8	4	9	8,8,12
USARB-027	RB06AU-3/12	6	3/12	Aluminum	10	8x8	4	9	8,8,12
USARB-028	RB06AU-4/12	6	4/12	Aluminum	10	8x8	4	9	8,8,12
USARB-029	RB06AU-5/12	6	5/12	Aluminum	10	8x8	4	9	8,8,12
USARB-030	RB06AU-6/12	6	6/12	Aluminum	10	8x8	4	9	8,8,12
USARB-031	RB06AO-7/12	6	7/12	Aluminum	10	8x8	4	9	8,8,12
USARB-032	RB06AO-8/12	6	8/12	Aluminum	10	8x8	4	9	8,8,12
USARB-033	RB06AO-9/12	6	9/12	Aluminum	10	8x8	4	9	8,8,12
USARB-034	RB06AO-10/12	6	10/12	Aluminum	10	8x8	4	9	8,8,12
USARB-035	RB06AO-11/12	6	11/12	Aluminum	10	8x8	4	9	8,8,12
USARB-036	RB06AO-12/12	6	12/12	Aluminum	10	8x8	4	9	8,8,12
USARB-037	RB07AU-1/12	7	1/12	Aluminum	10	10x10	4	10	10,10,12
USARB-038	RB07AU-2/12	7	2/12	Aluminum	10	10x10	4	10	10,10,12
USARB-039	RB07AU-3/12	7	3/12	Aluminum	10	10x10	4	10	10,10,12
USARB-040	RB07AU-4/12	7	4/12	Aluminum	10	10x10	4	10	10,10,12
USARB-041	RB07AU-5/12	7	5/12	Aluminum	10	10x10	4	10	10,10,12
USARB-042	RB07AU-6/12	7	6/12	Aluminum	10	10x10	4	10	10,10,12
USARB-043	RB07AO-7/12	7	7/12	Aluminum	10	10x10	4	10	10,10,12
USARB-044	RB07AO-8/12	7	8/12	Aluminum	10	10x10	4	10	10,10,12
USARB-045	RB07AO-9/12	7	9/12	Aluminum	10	10x10	4	10	10,10,12
USARB-046	RB07AO-10/12	7	10/12	Aluminum	10	10x10	4	10	10,10,12
USARB-047	RB07AO-11/12	7	11/12	Aluminum	10	10x10	4	10	10,10,12
USARB-048	RB07AO-12/12	7	12/12	Aluminum	10	10x10	4	10	10,10,12
USARB-049	RB08AU-1/12	8	1/12	Aluminum	10	10x10	4	10	10,10,12
USARB-050	RB08AU-2/12	8	2/12	Aluminum	10	10x10	4	10	10,10,12
USARB-051	RB08AU-3/12	8	3/12	Aluminum	10	10x10	4	10	10,10,12
USARB-052	RB08AU-4/12	8	4/12	Aluminum	10	10x10	4	10	10,10,12
USARB-053	RB08AU-5/12	8	5/12	Aluminum	10	10x10	4	10	10,10,12
USARB-054	RB08AU-6/12	8	6/12	Aluminum	10	10x10	4	10	10,10,12
USARB-055	RB08AO-7/12	8	7/12	Aluminum	10	10x10	4	10	10,10,12
USARB-056	RB08AO-8/12	8	8/12	Aluminum	10	10x10	4	10	10,10,12
USARB-057	RB08AO-9/12	8	9/12	Aluminum	10	10x10	4	10	10,10,12
USARB-058	RB08AO-10/12	8	10/12	Aluminum	10	10x10	4	10	10,10,12
USARB-059	RB08AO-11/12	8	11/12	Aluminum	10	10x10	4	10	10,10,12
USARB-060	RB08AO-12/12	8	12/12	Aluminum	10	10x10	4	10	10,10,12

Item #	Manufacturing #	Diameter (S) In.	Pitch P	Material	Base Height (H) In.	Roof Opening (O) In.	Flange (F) In.	Weight and Dimension with Packaging	
								Lbs.	L,W,H In.
USARB-061	RB09AU-1/12	9	1/12	Aluminum	10	12x12	4	13	12,12,12
USARB-062	RB09AU-2/12	9	2/12	Aluminum	10	12x12	4	13	12,12,12
USARB-063	RB09AU-3/12	9	3/12	Aluminum	10	12x12	4	13	12,12,12
USARB-064	RB09AU-4/12	9	4/12	Aluminum	10	12x12	4	13	12,12,12
USARB-065	RB09AU-5/12	9	5/12	Aluminum	10	12x12	4	13	12,12,12
USARB-066	RB09AU-6/12	9	6/12	Aluminum	10	12x12	4	13	12,12,12
USARB-067	RB09AO-7/12	9	7/12	Aluminum	10	12x12	4	13	12,12,12
USARB-068	RB09AO-8/12	9	8/12	Aluminum	10	12x12	4	13	12,12,12
USARB-069	RB09AO-9/12	9	9/12	Aluminum	10	12x12	4	13	12,12,12
USARB-070	RB09AO-10/12	9	10/12	Aluminum	10	12x12	4	13	12,12,12
USARB-071	RB09AO-11/12	9	11/12	Aluminum	10	12x12	4	13	12,12,12
USARB-072	RB09AO-12/12	9	12/12	Aluminum	10	12x12	4	13	12,12,12
USARB-073	RB10AU-1/12	10	1/12	Aluminum	10	12x12	4	13	12,12,12
USARB-074	RB10AU-2/12	10	2/12	Aluminum	10	12x12	4	13	12,12,12
USARB-075	RB10AU-3/12	10	3/12	Aluminum	10	12x12	4	13	12,12,12
USARB-076	RB10AU-4/12	10	4/12	Aluminum	10	12x12	4	13	12,12,12
USARB-077	RB10AU-5/12	10	5/12	Aluminum	10	12x12	4	13	12,12,12
USARB-078	RB10AU-6/12	10	6/12	Aluminum	10	12x12	4	13	12,12,12
USARB-079	RB10AO-7/12	10	7/12	Aluminum	10	12x12	4	13	12,12,12
USARB-080	RB10AO-8/12	10	8/12	Aluminum	10	12x12	4	13	12,12,12
USARB-081	RB10AO-9/12	10	9/12	Aluminum	10	12x12	4	13	12,12,12
USARB-082	RB10AO-10/12	10	10/12	Aluminum	10	12x12	4	13	12,12,12
USARB-083	RB10AO-11/12	10	11/12	Aluminum	10	12x12	4	13	12,12,12
USARB-084	RB10AO-12/12	10	12/12	Aluminum	10	12x12	4	13	12,12,12
USARB-085	RB12AU-1/12	12	1/12	Aluminum	10	14x14	4	15	14,14,12
USARB-086	RB12AU-2/12	12	2/12	Aluminum	10	14x14	4	15	14,14,12
USARB-087	RB12AU-3/12	12	3/12	Aluminum	10	14x14	4	15	14,14,12
USARB-088	RB12AU-4/12	12	4/12	Aluminum	10	14x14	4	15	14,14,12
USARB-089	RB12AU-5/12	12	5/12	Aluminum	10	14x14	4	15	14,14,12
USARB-090	RB12AU-6/12	12	6/12	Aluminum	10	14x14	4	15	14,14,12
USARB-091	RB12AO-7/12	12	7/12	Aluminum	10	14x14	4	15	14,14,12
USARB-092	RB12AO-8/12	12	8/12	Aluminum	10	14x14	4	15	14,14,12
USARB-093	RB12AO-9/12	12	9/12	Aluminum	10	14x14	4	15	14,14,12
USARB-094	RB12AO-10/12	12	10/12	Aluminum	10	14x14	4	15	14,14,12
USARB-095	RB12AO-11/12	12	11/12	Aluminum	10	14x14	4	15	14,14,12
USARB-096	RB12AO-12/12	12	12/12	Aluminum	10	14x14	4	15	14,14,12
USARB-097	RB14AU-1/12	14	1/12	Aluminum	10	16x16	4	23	16,16,12
USARB-098	RB14AU-2/12	14	2/12	Aluminum	10	16x16	4	23	16,16,12
USARB-099	RB14AU-3/12	14	3/12	Aluminum	10	16x16	4	23	16,16,12
USARB-100	RB14AU-4/12	14	4/12	Aluminum	10	16x16	4	23	16,16,12
USARB-101	RB14AU-5/12	14	5/12	Aluminum	10	16x16	4	23	16,16,12
USARB-102	RB14AU-6/12	14	6/12	Aluminum	10	16x16	4	23	16,16,12
USARB-103	RB14AO-7/12	14	7/12	Aluminum	10	16x16	4	23	16,16,12
USARB-104	RB14AO-8/12	14	8/12	Aluminum	10	16x16	4	23	16,16,12
USARB-105	RB14AO-9/12	14	9/12	Aluminum	10	16x16	4	23	16,16,12

Item #	Manufacturing #	Diameter (S) In.	Pitch P	Material	Base Height (H) In.	Roof Opening (O) In.	Flange (F) In.	Weight and Dimension with Packaging	
								Lbs.	L,W,H In.
USARB-106	RB14AO-10/12	14	10/12	Aluminum	10	16x16	4	23	16,16,12
USARB-107	RB14AO-11/12	14	11/12	Aluminum	10	16x16	4	23	16,16,12
USARB-108	RB14AO-12/12	14	12/12	Aluminum	10	16x16	4	23	16,16,12
USARB-109									
USARB-110									
USARB-111									
USARB-112									
USARB-113									
USARB-114									
USARB-115									
USARB-116									
USARB-117									
USARB-118									
USARB-119									
USARB-120									
USARB-121	RB16AU-1/12	16	1/12	Aluminum	10	18x18	4	33	18,18,12
USARB-122	RB16AU-2/12	16	2/12	Aluminum	10	18x18	4	33	18,18,12
USARB-123	RB16AU-3/12	16	3/12	Aluminum	10	18x18	4	33	18,18,12
USARB-124	RB16AU-4/12	16	4/12	Aluminum	10	18x18	4	33	18,18,12
USARB-125	RB16AU-5/12	16	5/12	Aluminum	10	18x18	4	33	18,18,12
USARB-126	RB16AU-6/12	16	6/12	Aluminum	10	18x18	4	33	18,18,12
USARB-127	RB16AO-7/12	16	7/12	Aluminum	10	18x18	4	33	18,18,12
USARB-128	RB16AO-8/12	16	8/12	Aluminum	10	18x18	4	33	18,18,12
USARB-129	RB16AO-9/12	16	9/12	Aluminum	10	18x18	4	33	18,18,12
USARB-130	RB16AO-10/12	16	10/12	Aluminum	10	18x18	4	33	18,18,12
USARB-131	RB16AO-11/12	16	11/12	Aluminum	10	18x18	4	33	18,18,12
USARB-132	RB16AO-12/12	16	12/12	Aluminum	10	18x18	4	33	18,18,12
USARB-133	RB18AU-1/12	18	1/12	Aluminum	10	22x22	4	40	22,22,12
USARB-134	RB18AU-2/12	18	2/12	Aluminum	10	22x22	4	40	22,22,12
USARB-135	RB18AU-3/12	18	3/12	Aluminum	10	22x22	4	40	22,22,12
USARB-136	RB18AU-4/12	18	4/12	Aluminum	10	22x22	4	40	22,22,12
USARB-137	RB18AU-5/12	18	5/12	Aluminum	10	22x22	4	40	22,22,12
USARB-138	RB18AU-6/12	18	6/12	Aluminum	10	22x22	4	40	22,22,12
USARB-139	RB18AO-7/12	18	7/12	Aluminum	10	22x22	4	40	22,22,12
USARB-140	RB18AO-8/12	18	8/12	Aluminum	10	22x22	4	40	22,22,12
USARB-141	RB18AO-9/12	18	9/12	Aluminum	10	22x22	4	40	22,22,12
USARB-142	RB18AO-10/12	18	10/12	Aluminum	10	22x22	4	40	22,22,12
USARB-143	RB18AO-11/12	18	11/12	Aluminum	10	22x22	4	40	22,22,12
USARB-144	RB18AO-12/12	18	12/12	Aluminum	10	22x22	4	40	22,22,12
USARB-145	RB20AU-1/12	20	1/12	Aluminum	10	24x24	4	48	24,24,12
USARB-146	RB20AU-2/12	20	2/12	Aluminum	10	24x24	4	48	24,24,12
USARB-147	RB20AU-3/12	20	3/12	Aluminum	10	24x24	4	48	24,24,12
USARB-148	RB20AU-4/12	20	4/12	Aluminum	10	24x24	4	48	24,24,12
USARB-149	RB20AU-5/12	20	5/12	Aluminum	10	24x24	4	48	24,24,12
USARB-150	RB20AU-6/12	20	6/12	Aluminum	10	24x24	4	48	24,24,12

Item #	Manufacturing #	Diameter (S) In.	Pitch P	Material	Base Height (H) In.	Roof Opening (O) In.	Flange (F) In.	Weight and Dimension with Packaging	
								Lbs.	L,W,H In.
<b>USARB-151</b>	RB20AO-7/12	20	7/12	Aluminum	10	24x24	4	48	24,24,12
<b>USARB-152</b>	RB20AO-8/12	20	8/12	Aluminum	10	24x24	4	48	24,24,12
<b>USARB-153</b>	RB20AO-9/12	20	9/12	Aluminum	10	24x24	4	48	24,24,12
<b>USARB-154</b>	RB20AO-10/12	20	10/12	Aluminum	10	24x24	4	48	24,24,12
<b>USARB-155</b>	RB20AO-11/12	20	11/12	Aluminum	10	24x24	4	48	24,24,12
<b>USARB-156</b>	RB20AO-12/12	20	12/12	Aluminum	10	24x24	4	48	24,24,12
<b>USARB-157</b>	RB24AU-1/12	24	1/12	Aluminum	12	30x30	4	60	30,30,14
<b>USARB-158</b>	RB24AU-2/12	24	2/12	Aluminum	12	30x30	4	60	30,30,14
<b>USARB-159</b>	RB24AU-3/12	24	3/12	Aluminum	12	30x30	4	60	30,30,14
<b>USARB-160</b>	RB24AU-4/12	24	4/12	Aluminum	12	30x30	4	60	30,30,14
<b>USARB-161</b>	RB24AU-5/12	24	5/12	Aluminum	12	30x30	4	60	30,30,14
<b>USARB-162</b>	RB24AU-6/12	24	6/12	Aluminum	12	30x30	4	60	30,30,14
<b>USARB-163</b>	RB24AO-7/12	24	7/12	Aluminum	12	30x30	4	60	30,30,14
<b>USARB-164</b>	RB24AO-8/12	24	8/12	Aluminum	12	30x30	4	60	30,30,14
<b>USARB-165</b>	RB24AO-9/12	24	9/12	Aluminum	12	30x30	4	60	30,30,14
<b>USARB-166</b>	RB24AO-10/12	24	10/12	Aluminum	12	30x30	4	60	30,30,14
<b>USARB-167</b>	RB24AO-11/12	24	11/12	Aluminum	12	30x30	4	60	30,30,14
<b>USARB-168</b>	RB24AO-12/12	24	12/12	Aluminum	12	30x30	4	60	30,30,14

