

**General Characteristics of Cleanable Mist Nozzle**

**BraSSNozz**

The VentDepot Cleanable Mist Nozzles BraSSNozz are available in brass with stainless steel orifice sizes from .006" to .020".

The VentDepot Cleanable Mist Nozzles BraSSNozz includes an anti drip adapter.

The VentDepot Cleanable Mist Nozzles BraSSNozz are available in brass with stainless steel orifice or all stainless steel design.

**General Characteristics of Cleanable Mist Nozzle**

**BraSSNozz**

The VentDepot Cleanable Mist Nozzles BraSSNozz flow rates vary from .01 gpm to .045 gpm with spray patterns from 45 degrees to 85 degrees. The VentDepot Cleanable Mist Nozzles BraSSNozz T includes a Colored o-ring to identify the orifice size which is also stamped on the facing of the nozzle.

The VentDepot Cleanable Mist Nozzles BraSSNozz Larger orifice sizes and different threads are also available as special order items.

**Warranty of Cleanable Mist Nozzle BraSSNoz**

Manufacturer's Limited Warranty: 5 Years.



**Specific Characteristics of Cleanable Mist Nozzle BraSSNozz**

VentDepot Item #	VentDepot Manufacturing #	Spray Pattern	Type	Material Type	Shipping Weight		Shipping Size L,W,H	
					lbs	kg	in	cm
<b>USBSS-001</b>	95031	.006"	Cleanable anti drip nozzle x 10/24 male UNC	Brass & SS	.02	0.009	1 x .375 x .375	2.5,1,1
<b>USBSS-002</b>	95037	.008"	Cleanable anti drip nozzle x 10/24 male UNC	Brass & SS	.02	0.009	1 x .375 x .375	2.5,1,1
<b>USBSS-003</b>	95038	.012"	Cleanable anti drip nozzle x 10/24 male UNC	Brass & SS	.02	0.009	1 x .375 x .375	2.5,1,1
<b>USBSS-004</b>	95039	.016"	Cleanable anti drip nozzle x 10/24 male UNC	Brass & SS	.02	0.009	1 x .375 x .375	2.5,1,1
<b>USBSS-005</b>	95040	.020"	Cleanable anti drip nozzle x 10/24 male UNC	Brass & SS	.02	0.009	1 x .375 x .375	2.5,1,1
<b>USBSS-006</b>	95032	.006"	Cleanable anti drip nozzle x 10/24 male UNC	Stainless Steel	.02	0.009	1 x .375 x .375	2.5,1,1
<b>USBSS-007</b>	95033	.008"	Cleanable anti drip nozzle x 10/24 male UNC	Stainless Steel	.02	0.009	1 x .375 x .375	2.5,1,1
<b>USBSS-008</b>	95034	.012"	Cleanable anti drip nozzle x 10/24 male UNC	Stainless Steel	.02	0.009	1 x .375 x .375	2.5,1,1
<b>USBSS-009</b>	95035	.016"	Cleanable anti drip nozzle x 10/24 male UNC	Stainless Steel	.02	0.009	1 x .375 x .375	2.5,1,1
<b>USBSS-010</b>	95036	.020"	Cleanable anti drip nozzle x 10/24 male UNC	Stainless Steel	.02	0.009	1 x .375 x .375	2.5,1,1

\*SS Stands for Stainless Steel

**Image Gallery of Cleanable Mist Nozzle BraSSNozz**



Cleanable Brass Nozzle .006" Orifice; .010 GPM; Yellow O-Ring  
 USBSS-001/95031



Cleanable Brass Nozzle .008" Orifice; .016 GPM; Red O-Ring  
 USBSS-002/950



Cleanable Brass Nozzle .012" Orifice; .025 GPM; Black O-Ring  
 USBSS-003/95038



Cleanable Brass Nozzle .016" Orifice; .036 GPM; Brown O-Ring  
 USBSS-004/95039

**Image Gallery of Cleanable Mist Nozzle BraSSNozz**



Cleanable Brass Nozzle .020" Orifice; .045 GPM; Green O-Ring  
 USBSS-005/95040



Cleanable SS Nozzle .006" Orifice; .010 GPM; Brown O-Ring  
 USBSS-006/95032



Cleanable SS Nozzle .008" Orifice; .016 GPM; Brown O-Ring  
 USBSS-007/95033



Cleanable SS Nozzle .012" Orifice; .025 GPM; Brown O-Ring  
 USBSS-008/95034



Cleanable SS Nozzle .016" Orifice; .036 GPM; Brown O-Ring  
 USBSS-009/95035



Cleanable SS Nozzle .020" Orifice; .045 GPM; Brown O-Ring  
 USBSS-010/95036

**Short Description of Cleanable Mist Nozzle BraSSNozz**

VentDepot Item #	VentDepot Manufacturing #	Short Description 70 Characters Maximum									
		1	2	3	4	5	6	7	8	9	0
USBSS -001	95031	.006" orifice which will produce .010 GPM with an 55° spray pattern at 1000 psi.									
USBSS -002	95037	.008" orifice which will produce .016 GPM with an 55° spray pattern at 1000 psi.									
USBSS -003	95038	.012" orifice which will produce .025 GPM with an 65° spray pattern at 1000 psi.									
USBSS -004	95039	.016" orifice which will produce .036 GPM with an 75° spray pattern at 1000 psi.									
USBSS-005	95040	.020" orifice which will produce .045 GPM with an 85° spray pattern at 1000 psi.									
USBSS-006	95032	.006" orifice which will produce .010 GPM with an 45° spray pattern at 1000 psi.									
USBSS-007	95033	.008" orifice which will produce .016 GPM with an 55° spray pattern at 1000 psi.									
USBSS-008	95034	.012" orifice which will produce .025 GPM with an 65° spray pattern at 1000 psi.									
USBSS-009	95035	.016" orifice which will produce .036 GPM with an 75° spray pattern at 1000 psi.									
USBSS-010	95036	.020" orifice which will produce .045 GPM with an 85° spray pattern at 1000 psi.									

**SEO Table of Cleanable Mist Nozzle BraSSNozz**

Title
Cleanable Mist Nozzle BraSSNozz
Meta Description

Cleanable Mist Nozzle BraSSNozz, Cleanable Mist Nozzle BraSSNozz, for High Pressure Misting Systems, Cleanable Mist Nozzle BraSSNozz for Industrial Use, Misting Nozzles BraSSNozz for Green Houses, Cleanable Mist Nozzle BraSSNozz for Commercial Use.
<b>Meta Key Words</b>
Cleanable Mist Nozzle BraSSNozz, Cleanable Mist Nozzle BraSSNozz for High Pressure Misting Systems, Cleanable Mist Nozzle BraSSNozz for Industrial Use, Cleanable Mist Nozzle BraSSNozz for Green Houses, Cleanable Mist Nozzle BraSSNozz for Commercial Use.
<b>Meta URL (file name)</b>
cleanable-mist-nozzle-brassnozz-us-english.htm

<b>Product Line Description of Cleanable Mist Nozzle BraSSNozz</b>
<pre> &lt;FONT Size=1&gt; &lt;b&gt;Product Description:&lt;/b&gt; Cleanable Misting Nozzles&lt;br&gt; &lt;b&gt;Use:&lt;/b&gt; Misting Systems&lt;br&gt; &lt;b&gt;Weather Rating:&lt;/b&gt; Indoor &amp; Outdoor&lt;br&gt; &lt;b&gt;Gallons per Minute GPM:&lt;/b&gt; 0.01 to 0.45&lt;br&gt; &lt;b&gt;Spray Degrees:&lt;/b&gt; 45 to 80,&lt;br&gt; &lt;b&gt;Usual Delivery Time or Lead Time:&lt;/b&gt; 0 to 15 business Days&lt;br&gt; &lt;b&gt;Shipping Type:&lt;/b&gt; Fedex or UPS Package&lt;br&gt; &lt;/FONT&gt; </pre>