



CACU-P Series

Commercial Circulators

Data Sheet

General Characteristics of CACU-P Series Commercial Circulators.

Pedestal Stand Fan High volume, energy saving fan is attractively designed for modern, contemporary, or traditional interior applications.

This 120-volt, 3-speed, non-oscillating airflow unit is rugged, reliable, and an ideal unit for all types of personal work and play spaces. Corrosion-resistant steel fan head construction is offered in a black finish, includes a pedestal base, adjustable vertical riser, and features a 20-, 24-, and 30-inch diameter aluminum tri-blade blade attached to a steel bowl and spider mount for high-speed performance.

Maintains constant airflow and easily eliminates suffocation in enclosed spaces. The pedestal unit can be used temporarily in semi-sheltered outdoor areas such as deck and patio screens.

Product Applications of CACU-P Series Commercial Circulators

For industrial and commercial use. Good for indoor and outdoor use, in the case of outdoor use, protection may be need from the elements. It is used to cool factories, shops, bakeries, loading docks, laundries, gymnasiums, warehouses, aircraft hangars, and virtually any place a high volume of air movement is required.

Warranty of CACU-P Series Commercial Circulators

Manufacturer's Limited Warranty: 1 Years.





Specific characteristics of CACU-P Series Commercial Circulators.

Item #	Size Ø(In)	HP	CFM			Volts V	Amps A	Phases Ph	Speed	Velocity Profile CFM/Area Sq Ft	Color	Mounting Type	Weight and Dimensions with Packaging	
			High	Med	Low								Lbs	L,H,W In.
USCAP-001	20	1/10	1780	1600	1420	120	1.4	1	3	3300/125	Black	Pedestal Mount	52	36x29x8
USCAP-002	24	1/4	3400	3100	2800	120	2.3	1	3	5400/220	Black	Pedestal Mount	63	38x31x8
USCAP-003	30	1/4	4200	3800	3500	120	2.4	1	3	6700/240	Black	Pedestal Mount	66	46x34x8
USCAP-004	30	1/3	5000	4600	4200	120	3.60	1	3	7000/250	Black	Pedestal Mount	56	46x34x8



Dimensions (In.) of CACU-P Series Commercial Circulators. (Pedestal Mount)

Series	Height A	Width ØB	Head Diameter ØC	Width D	Width E	Height G
USCAP-001	71"	22"	22"	4.5"	13.5"	43" to 60"
USCAP-002	73.5"	27"	27"	5"	14"	43" to 60"
USCAP-003	76.5"	33"	33"	5"	14"	43" to 60"
USCAP-004	76.5"	33"	33"	5"	14"	43" to 60"





Gallery of CACU-P Series Commercial Circulators





Gallery of CACU-P Series Commercial Circulators



ID	Author	Description Error	Description Update	Supervisor Name
V1	Marcela Roldán	Technical Sheet Nueva	Technical Sheet Nueva	Jessica Lorenzo