

#### **Commercial Oscillating Fans Data Sheet**

#### General Characteristics of CACU-PO Series Commercial Oscillating Circulators.

Pedestal Stand Fan High volume, energy saving fan is attractively designed for modern, contemporary or traditional interior applications. This 120-volt, 3-speed, oscillating airflow unit is rugged, reliable, and an ideal unit for all types of personal work and play spaces. Corrosion-resistant steel fan head construction is offered in a black finish, includes a pedestal base, adjustable vertical riser, and features a 24-, and 30-inch diameter aluminum tri-blade blade attached to a steel bowl and spider mount for highspeed performance. Maintains constant airflow and easily eliminates suffocation in enclosed spaces. The pedestal unit can be used temporarily in semi-sheltered outdoor areas such as deck and patio screens.

#### Product Applications of CACU-PO Series Commercial Oscillating Circulators.

For industrial and commercial use.

Good for indoor and outdoor use, in the case of outdoor use. protection may be need from the elements.

It is used to cool factories, shops, bakeries, loading docks, laundries, gymnasiums, warehouses, aircraft hangars, and virtually any place a high volume of air movement is required.

Warranty of CACU-PO Series Commercial Oscillating Circulators.

Manufacturer's Limited Warranty: 1 Years.




Specific Characteristics of CACU-PO Series Commercial Oscillating Circulators.															
Item #	Size Ø(In)	HP	CFM			Volts V	Amps A				Velocity Profile	•	Mounting Type	Weight and Dimensions with Packaging	
			High	Med	Low		High	Med	Low	Speed	CFM/Area Sq Ft			Lbs	L,H,W In.
USCUW-001	24	1/4	3200	3000	2800	120	1.45	1.15	1.1	3	5100/230	Black	Pedestal Mount	68	38x31x8
USCUW-002	30	1/4	4200	3800	3500	120	2.0	1.8	1.6	3	6700/250	Black	Pedestal Mount	70	46x34x8
USCUW-003	30	1/3	5000	4600	4200	120	3.60	3.02	2.94	3	7000/250	Black	Pedestal Mount	64	46x34x8






# Commercial Oscillating Fans Data Sheet

Dimensions (In.) of CACU-PO Series Commercial Oscillating Circulators. (Pedestal Mount)							
Series	Height A	Width ØB	Head Diameter ØC	Width D	Width E	Height G	
USCUW-001	73.5"	27"	27"	5"	13.5"	43" to 60"	
USCUW-002	76.5"	33"	33"	5"	14"	43" to 60"	
USCUW-003	76.5"	33"	33"	5"	14"	43" to 60"	









#### **Commercial Oscillating Fans Data Sheet**

Gallery of CACU-PO Series Commercial Oscillating Circulators.








## Commercial Oscillating Fans Data Sheet

#### Gallery of CACU-PO Series Commercial Oscillating Circulators.







ID	Author	Description Error	Description Update	Supervisor Name
V1	Marcela Roldán	Technical Sheet Nueva	Technical Sheet Nueva	Jessica Lorenzo