



CACU-W Series

Commercial Circulators

Data Sheet

General Characteristics of CACU-W Series Commercial Circulators.

The energy-saving, large-volume wall-mounted air cap is attractively designed for modern, contemporary, or traditional interior applications.

This 120-volt, 3 speed, non-oscillating airflow unit is rugged, reliable, and an ideal unit for all types of personal work and play spaces.

Corrosion-resistant steel fan head construction is offered in a black finish, includes a wall base, and features a 20, 24 and 30-inch diameter three-blade aluminum blade attached to a steel bowl and a spider mount for high-speed performance.

Maintains constant airflow and easily eliminates suffocation in enclosed spaces.

The wall unit can be used temporarily in semi-sheltered outdoor areas such as deck and patio screens.

Product Applications of CACU-W Series Commercial Circulators


For industrial and commercial use.

Good for indoor and outdoor use, in the case of outdoor use, protection may be need from the elements.

It is used to cool factories, shops, bakeries, loading docks, laundries, gymnasiums, warehouses, aircraft hangars, and virtually any place a high volume of air movement is required.

Warranty of CACU-W Series Commercial Circulators

Manufacturer's Limited Warranty: 1 Years.




Specific Characteristics of CACU-W Series Commercial Circulators.

Item #	Size Ø(In)	HP	CFM			Volts V	Amps A	Phases Ph	Speed	Velocity Profile	Color	Mounting Type	Weight and Dimensions with Packaging	
			High	Med	Low					CFM/Area Sq Ft			Lbs	L,H,W In.
USCWA-001	20	1/10	1780	1600	1420	120	1.4	1	3	3300/125	Black	Wall Mount	48	23x23x10
USCWA-002	24	1/4	3400	3100	2800	120	2.3	1	3	5400/220	Black	Wall Mount	43	29x29x10
USCWA-003	30	1/4	4200	3800	3500	120	2.4	1	3	6700/240	Black	Wall Mount	46	33x33x10



Dimensions (In.) of CACU-W Series Commercial Circulators. (Wall Mount)

Series	Diameter	Diameter	Width	Width	Width
	ØA	ØB	C	D	E
USCWA-001	22"	22"	4.5"	8.5"	9"
USCWA-002	27"	27"	5"	8.5"	9"
USCWA-003	33"	33"	5"	8.5"	9"






Gallery of CACU-W Series Commercial Circulators





Gallery of CACU-W Series Commercial Circulators



ID	Author	Description Error	Description Update	Supervisor Name
V1	Marcela Roldán	Technical Sheet Nueva	Technical Sheet Nueva	Jessica Lorenzo