



CACU-WO Series

Commercial Oscillating Fans

Data Sheet

General Characteristics of CACU-WO Series Commercial Oscillating Circulators.

The energy-saving, large-volume wall-mounted air cap is attractively designed for modern, contemporary, or traditional interior applications.

This 120-volt, 3 speed, oscillating airflow unit is rugged, reliable, and an ideal unit for all types of personal work and play spaces.

Corrosion-resistant steel fan head construction is offered in a black finish, includes a wall base, and features a 24 and 30-inch diameter three-blade aluminum blade attached to a steel bowl and a spider mount for high-speed performance.

Maintains constant airflow and easily eliminates suffocation in enclosed spaces.

The wall unit can be used temporarily in semi-sheltered outdoor areas such as deck and patio screens.

Product Applications of CACU-WO Series Commercial Oscillating Circulators.


For industrial and commercial use.

Good for indoor and outdoor use, in the case of outdoor use, protection may be needed from the elements.

It is used to cool factories, shops, bakeries, loading docks, laundries, gymnasiums, warehouses, aircraft hangars, and virtually any place a high volume of air movement is required.

Warranty of CACU-WO Series Commercial Oscillating Circulators.

Manufacturer's Limited Warranty: 1 Years.



Specific Characteristics of CACU-WO Series Commercial Oscillating Circulators.

| Item # | Size Ø(In) | HP | CFM | | | Volts V | Amps A | | | Speed | Velocity Profile CFM/Area Sq Ft | Color | Mounting Type | Weight and Dimensions with Packaging | |
|-----------|---------------|-----|------|------|------|------------|-----------|------|-----|-------|--|-------|------------------|--|-----------|
| | | | High | Med | Low | | High | Med | Low | | | | | Lbs | L,H,W In. |
| USCWO-001 | 24 | 1/4 | 3200 | 3000 | 2800 | 120 | 1.45 | 1.15 | 1.1 | 3 | 5100/230 | Black | Wall Mount | 48 | 29x29x10 |
| USCWO-002 | 30 | 1/4 | 4200 | 3800 | 3500 | 120 | 2.0 | 1.8 | 1.6 | 3 | 6700/250 | Black | Wall Mount | 51 | 33x33x10 |



TPI Corporation


CACU-WO Series

Commercial Oscillating Fans

Data Sheet

Dimensions (In.) of CACU-WO Series Commercial Oscillating Circulators. (Wall Mount)

| Series | Diameter ØA | Diameter ØB | Width C | Width D | Width E |
|-----------|----------------|----------------|------------|------------|------------|
| USCWO-001 | 27" | 27" | 5" | 8.5" | 9" |
| USCWO-002 | 33" | 33" | 5" | 8.5" | 9" |






CACU-WO Series

Commercial Oscillating Fans

Data Sheet

Gallery of CACU-WO Series Commercial Oscillating Circulators.





CACU-WO Series

Commercial Oscillating Fans

Data Sheet

Gallery of CACU-WO Series Commercial Oscillating Circulators.



| ID | Author | Description Error | Description Update | Supervisor Name |
|----|----------------|-----------------------|-----------------------|-----------------|
| V1 | Marcela Roldán | Technical Sheet Nueva | Technical Sheet Nueva | Jessica Lorenzo |