



CESM

Motorized Supply Air Intake Shutter Data Sheet

General Characteristics of CESM Motorized Supply Air Intake Shutter.

At VentDepot we already have the TPI CESM series air inlet shutter.

Equipped with a motor that allows it to open and close automatically.

Blades that open inward for inflow use, simplifying use and ensuring optimal airflow.

Galvanized construction with durable, strong materials ensuring long life and corrosion resistance.

115 V or 230 V, 60 Hz, single phase

For IE, IED, EHB and EHD models.

Product Applications of CESM Motorized Supply Air Intake Shutter.

Recommended for Commercial Buildings and Industrial Buildings. Useful to exhaust extra heat, odors, and for general ventilation purposes.

Warranty of CESM Motorized Supply Air Intake Shutter.

Manufacturer's Warranty: 1-Year



Specific Characteristics of CESM Motorized Supply Air Intake Shutter.

Item #	Manufacturing #	Fan Size	Rough Opening	Overall Size	Material	Weight and Dimensions with Packaging	
						Lbs.	L,W,H In
USCEM-001	CESM-24	24"	24" x 24"	27" x 27"	Galvanized	17	29,29,10
USCEM-002	CESM-30	30"	30" x 30"	33" x 33"	Galvanized	18	35,35,10
USCEM-003	CESM-36	36"	36" x 36"	39" x 39"	Galvanized	21	41,41,10
USCEM-004	CESM-42	42"	42" x 42"	45" x 45"	Galvanized	35	47,47,10
USCEM-005	CESM-48	48"	48" x 48"	51" x 51"	Galvanized	42	53,53,10
USCEM-006	CESM-60	60"	60" x 60"	63" x 63"	Galvanized	56	65,65,10




CESM

Motorized Supply Air Intake Shutter

Data Sheet

Dimensions (In.) of CESM Motorized Supply Air Intake Shutter

Series	Width		Height		Depth	
	A	B	C	D	E	F
USCEM-001	27"	27"	27"	27"	8"	8"
USCEM-002	33"	33"	33"	33"	8"	8"
USCEM-003	39"	39"	39"	39"	8"	8"
USCEM-004	45"	45"	45"	45"	8"	8"
USCEM-005	51"	51"	51"	51"	8"	8"
USCEM-006	63"	63"	63"	63"	8"	8"






CESM

Motorized Supply Air Intake Shutter Data Sheet

Gallery Image of CESM Motorized Supply Air Intake Shutter



ID	Author	Description Error	Description Update	Supervisor Name
V1	Marcela Roldán	Technical Sheet Nueva	Technical Sheet Nueva	J.L.