


General Characteristics of Flat Roof Mounting Base CopperFlat

The CopperFlat is a copper made flat base made for copper turbines.
 Installed properly the flat bases will stop the turbines from leaking water.
 For Industrial, commercial and residential use.
 Outdoor use only.
 Perfect for ventilation, cooling and the extraction of fumes, dust, smoke, pollen or gases etc.
 The CopperFlat bases are made from sheet copper, with excellent manufacturing detail.
 The copper bases for the turbines, allow them to operate correctly and more efficiently.
 All turbines and bases must be leveled horizontally for them to work properly and have proper air flow.



Product Applications of Flat Roof Mounting Base CopperFlat

These bases are used with our Turbine Vents for ventilation in small, medium, and large areas, bathrooms, warehouses, factories, commercial buildings, and all large ventilation projects.
 For residential, commercial and industrial use.
 Used outdoors.



Warranties of Flat Roof Mounting Base CopperFlat


Manufacturer's Limited Warranty: 10 Years, void with Tornados, Hurricanes, and Chemical Destruction

Specific characteristics of Flat Roof Mounting Base CopperFlat

Item #	Manufacturing #	Diameter (S) In.	Material	Base Height (H) In.	Roof Opening (O) In.	Flange (F) In.	Weight and Dimension with Packaging	
							Lbs.	L,W,H In.
USCPF-001	FB04C	04	Copper	10	6x6	4	7	18,18,18
USCPF-002	FB05C	05	Copper	10	8x8	4	9	18,18,18
USCPF-003	FB06C	06	Copper	10	8x8	4	9	22,22,18
USCPF-004	FB07C	07	Copper	10	10x10	4	10	22,22,18
USCPF-005	FB08C	08	Copper	10	10x10	4	10	26,26,18
USCPF-006	FB09C	09	Copper	10	12x12	4	13	26,26,18
USCPF-007	FB10C	10	Copper	10	12x12	4	13	26,26,18
USCPF-008	FB12C	12	Copper	10	14x14	4	15	32,32,18
USCPF-009	FB14C	14	Copper	10	16x16	4	23	32,32,18
USCPF-010	FB16C	16	Copper	10	18x18	4	33	32,32,18
USCPF-011	FB18C	18	Copper	10	22x22	4	40	38,38,18
USCPF-012	FB20C	20	Copper	10	24x24	4	48	38,38,18
USCPF-013	FB24C	24	Copper	12	30x30	4	60	42,42,26

Dimensions (in) of Flat Roof Mounting Base CopperFlat

Series	Length	Width	Height
	A	B	C
USCPF-001 & 002	16"	16"	16"
USCPF-003 & 004	20"	20"	16"
USCPF-005 to 007	24"	24"	16"
USCPF-008 to 010	30"	30"	16"
USCPF-011 & 012	36"	36"	24"
USCPF-013	40"	40"	24"



Short Description of Flat Roof Mounting Base CopperFlat

Item #	Manufacturing #	Short Description 70 Characters Maximum
		012345678901234567890123456789012345678901234567890123456789
USCPF-001	FB04C	Ø4" Neck, Base Height 10", Flange 4", Roof Opening 6"x6", Copper Flat Base.
USCPF-002	FB05C	Ø5" Neck, Base Height 10", Flange 4", Roof Opening 8"x8", Copper Flat Base.
USCPF-003	FB06C	Ø6" Neck, Base Height 10", Flange 4", Roof Opening 8"x8", Copper Flat Base.
USCPF-004	FB07C	Ø7" Neck, Base Height 10", Flange 4", Roof Opening 10"x10", Copper Flat Base.
USCPF-005	FB08C	Ø8" Neck, Base Height 10", Flange 4", Roof Opening 10"x10", Copper Flat Base.
USCPF-006	FB09C	Ø9" Neck, Base Height 10", Flange 4", Roof Opening 12"x12", Copper Flat Base.
USCPF-007	FB10C	10" Neck, Base Height 10", Flange 4", Roof Opening 12"x12", Copper Flat Base.
USCPF-008	FB12C	12" Neck, Base Height 10", Flange 4", Roof Opening 14"x14", Copper Flat Base.
USCPF-009	FB14C	14" Neck, Base Height 10", Flange 4", Roof Opening 16"x16", Copper Flat Base.
USCPF-010	FB16C	16" Neck, Base Height 10", Flange 4", Roof Opening 18"x18", Copper Flat Base.
USCPF-011	FB18C	18" Neck, Base Height 10", Flange 4", Roof Opening 22"x22", Copper Flat Base.
USCPF-012	FB20C	20" Neck, Base Height 10", Flange 4", Roof Opening 24"x24", Copper Flat Base.
USCPF-013	FB24C	24" Neck, Base Height 12", Flange 4", Roof Opening 30"x30", Copper Flat Base.

SEO Table of Flat Roof Mounting Base CopperFlat

Title
Flat Roof Mounting Base Copper CopperFlat.
Meta Description
Flat Roof Mounting Base Copper CopperFlat for Commercial Use, Flat Roof Mounting Base Copper CopperFlat for Industrial Use, Flat Roof Mounting Base Copper CopperFlat for Residential Use, Flat Roof Mounting Base Copper CopperFlat for Outdoor Use, Flat Roof Mounting Base Copper CopperFlat for Ventilation Use, Flat Roof Mounting Base Copper CopperFlat for Cooling Use, Flat Roof Mounting Base Copper CopperFlat for Extraction Use.
Meta Key Words
at Roof Mounting Base Copper CopperFlat for Commercial Use, Flat Roof Mounting Base Copper CopperFlat for Industrial Use, Flat Roof Mounting Base Copper CopperFlat for Residential Use, Flat Roof Mounting Base Copper CopperFlat for Outdoor Use, Flat Roof Mounting Base Copper CopperFlat for Ventilation Use, Flat Roof Mounting Base Copper CopperFlat for Cooling Use, Flat Roof Mounting Base Copper CopperFlat for Extraction Use.
Meta URL (file name)
flat-roof-mounting-base-copper-copperflat-us-english.htm

Product Line Description of Flat Roof Mounting Base CopperFlat

```

<FONT Size=1>
<b>Type:</b> Flat Roof Mounting Base Copper CopperFlat<br>
<b>Neck Diameters:</b> 4,5,6,7,8,9,10,12,14,16,18,20 & 24<br>
<b>Base Type:</b> Flat Base<br>
<b>Material:<b> Copper<br>
<b>Finish:</b> Natural<br>
<b>Color:</b> Natural Copper<br>
<b>Use:</b> Turbine Vents for Ventilation in small, medium and large areas, Industrial, Commercial, and Residential<br>
<b>Warranty:</b> 10 years<br>
<b>Ship By:</b> LTL Freight<br>
</FONT>

```