

General Characteristics of Ridge Roof Mounting Base CopperRidge

The CopperRidge is a copper made ridge base made for Copper turbines.
 Installed properly the ridge bases will stop the turbines from leaking water.
 For Industrial, Commercial and residential use.
 Perfect for Ventilation, cooling and the extraction of fumes, dust, smoke, pollen or gases etc.
 The CopperRidge bases are made from sheet copper, with excellent manufacturing detail.
 The copper bases for the turbines, allow them to operate correctly and more efficiently.
 All turbines and bases must be leveled horizontally for them to work properly and have proper air flow.
 When ordering the CopperRidge the pitch will need to be supplied by customer.
 For Industrial and Commercial use.

Product Applications of Ridge Roof Mounting Base CopperRidge

These bases are used with our Turbine Vents for ventilation in small, medium, and large areas, bathrooms, warehouses, factories, commercial buildings, and all large ventilation projects.

Warranties of Ridge Roof Mounting Base CopperRidge

Manufacturer's Limited Warranty: 10 Years, void with Tornados, Hurricanes, and Chemical Destruction



Specific characteristics of Ridge Roof Mounting Base CopperRidge

Item #	Manufacturing #	Diameter (S) In.	Pitch	Material	Base Height (H) In.	Roof Opening (O) In.	Flange (F) In.	Weight and Dimension with Packaging	
								Lbs.	L,W,H In.
USCRB-001	RB04CU-1/12	4	1/12	Copper	10	6x6	4	7	12,12,15
USCRB-002	RB04CU-2/12	4	2/12	Copper	10	6x6	4	7	12,12,15
USCRB-003	RB04CU-3/12	4	3/12	Copper	10	6x6	4	7	12,12,15
USCRB-004	RB04CU-4/12	4	4/12	Copper	10	6x6	4	7	12,12,15
USCRB-005	RB04CU-5/12	4	5/12	Copper	10	6x6	4	7	12,12,15
USCRB-006	RB04CU-6/12	4	6/12	Copper	10	6x6	4	7	12,12,15
USCRB-007	RB04CO-7/12	4	7/12	Copper	10	6x6	4	7	12,12,15
USCRB-008	RB04CO-8/12	4	8/12	Copper	10	6x6	4	7	12,12,15
USCRB-009	RB04CO-9/12	4	9/12	Copper	10	6x6	4	7	12,12,15
USCRB-010	RB04CO-10/12	4	10/12	Copper	10	6x6	4	7	12,12,15
USCRB-011	RB04CO-11/12	4	11/12	Copper	10	6x6	4	7	12,12,15
USCRB-012	RB04CO-12/12	4	12/12	Copper	10	6x6	4	7	12,12,15
USCRB-013	RB05CU-1/12	5	1/12	Copper	10	8x8	4	9	14,14,15
USCRB-014	RB05CU-2/12	5	2/12	Copper	10	8x8	4	9	14,14,15

Item #	Manufacturing #	Diameter (S) In.	Pitch	Material	Base Height (H) In.	Roof Opening (O) In.	Flange (F) In.	Weight and Dimension with Packaging	
								Lbs.	L,W,H In.
USCRB-015	RB05CU-3/12	5	3/12	Copper	10	8x8	4	9	14,14,15
USCRB-016	RB05CU-4/12	5	4/12	Copper	10	8x8	4	9	14,14,15
USCRB-017	RB05CU-5/12	5	5/12	Copper	10	8x8	4	9	14,14,15
USCRB-018	RB05CU-6/12	5	6/12	Copper	10	8x8	4	9	14,14,15
USCRB-019	RB05CO-7/12	5	7/12	Copper	10	8x8	4	9	14,14,15
USCRB-020	RB05CU-8/12	5	8/12	Copper	10	8x8	4	9	14,14,15
USCRB-021	RB05CO-9/12	5	9/12	Copper	10	8x8	4	9	14,14,15
USCRB-022	RB05CO-10/12	5	10/12	Copper	10	8x8	4	9	14,14,15
USCRB-023	RB05CO-11/12	5	11/12	Copper	10	8x8	4	9	14,14,15
USCRB-024	RB05CO-12/12	5	12/12	Copper	10	8x8	4	9	14,14,15
USCRB-025	RB06CU-1/12	6	1/12	Copper	10	8x8	4	9	14,14,15
USCRB-026	RB06CU-2/12	6	2/12	Copper	10	8x8	4	9	14,14,15
USCRB-027	RB06CU-3/12	6	3/12	Copper	10	8x8	4	9	14,14,15
USCRB-028	RB06CU-4/12	6	4/12	Copper	10	8x8	4	9	14,14,15
USCRB-029	RB06CU-5/12	6	5/12	Copper	10	8x8	4	9	14,14,15
USCRB-030	RB06CU-6/12	6	6/12	Copper	10	8x8	4	9	14,14,15
USCRB-031	RB06CO-7/12	6	7/12	Copper	10	8x8	4	9	14,14,15
USCRB-032	RB06CO-8/12	6	8/12	Copper	10	8x8	4	9	14,14,15
USCRB-033	RB06CO-9/12	6	9/12	Copper	10	8x8	4	9	14,14,15
USCRB-034	RB06CO-10/12	6	10/12	Copper	10	8x8	4	9	14,14,15
USCRB-035	RB06CO-11/12	6	11/12	Copper	10	8x8	4	9	14,14,15
USCRB-036	RB06CO-12/12	6	12/12	Copper	10	8x8	4	9	14,14,15
USCRB-037	RB07CU-1/12	7	1/12	Copper	10	10x10	4	10	16,16,15
USCRB-038	RB07CU-2/12	7	2/12	Copper	10	10x10	4	10	16,16,15
USCRB-039	RB07CU-3/12	7	3/12	Copper	10	10x10	4	10	16,16,15
USCRB-040	RB07CU-4/12	7	4/12	Copper	10	10x10	4	10	16,16,15
USCRB-041	RB07CU-5/12	7	5/12	Copper	10	10x10	4	10	16,16,15
USCRB-042	RB07CU-6/12	7	6/12	Copper	10	10x10	4	10	16,16,15
USCRB-043	RB07CO-7/12	7	7/12	Copper	10	10x10	4	10	16,16,15
USCRB-044	RB07CO-8/12	7	8/12	Copper	10	10x10	4	10	16,16,15
USCRB-045	RB07CO-9/12	7	9/12	Copper	10	10x10	4	10	16,16,15
USCRB-046	RB07CO-10/12	7	10/12	Copper	10	10x10	4	10	16,16,15
USCRB-047	RB07CO-11/12	7	11/12	Copper	10	10x10	4	10	16,16,15
USCRB-048	RB07CO-12/12	7	12/12	Copper	10	10x10	4	10	16,16,15
USCRB-049	RB08CU-1/12	8	1/12	Copper	10	10x10	4	10	16,16,15
USCRB-050	RB08CU-2/12	8	2/12	Copper	10	10x10	4	10	16,16,15
USCRB-051	RB08CU-3/12	8	3/12	Copper	10	10x10	4	10	16,16,15
USCRB-052	RB08CU-4/12	8	4/12	Copper	10	10x10	4	10	16,16,15
USCRB-053	RB08CU-5/12	8	5/12	Copper	10	10x10	4	10	16,16,15
USCRB-054	RB08CU-6/12	8	6/12	Copper	10	10x10	4	10	16,16,15
USCRB-055	RB08CO-7/12	8	7/12	Copper	10	10x10	4	10	16,16,15
USCRB-056	RB08CO-8/12	8	8/12	Copper	10	10x10	4	10	16,16,15
USCRB-057	RB08CO-9/12	8	9/12	Copper	10	10x10	4	10	16,16,15
USCRB-058	RB08CO-10/12	8	10/12	Copper	10	10x10	4	10	16,16,15
USCRB-059	RB08CO-11/12	8	11/12	Copper	10	10x10	4	10	16,16,15
USCRB-060	RB08CO-12/12	8	12/12	Copper	10	10x10	4	10	16,16,15

Item #	Manufacturing #	Diameter (S) In.	Pitch	Material	Base Height (H) In.	Roof Opening (O) In.	Flange (F) In.	Weight and Dimension with Packaging	
								Lbs.	L,W,H In.
USCRB-061	RB09CU-1/12	9	1/12	Copper	10	12x12	4	13	18,18,15
USCRB-062	RB09CU-2/12	9	2/12	Copper	10	12x12	4	13	18,18,15
USCRB-063	RB09CU-3/12	9	3/12	Copper	10	12x12	4	13	18,18,15
USCRB-064	RB09CU-4/12	9	4/12	Copper	10	12x12	4	13	18,18,15
USCRB-065	RB09CU-5/12	9	5/12	Copper	10	12x12	4	13	18,18,15
USCRB-066	RB09CU-6/12	9	6/12	Copper	10	12x12	4	13	18,18,15
USCRB-067	RB09CO-7/12	9	7/12	Copper	10	12x12	4	13	18,18,15
USCRB-068	RB09CO-8/12	9	8/12	Copper	10	12x12	4	13	18,18,15
USCRB-069	RB09CO-9/12	9	9/12	Copper	10	12x12	4	13	18,18,15
USCRB-070	RB09CO-10/12	9	10/12	Copper	10	12x12	4	13	18,18,15
USCRB-071	RB09CO-11/12	9	11/12	Copper	10	12x12	4	13	18,18,15
USCRB-072	RB09CO-12/12	9	12/12	Copper	10	12x12	4	13	18,18,15
USCRB-073	RB10CU-1/12	10	1/12	Copper	10	12x12	4	13	18,18,15
USCRB-074	RB10CU-2/12	10	2/12	Copper	10	12x12	4	13	18,18,15
USCRB-075	RB10CU-3/12	10	3/12	Copper	10	12x12	4	13	18,18,15
USCRB-076	RB10CU-4/12	10	4/12	Copper	10	12x12	4	13	18,18,15
USCRB-077	RB10CU-5/12	10	5/12	Copper	10	12x12	4	13	18,18,15
USCRB-078	RB10CU-6/12	10	6/12	Copper	10	12x12	4	13	18,18,15
USCRB-079	RB10CO-7/12	10	7/12	Copper	10	12x12	4	13	18,18,15
USCRB-080	RB10CO-8/12	10	8/12	Copper	10	12x12	4	13	18,18,15
USCRB-081	RB10CO-9/12	10	9/12	Copper	10	12x12	4	13	18,18,15
USCRB-082	RB10CO-10/12	10	10/12	Copper	10	12x12	4	13	18,18,15
USCRB-083	RB10CO-11/12	10	11/12	Copper	10	12x12	4	13	18,18,15
USCRB-084	RB10CO-12/12	10	12/12	Copper	10	12x12	4	13	18,18,15
USCRB-085	RB12CU-1/12	12	1/12	Copper	10	14x14	4	15	20,20,15
USCRB-086	RB12CU-2/12	12	2/12	Copper	10	14x14	4	15	20,20,15
USCRB-087	RB12CU-3/12	12	3/12	Copper	10	14x14	4	15	20,20,15
USCRB-088	RB12CU-4/12	12	4/12	Copper	10	14x14	4	15	20,20,15
USCRB-089	RB12CU-5/12	12	5/12	Copper	10	14x14	4	15	20,20,15
USCRB-090	RB12CU-6/12	12	6/12	Copper	10	14x14	4	15	20,20,15
USCRB-091	RB12CO-7/12	12	7/12	Copper	10	14x14	4	15	20,20,15
USCRB-092	RB12CO-8/12	12	8/12	Copper	10	14x14	4	15	20,20,15
USCRB-093	RB12CO-9/12	12	9/12	Copper	10	14x14	4	15	20,20,15
USCRB-094	RB12CO-10/12	12	10/12	Copper	10	14x14	4	15	20,20,15
USCRB-095	RB12CO-11/12	12	11/12	Copper	10	14x14	4	15	20,20,15
USCRB-096	RB12CO-12/12	12	12/12	Copper	10	14x14	4	15	20,20,15
USCRB-097	RB14CU-1/12	14	1/12	Copper	10	16x16	4	23	22,22,15
USCRB-098	RB14CU-2/12	14	2/12	Copper	10	16x16	4	23	22,22,15
USCRB-099	RB14CU-3/12	14	3/12	Copper	10	16x16	4	23	22,22,15
USCRB-100	RB14CU-4/12	14	4/12	Copper	10	16x16	4	23	22,22,15
USCRB-101	RB14CU-5/12	14	5/12	Copper	10	16x16	4	23	22,22,15
USCRB-102	RB14CU-6/12	14	6/12	Copper	10	16x16	4	23	22,22,15
USCRB-103	RB14CO-7/12	14	7/12	Copper	10	16x16	4	23	22,22,15
USCRB-104	RB14CO-8/12	14	8/12	Copper	10	16x16	4	23	22,22,15
USCRB-105	RB14CO-9/12	14	9/12	Copper	10	16x16	4	23	22,22,15

Item #	Manufacturing #	Diameter (S) In.	Pitch	Material	Base Height (H) In.	Roof Opening (O) In.	Flange (F) In.	Weight and Dimension with Packaging	
								Lbs.	L,W,H In.
USCRB-106	RB14CO-10/12	14	10/12	Copper	10	16x16	4	23	22,22,15
USCRB-107	RB14CO-11/12	14	11/12	Copper	10	16x16	4	23	22,22,15
USCRB-108	RB14CO-12/12	14	12/12	Copper	10	16x16	4	23	22,22,15
USCRB-109	RB16CU-1/12	16	1/12	Copper	10	18x18	4	33	24,24,15
USCRB-110	RB16CU-2/12	16	2/12	Copper	10	18x18	4	33	24,24,15
USCRB-111	RB16CU-3/12	16	3/12	Copper	10	18x18	4	33	24,24,15
USCRB-112	RB16CU-4/12	16	4/12	Copper	10	18x18	4	33	24,24,15
USCRB-113	RB16CU-5/12	16	5/12	Copper	10	18x18	4	33	24,24,15
USCRB-114	RB16CU-6/12	16	6/12	Copper	10	18x18	4	33	24,24,15
USCRB-115	RB16CO-7/12	16	7/12	Copper	10	18x18	4	33	24,24,15
USCRB-116	RB16CO-8/12	16	8/12	Copper	10	18x18	4	33	24,24,15
USCRB-117	RB16CO-9/12	16	9/12	Copper	10	18x18	4	33	24,24,15
USCRB-118	RB16CO-10/12	16	10/12	Copper	10	18x18	4	33	24,24,15
USCRB-119	RB16CO-11/12	16	11/12	Copper	10	18x18	4	33	24,24,15
USCRB-120	RB16CO-12/12	16	12/12	Copper	10	18x18	4	33	24,24,15
USCRB-121	RB18CU-1/12	18	1/12	Copper	10	22x22	4	40	28,28,15
USCRB-122	RB18CU-2/12	18	2/12	Copper	10	22x22	4	40	28,28,15
USCRB-123	RB18CU-3/12	18	3/12	Copper	10	22x22	4	40	28,28,15
USCRB-124	RB18CU-4/12	18	4/12	Copper	10	22x22	4	40	28,28,15
USCRB-125	RB18CU-5/12	18	5/12	Copper	10	22x22	4	40	28,28,15
USCRB-126	RB18CU-6/12	18	6/12	Copper	10	22x22	4	40	28,28,15
USCRB-127	RB18CO-7/12	18	7/12	Copper	10	22x22	4	40	28,28,15
USCRB-128	RB18CO-8/12	18	8/12	Copper	10	22x22	4	40	28,28,15
USCRB-129	RB18CO-9/12	18	9/12	Copper	10	22x22	4	40	28,28,15
USCRB-130	RB18CO-10/12	18	10/12	Copper	10	22x22	4	40	28,28,15
USCRB-131	RB18CO-11/12	18	11/12	Copper	10	22x22	4	40	28,28,15
USCRB-132	RB18CO-12/12	18	12/12	Copper	10	22x22	4	40	28,28,15
USCRB-133	RB20CU-1/12	20	1/12	Copper	10	24x24	4	48	30,30,15
USCRB-134	RB20CU-2/12	20	2/12	Copper	10	24x24	4	48	30,30,15
USCRB-135	RB20CU-3/12	20	3/12	Copper	10	24x24	4	48	30,30,15
USCRB-136	RB20CU-4/12	20	4/12	Copper	10	24x24	4	48	30,30,15
USCRB-137	RB20CU-5/12	20	5/12	Copper	10	24x24	4	48	30,30,15
USCRB-138	RB20CU-6/12	20	6/12	Copper	10	24x24	4	48	30,30,15
USCRB-139	RB20CO-7/12	20	7/12	Copper	10	24x24	4	48	30,30,15
USCRB-140	RB20CO-8/12	20	8/12	Copper	10	24x24	4	48	30,30,15
USCRB-141	RB20CO-9/12	20	9/12	Copper	10	24x24	4	48	30,30,15
USCRB-142	RB20CO-10/12	20	10/12	Copper	10	24x24	4	48	30,30,15
USCRB-143	RB20CO-11/12	20	11/12	Copper	10	24x24	4	48	30,30,15
USCRB-144	RB20CO-12/12	20	12/12	Copper	10	24x24	4	48	30,30,15
USCRB-145	RB24CU-1/12	24	1/12	Copper	12	30x30	4	60	36,36,17
USCRB-146	RB24CU-2/12	24	2/12	Copper	12	30x30	4	60	36,36,17
USCRB-147	RB24CU-3/12	24	3/12	Copper	12	30x30	4	60	36,36,17
USCRB-148	RB24CU-4/12	24	4/12	Copper	12	30x30	4	60	36,36,17
USCRB-149	RB24CU-5/12	24	5/12	Copper	12	30x30	4	60	36,36,17
USCRB-150	RB24CU-6/12	24	6/12	Copper	12	30x30	4	60	36,36,17

Item #	Manufacturing #	Diameter (S) In.	Pitch	Material	Base Height (H) In.	Roof Opening (O) In.	Flange (F) In.	Weight and Dimension with Packaging	
								Lbs.	L,W,H In.
USCRB-151	RB24CO-7/12	24	7/12	Copper	12	30x30	4	60	36,36,17
USCRB-152	RB24CO-8/12	24	8/12	Copper	12	30x30	4	60	36,36,17
USCRB-153	RB24CO-9/12	24	9/12	Copper	12	30x30	4	60	36,36,17
USCRB-154	RB24CO-10/12	24	10/12	Copper	12	30x30	4	60	36,36,17
USCRB-155	RB24CO-11/12	24	11/12	Copper	12	30x30	4	60	36,36,17
USCRB-156	RB24CO-12/12	24	12/12	Copper	12	30x30	4	60	36,36,17

Diagram for Curb Roof Mounting Base CopperRidge Dimensions

