


**General Characteristics of Slope Roof Mounting Base CopperSlope**

The CopperSlope is a Copper made Slope base made for Copper turbines.  
 Installed properly the Slope bases will stop the turbines from leaking water.  
 For Industrial, Commercial, and residential use.  
 Perfect for Ventilation, cooling and the extraction of fumes, dust, smoke, pollen, or gases.  
 The CopperSlope bases are made from sheet copper, with excellent manufacturing detail.  
 The copper bases for the turbines, allow them to operate correctly and more efficiently.  
 All copper turbines must be leveled horizontally for them to work properly and have proper air flow.  
 When ordering the CopperSlope the pitch will need to be supplied by customer.



**Product Applications of Slope Roof Mounting Base CopperSlope**

These bases are used with our Turbine Vents for ventilation in small, medium, and large areas, bathrooms, warehouses, factories, commercial buildings, and all large ventilation projects.

**Warranties of Slope Roof Mounting Base CopperSlope**

Manufacturer's Limited Warranty: 10 Years, void with Tornados, Hurricanes, Chimney Installation, and Chemical Destruction. These products are built to order, they are non-returnable or refundable.

Specific characteristics of Slope Roof Mounting Base CopperSlope									
Item #	Manufacturing #	Diameter S In.	Pitch	Material	Base Height H In.	Roof Opening O In.	Flange F In.	Weight and Dimension with Packaging	
								Lbs.	L,W,H In.
USCSB-001	SB04CU-01/12	4	1/12	Copper	10	6x6	4	7	6,6,13
USCSB-002	SB04CU-02/12	4	2/12	Copper	10	6x6	4	7	6,6,13
USCSB-003	SB04CU-03/12	4	3/12	Copper	10	6x6	4	7	6,6,14
USCSB-004	SB04CU-04/12	4	4/12	Copper	10	6x6	4	7	6,6,14
USCSB-005	SB04CU-05/12	4	5/12	Copper	10	6x6	4	7	6,6,15
USCSB-006	SB04CU-06/12	4	6/12	Copper	10	6x6	4	7	6,6,15
USCSB-007	SB04CO-07/12	4	7/12	Copper	10	6x6	4	7	6,6,16
USCSB-008	SB04CO-08/12	4	8/12	Copper	10	6x6	4	7	6,6,16
USCSB-009	SB04CO-09/12	4	9/12	Copper	10	6x6	4	7	6,6,17
USCSB-010	SB04CO-10/12	4	10/12	Copper	10	6x6	4	7	6,6,17
USCSB-011	SB04CO-11/12	4	11/12	Copper	10	6x6	4	7	6,6,18
USCSB-012	SB04CO-12/12	4	12/12	Copper	10	6x6	4	7	6,6,18
USCSB-013	SB06CU-01/12	6	1/12	Copper	10	8x8	4	9	8,8,13
USCSB-014	SB06CU-02/12	6	2/12	Copper	10	8x8	4	9	8,8,13

Item #	Manufacturing #	Diameter S In.	Pitch	Material	Base Height H In.	Roof Opening O In.	Flange F In.	Weight and Dimension with Packaging	
								Lbs.	L,W,H In.
USCSB-015	SB06CU-03/12	6	3/12	Copper	10	8x8	4	9	8,8,14
USCSB-016	SB06CU-04/12	6	4/12	Copper	10	8x8	4	9	8,8,14
USCSB-017	SB06CU-05/12	6	5/12	Copper	10	8x8	4	9	8,8,15
USCSB-018	SB06CU-06/12	6	6/12	Copper	10	8x8	4	9	8,8,16
USCSB-019	SB06CO-07/12	6	7/12	Copper	10	8x8	4	9	8,8,17
USCSB-020	SB06CO-08/12	6	8/12	Copper	10	8x8	4	9	8,8,17
USCSB-021	SB06CO-09/12	6	9/12	Copper	10	8x8	4	9	8,8,18
USCSB-022	SB06CO-10/12	6	10/12	Copper	10	8x8	4	9	8,8,19
USCSB-023	SB06CO-11/12	6	11/12	Copper	10	8x8	4	9	8,8,19
USCSB-024	SB06CO-12/12	6	12/12	Copper	10	8x8	4	9	8,8,20
USCSB-025	SB08CU-01/12	8	1/12	Copper	10	10x10	4	10	10,10,13
USCSB-026	SB08CU-02/12	8	2/12	Copper	10	10x10	4	10	10,10,14
USCSB-027	SB08CU-03/12	8	3/12	Copper	10	10x10	4	10	10,10,15
USCSB-028	SB08CU-04/12	8	4/12	Copper	10	10x10	4	10	10,10,15
USCSB-029	SB08CU-05/12	8	5/12	Copper	10	10x10	4	10	10,10,16
USCSB-030	SB08CU-06/12	8	6/12	Copper	10	10x10	4	10	10,10,17
USCSB-031	SB08CO-07/12	8	7/12	Copper	10	10x10	4	10	10,10,18
USCSB-032	SB08CO-08/12	8	8/12	Copper	10	10x10	4	10	10,10,19
USCSB-033	SB08CO-09/12	8	9/12	Copper	10	10x10	4	10	10,10,20
USCSB-034	SB08CO-10/12	8	10/12	Copper	10	10x10	4	10	10,10,20
USCSB-035	SB08CO-11/12	8	11/12	Copper	10	10x10	4	10	10,10,21
USCSB-036	SB08CO-12/12	8	12/12	Copper	10	10x10	4	10	10,10,22
USCSB-037	SB10CU-01/12	10	1/12	Copper	10	12x12	4	13	12,12,13
USCSB-038	SB10CU-02/12	10	2/12	Copper	10	12x12	4	13	12,12,14
USCSB-039	SB10CU-03/12	10	3/12	Copper	10	12x12	4	13	12,12,15
USCSB-040	SB10CU-04/12	10	4/12	Copper	10	12x12	4	13	12,12,16
USCSB-041	SB10CU-05/12	10	5/12	Copper	10	12x12	4	13	12,12,17
USCSB-042	SB10CU-06/12	10	6/12	Copper	10	12x12	4	13	12,12,18
USCSB-043	SB10CO-07/12	10	7/12	Copper	10	12x12	4	13	12,12,19
USCSB-044	SB10CO-08/12	10	8/12	Copper	10	12x12	4	13	12,12,20
USCSB-045	SB10CO-09/12	10	9/12	Copper	10	12x12	4	13	12,12,21
USCSB-046	SB10CO-10/12	10	10/12	Copper	10	12x12	4	13	12,12,22
USCSB-047	SB10CO-11/12	10	11/12	Copper	10	12x12	4	13	12,12,23
USCSB-048	SB10CO-12/12	10	12/12	Copper	10	12x12	4	13	12,12,24
USCSB-049	SB12CU-01/12	12	1/12	Copper	10	14x14	4	15	14,14,13
USCSB-050	SB12CU-02/12	12	2/12	Copper	10	14x14	4	15	14,14,14
USCSB-051	SB12CU-03/12	12	3/12	Copper	10	14x14	4	15	14,14,16
USCSB-052	SB12CU-04/12	12	4/12	Copper	10	14x14	4	15	14,14,17
USCSB-053	SB12CU-05/12	12	5/12	Copper	10	14x14	4	15	14,14,18
USCSB-054	SB12CU-06/12	12	6/12	Copper	10	14x14	4	15	14,14,19
USCSB-055	SB12CO-07/12	12	7/12	Copper	10	14x14	4	15	14,14,20
USCSB-056	SB12CO-08/12	12	8/12	Copper	10	14x14	4	15	14,14,21
USCSB-057	SB12CO-09/12	12	9/12	Copper	10	14x14	4	15	14,14,23
USCSB-058	SB12CO-10/12	12	10/12	Copper	10	14x14	4	15	14,14,24
USCSB-059	SB12CO-11/12	12	11/12	Copper	10	14x14	4	15	14,14,25

Item #	Manufacturing #	Diameter S In.	Pitch	Material	Base Height H In.	Roof Opening O In.	Flange F In.	Weight and Dimension with Packaging	
								Lbs.	L,W,H In.
USCSB-060	SB12CO-12/12	12	12/12	Copper	10	14x14	4	15	14,14,26
USCSB-061	SB14CU-01/12	14	1/12	Copper	10	16x16	4	23	16,16,13
USCSB-062	SB14CU-02/12	14	2/12	Copper	10	16x16	4	23	16,16,15
USCSB-063	SB14CU-03/12	14	3/12	Copper	10	16x16	4	23	16,16,16
USCSB-064	SB14CU-04/12	14	4/12	Copper	10	16x16	4	23	16,16,17
USCSB-065	SB14CU-05/12	14	5/12	Copper	10	16x16	4	23	16,16,19
USCSB-066	SB14CU-06/12	14	6/12	Copper	10	16x16	4	23	16,16,20
USCSB-067	SB14CO-07/12	14	7/12	Copper	10	16x16	4	23	16,16,21
USCSB-068	SB14CO-08/12	14	8/12	Copper	10	16x16	4	23	16,16,23
USCSB-069	SB14CO-09/12	14	9/12	Copper	10	16x16	4	23	16,16,24
USCSB-070	SB14CO-10/12	14	10/12	Copper	10	16x16	4	23	16,16,25
USCSB-071	SB14CO-11/12	14	11/12	Copper	10	16x16	4	23	16,16,27
USCSB-072	SB14CO-12/12	14	12/12	Copper	10	16x16	4	23	16,16,28
USCSB-073	SB16CU-01/12	16	1/12	Copper	10	18x18	4	33	18,18,14
USCSB-074	SB16CU-02/12	16	2/12	Copper	10	18x18	4	33	18,18,15
USCSB-075	SB16CU-03/12	16	3/12	Copper	10	18x18	4	33	18,18,17
USCSB-076	SB16CU-04/12	16	4/12	Copper	10	18x18	4	33	18,18,18
USCSB-077	SB16CU-05/12	16	5/12	Copper	10	18x18	4	33	18,18,20
USCSB-078	SB16CU-06/12	16	6/12	Copper	10	18x18	4	33	18,18,21
USCSB-079	SB16CO-07/12	16	7/12	Copper	10	18x18	4	33	18,18,23
USCSB-080	SB16CO-08/12	16	8/12	Copper	10	18x18	4	33	18,18,24
USCSB-081	SB16CO-09/12	16	9/12	Copper	10	18x18	4	33	18,18,26
USCSB-082	SB16CO-10/12	16	10/12	Copper	10	18x18	4	33	18,18,27
USCSB-083	SB16CO-11/12	16	11/12	Copper	10	18x18	4	33	18,18,29
USCSB-084	SB16CO-12/12	16	12/12	Copper	10	18x18	4	33	18,18,30
USCSB-085	SB18CU-01/12	18	1/12	Copper	10	22x22	4	40	22,22,14
USCSB-086	SB18CU-02/12	18	2/12	Copper	10	22x22	4	40	22,22,16
USCSB-087	SB18CU-03/12	18	3/12	Copper	10	22x22	4	40	22,22,18
USCSB-088	SB18CU-04/12	18	4/12	Copper	10	22x22	4	40	22,22,19
USCSB-089	SB18CU-05/12	18	5/12	Copper	10	22x22	4	40	22,22,21
USCSB-090	SB18CU-06/12	18	6/12	Copper	10	22x22	4	40	22,22,23
USCSB-091	SB18CO-07/12	18	7/12	Copper	10	22x22	4	40	22,22,25
USCSB-092	SB18CO-08/12	18	8/12	Copper	10	22x22	4	40	22,22,27
USCSB-093	SB18CO-09/12	18	9/12	Copper	10	22x22	4	40	22,22,29
USCSB-094	SB18CO-10/12	18	10/12	Copper	10	22x22	4	40	22,22,30
USCSB-095	SB18CO-11/12	18	11/12	Copper	10	22x22	4	40	22,22,32
USCSB-096	SB18CO-12/12	18	12/12	Copper	10	22x22	4	40	22,22,34
USCSB-097	SB20CU-01/12	20	1/12	Copper	10	24x24	4	48	24,24,14
USCSB-098	SB20CU-02/12	20	2/12	Copper	10	24x24	4	48	24,24,16
USCSB-099	SB20CU-03/12	20	3/12	Copper	10	24x24	4	48	24,24,18
USCSB-100	SB20CU-04/12	20	4/12	Copper	10	24x24	4	48	24,24,20
USCSB-101	SB20CU-05/12	20	5/12	Copper	10	24x24	4	48	24,24,22
USCSB-102	SB20CU-06/12	20	6/12	Copper	10	24x24	4	48	24,24,24
USCSB-103	SB20CO-07/12	20	7/12	Copper	10	24x24	4	48	24,24,26
USCSB-104	SB20CO-08/12	20	8/12	Copper	10	24x24	4	48	24,24,28
USCSB-105	SB20CO-09/12	20	9/12	Copper	10	24x24	4	48	24,24,30



Item #	Manufacturing #	Diameter S In.	Pitch	Material	Base Height H In.	Roof Opening O In.	Flange F In.	Weight and Dimension with Packaging	
								Lbs.	L,W,H In.
USCSB-106	SB20CO-10/12	20	10/12	Copper	10	24x24	4	48	24,24,32
USCSB-107	SB20CO-11/12	20	11/12	Copper	10	24x24	4	48	24,24,34
USCSB-108	SB20CO-12/12	20	12/12	Copper	10	24x24	4	48	24,24,36
USCSB-109	SB24CU-01/12	24	1/12	Copper	12	30x30	4	60	30,30,15
USCSB-110	SB24CU-02/12	24	2/12	Copper	12	30x30	4	60	30,30,17
USCSB-111	SB24CU-03/12	24	3/12	Copper	12	30x30	4	60	30,30,20
USCSB-112	SB24CU-04/12	24	4/12	Copper	12	30x30	4	60	30,30,22
USCSB-113	SB24CU-05/12	24	5/12	Copper	12	30x30	4	60	30,30,25
USCSB-114	SB24CU-06/12	24	6/12	Copper	12	30x30	4	60	30,30,27
USCSB-115	SB24CO-07/12	24	7/12	Copper	12	30x30	4	60	30,30,30
USCSB-116	SB24CO-08/12	24	8/12	Copper	12	30x30	4	60	30,30,32
USCSB-117	SB24CO-09/12	24	9/12	Copper	12	30x30	4	60	30,30,35
USCSB-118	SB24CO-10/12	24	10/12	Copper	12	30x30	4	60	30,30,37
USCSB-119	SB24CO-11/12	24	11/12	Copper	12	30x30	4	60	30,30,40
USCSB-120	SB24CO-12/12	24	12/12	Copper	12	30x30	4	60	30,30,42

### Diagram for Curb Roof Mounting Base CopperSlope Dimensions

