

**General Characteristics of DragDry BD150 and BD150-CR Dehumidifiers by Ebac Dehumidifiers**

The VentDepot DragDry BD150 Dehumidifier is a rugged, yet portable mobile unit that will operate under extreme conditions and pull large amounts of moisture from the air. Whenever there is a need for fast dependable, energy-efficient drying, the DragDry BD150 can provide the answer. The high efficiency defrost system ensures the maximum extraction at low ambient temperatures.

**DragDry BD150 and BD150-CR KEY DESIGN FEATURES are:**

Rugged Wheels; Collapsible Handle for easy transport; Extra-long power cord (25'); Effective, reverse cycle defrosting feature which automatically melts away frost buildup providing effective operation at low ambient temperatures; Rugged, epoxy powder-coated steel chassis and housing; Simplicity of installation and operation

VentDepot DragDry BD150-CR Dehumidifier includes condensation pump.



**Product Applications of DragDry BD150 and BD150-CR Dehumidifiers by Ebac Dehumidifiers**

VentDepot DragDry BD150 industrial dehumidifier has been designed to provide energy efficient humidity control in a wide range of applications including offices, laboratories, Flood & Restoration, Roof Leaks, Basements / Cellars, Rental Yards, Vehicle Storage, Hotels / Guest Houses and Stores. The DragDry BD150 Professional Dehumidifier is the ideal unit for commercial and residential work; Its easy maneuverability permits one man operation, yet has the capacity to handle several room-size areas at a time.

**Warranty of DragDry BD150 and BD150-CR Dehumidifiers by Ebac Dehumidifiers**

VentDepot DragDry BD150 and BD150-CR Dehumidifiers, by Ebac Dehumidifiers have a 1 year manufacturer's warranty.

**Technical Characteristics of DragDry BD150 and BD150-CR Dehumidifiers by Ebac Dehumidifiers**

VentDepot Item #	Ebac Model No.	Water Removal Capacity per 24 hours			Effective Volume		V	A	Ph	Hz	Refrigerant	kW	Condensation Pump	dbs	Shipping			
		ppd Pints	Gallons	Liters	Cubic feet	m <sup>3</sup>									Weight		Size (L,W,H)	
															(lbs)	(kg)	(in)	(cm)
USDGD-001	BD150	97	12.12	45.9	10.594	300	110	13	1	60	R407c	2	no	72	146	66	24,24,36	61,61,91.4
USDGD-002	BD150-CR	97	12.12	45.9	10.594	300	110	13	1	60	R407c	2	yes	72	146	66	24,24,36	61,61,91.4


**Product Specifications of DragDry BD150 and BD150-CR Dehumidifiers by Ebac Dehumidifiers**

<b>Water Extraction in 24 Hours.</b>	97 Pints, 12.12 Gallons, 45.9 liters
<b>Refrigerant</b>	R407c
<b>RH Relative Humidity</b>	60% RH, 80.0°F, 26.7 °C
<b>Energy Provision</b>	110V , 60hz, 1 ph, 13amps
<b>Fan</b>	½ HP
<b>Operation Temperature</b>	33 °F to 95 °F @ 1 to 35 °C
<b>Airflow</b>	650 CFM (1098m <sup>3</sup> /hr)
<b>Weight</b>	146 lb @ 66 kg



**Dimensions of DragDry BD150 and BD150-CR Dehumidifiers by Ebac Dehumidifiers**


VentDepot Item#	Ebac Model No.	Size A		Size B		Size C	
		(in)	(cm)	(in)	(cm)	(in)	(cm)
<b>USDGD-001</b>	BD150	36	91.4	24	61	24	61
<b>USDGD-002</b>	BD150-CR	36	91.4	24	61	24	61



**Efficiency of DragDry BD150 and BD150-CR Dehumidifiers by Ebac Dehumidifiers**

Internal Temperature	Degree Celsius °C	Degree Fahrenheit °F	Relative Humidity RH
		16° C	60.8° F.
	18° C.	64.4° F.	100% to 51%
	20° C.	68° F.	100% to 48%
	22° C.	71.6° F.	100% to 46%
	24° C.	75.2° F.	100% to 44%
	26° C.	78.8° F.	100% to 43%
	28° C.	82.4° F.	100% to 42%
	30° C.	86° F.	100% to 41%
	32° C.	89.6° F.	100% to 41%
	34 °C. and Above	93.2° F. and Above	100% to 40%

Do not use dehumidifier if RH vs. Temperature Falls in the Orange Area



Copyright© since 1996, VentDepot has all rights reserved.

VentDepot USA, Tel: Toll Free 1-888-514-1516, Direct Line: +1 (626) 771-0048 & Fax: +1 (626) 771-0047 email: [sales@ventdepot.com](mailto:sales@ventdepot.com)  
 VentDepot México, Tel: +52 (55)5822-1516, Fax: +52 (55)5825-0752 email: [ventas@ventdepot.com](mailto:ventas@ventdepot.com)

[www.VentDepot.com](http://www.VentDepot.com)



## DragDry BD150 & BD150-CR

File Type: Data Sheet  
Last Update: March 28, 2012  
Country Code: US  
Language: English  
File Name:

DragDry\_BD150\_BD150CR\_DGD\_VentDepot\_US\_English\_aar191061

### Short Description of DragDry BD150 and BD150-CR Dehumidifiers by Ebac Dehumidifiers

VentDepot Item No	Ebac Model No.	Short Description 70 Characters Maximum
		1234567890123456789012345678901234567890123456789012345678901234567890
USDGD-001	BD150	BD150, 97ppd, 45.9Lpd, 110V, 13A, 1Ph, 60Hz, 72 dbs, 2kW, R407c
USDGD-002	BD150-CR	BD150CR, 97ppd, 45.9Lpd, 110V, 13A, 1Ph, 60Hz, 72dbs, 2kW, R407c, w/ water pump

### SEO Table of DragDry BD150 and BD150-CR Dehumidifiers, by Ebac Dehumidifiers

Title
DragDry BD150 and BD150CR Dehumidifiers by Ebac Dehumidifiers
Meta Description
DragDry BD150 and BD150CR Dehumidifiers by Ebac Dehumidifiers, DragDry BD150 and BD150CR Dehumidifiers by Ebac Dehumidifiers for offices, DragDry BD150 and BD150CR Dehumidifiers by Ebac Dehumidifiers for laboratories, DragDry BD150 and BD150CR Dehumidifiers by Ebac Dehumidifiers for hotels, DragDry BD150 and BD150CR Dehumidifiers by Ebac Dehumidifiers for apartments, DragDry BD150 and BD150CR Dehumidifiers by Ebac Dehumidifiers for storage areas, DragDry BD150 and BD150CR Dehumidifiers by Ebac Dehumidifiers for Stores
Meta Key Words
DragDry BD150 and BD150CR Dehumidifiers by Ebac Dehumidifiers, DragDry BD150 and BD150CR Dehumidifiers by Ebac Dehumidifiers for offices, DragDry BD150 and BD150CR Dehumidifiers by Ebac Dehumidifiers for laboratories, DragDry BD150 and BD150CR Dehumidifiers by Ebac Dehumidifiers for hotels, DragDry BD150 and BD150CR Dehumidifiers by Ebac Dehumidifiers for apartments, DragDry BD150 and BD150CR Dehumidifiers by Ebac Dehumidifiers for storage areas, DragDry BD150 and BD150CR Dehumidifiers by Ebac Dehumidifiers for Stores
Meta URL (file name)
dragdry-bd150-bd150cr-dehumidifier-ebac-dehumidifiers-us-english.htm

Copyright© since 1996, VentDepot has all rights reserved.

VentDepot USA, Tel: Toll Free 1-888-514-1516, Direct Line: +1 (626) 771-0048 & Fax: +1 (626) 771-0047 email: [sales@ventdepot.com](mailto:sales@ventdepot.com)  
VentDepot México, Tel: +52 (55)5822-1516, Fax: +52 (55)5825-0752 email: [ventas@ventdepot.com](mailto:ventas@ventdepot.com)

[www.VentDepot.com](http://www.VentDepot.com)