


General Characteristics of Ridge Roof Mounting Base GalvaRidge

The GalvaRidge is a galvanized made ridge base made for Galvanized turbines. Installed properly the ridge bases will stop the turbines from leaking water. For Industrial, Commercial and residential use. Perfect for Ventilation, cooling and the extraction of fumes, dust, smoke, pollen or gases ect. The GalvaRidge bases are made from sheet galvanized, with excellent manufacturing detail. The galvanized bases for the turbines, allow them to operate correctly and more efficiently. All turbines and bases must be leveled horizontally for them to work properly and have proper air flow. When ordering the GalvaRidge the pitch will need to be supplied by Customer. For Industrial and Commercial use.



Product Applications of Ridge Roof Mounting Base GalvaRidge

These bases are used with our Turbine Vents for ventilation in small, medium, and large areas, bathrooms, warehouses, factories, commercial buildings, and all large ventilation projects.



Warranties of Ridge Roof Mounting Base GalvaRidge

Manufacturer's Limited Warranty: 10 Years, void with Tornados, Hurricanes, and Chemical Destruction

Specific characteristics of Ridge Roof Mounting Base GalvaRidge

| Item # | Manufacturing # | Diameter (S) In. | Pitch | Material | Base Height (H) In. | Roof Opening (O) In. | Flange (F) In. | Weight and Dimension with Packaging | |
|------------------|-----------------|------------------|-------|------------|---------------------|----------------------|----------------|-------------------------------------|-----------|
| | | | | | | | | Lbs. | L,W,H In. |
| USGRB-001 | RB04GU-1/12 | 4 | 1/12 | Galvanized | 10 | 6x6 | 4 | 7 | 12,12,15 |
| USGRB-002 | RB04GU-2/12 | 4 | 2/12 | Galvanized | 10 | 6x6 | 4 | 7 | 12,12,15 |
| USGRB-003 | RB04GU-3/12 | 4 | 3/12 | Galvanized | 10 | 6x6 | 4 | 7 | 12,12,15 |
| USGRB-004 | RB04GU-4/12 | 4 | 4/12 | Galvanized | 10 | 6x6 | 4 | 7 | 12,12,15 |
| USGRB-005 | RB04GU-5/12 | 4 | 5/12 | Galvanized | 10 | 6x6 | 4 | 7 | 12,12,15 |
| USGRB-006 | RB04GU-6/12 | 4 | 6/12 | Galvanized | 10 | 6x6 | 4 | 7 | 12,12,15 |
| USGRB-007 | RB04GO-7/12 | 4 | 7/12 | Galvanized | 10 | 6x6 | 4 | 7 | 12,12,15 |
| USGRB-008 | RB04GO-8/12 | 4 | 8/12 | Galvanized | 10 | 6x6 | 4 | 7 | 12,12,15 |

GalvaRidge
Ridge Roof Mounting Base
 Data Sheet

| USGRB-009 | RB04GO-9/12 | 4 | 9/12 | Galvanized | 10 | 6x6 | 4 | 7 | 12,12,15 |
|------------------|-----------------|------------------|-------|------------|---------------------|----------------------|----------------|-------------------------------------|-----------|
| USGRB-010 | RB04GO-10/12 | 4 | 10/12 | Galvanized | 10 | 6x6 | 4 | 7 | 12,12,15 |
| USGRB-011 | RB04GO-11/12 | 4 | 11/12 | Galvanized | 10 | 6x6 | 4 | 7 | 12,12,15 |
| USGRB-012 | RB04GO-12/12 | 4 | 12/12 | Galvanized | 10 | 6x6 | 4 | 7 | 12,12,15 |
| USGRB-013 | RB05GU-1/12 | 5 | 1/12 | Galvanized | 10 | 8x8 | 4 | 9 | 14,14,15 |
| USGRB-014 | RB05GU-2/12 | 5 | 2/12 | Galvanized | 10 | 8x8 | 4 | 9 | 14,14,15 |
| Item # | Manufacturing # | Diameter (S) In. | Pitch | Material | Base Height (H) In. | Roof Opening (O) In. | Flange (F) In. | Weight and Dimension with Packaging | |
| | | | | | | | | Lbs. | L,W,H In. |
| USGRB-015 | RB05GU-3/12 | 5 | 3/12 | Galvanized | 10 | 8x8 | 4 | 9 | 14,14,15 |
| USGRB-016 | RB05GU-4/12 | 5 | 4/12 | Galvanized | 10 | 8x8 | 4 | 9 | 14,14,15 |
| USGRB-017 | RB05GU-5/12 | 5 | 5/12 | Galvanized | 10 | 8x8 | 4 | 9 | 14,14,15 |
| USGRB-018 | RB05GU-6/12 | 5 | 6/12 | Galvanized | 10 | 8x8 | 4 | 9 | 14,14,15 |
| USGRB-019 | RB05GO-7/12 | 5 | 7/12 | Galvanized | 10 | 8x8 | 4 | 9 | 14,14,15 |
| USGRB-020 | RB05GU-8/12 | 5 | 8/12 | Galvanized | 10 | 8x8 | 4 | 9 | 14,14,15 |
| USGRB-021 | RB05GO-9/12 | 5 | 9/12 | Galvanized | 10 | 8x8 | 4 | 9 | 14,14,15 |
| USGRB-022 | RB05GO-10/12 | 5 | 10/12 | Galvanized | 10 | 8x8 | 4 | 9 | 14,14,15 |
| USGRB-023 | RB05GO-11/12 | 5 | 11/12 | Galvanized | 10 | 8x8 | 4 | 9 | 14,14,15 |
| USGRB-024 | RB05GO-12/12 | 5 | 12/12 | Galvanized | 10 | 8x8 | 4 | 9 | 14,14,15 |
| USGRB-025 | RB06GU-1/12 | 6 | 1/12 | Galvanized | 10 | 8x8 | 4 | 9 | 14,14,15 |
| USGRB-026 | RB06GU-2/12 | 6 | 2/12 | Galvanized | 10 | 8x8 | 4 | 9 | 14,14,15 |
| USGRB-027 | RB06GU-3/12 | 6 | 3/12 | Galvanized | 10 | 8x8 | 4 | 9 | 14,14,15 |
| USGRB-028 | RB06GU-4/12 | 6 | 4/12 | Galvanized | 10 | 8x8 | 4 | 9 | 14,14,15 |
| USGRB-029 | RB06GU-5/12 | 6 | 5/12 | Galvanized | 10 | 8x8 | 4 | 9 | 14,14,15 |
| USGRB-030 | RB06GU-6/12 | 6 | 6/12 | Galvanized | 10 | 8x8 | 4 | 9 | 14,14,15 |
| USGRB-031 | RB06GO-7/12 | 6 | 7/12 | Galvanized | 10 | 8x8 | 4 | 9 | 14,14,15 |
| USGRB-032 | RB06GO-8/12 | 6 | 8/12 | Galvanized | 10 | 8x8 | 4 | 9 | 14,14,15 |
| USGRB-033 | RB06GO-9/12 | 6 | 9/12 | Galvanized | 10 | 8x8 | 4 | 9 | 14,14,15 |
| USGRB-034 | RB06GO-10/12 | 6 | 10/12 | Galvanized | 10 | 8x8 | 4 | 9 | 14,14,15 |
| USGRB-035 | RB06GO-11/12 | 6 | 11/12 | Galvanized | 10 | 8x8 | 4 | 9 | 14,14,15 |
| USGRB-036 | RB06GO-12/12 | 6 | 12/12 | Galvanized | 10 | 8x8 | 4 | 9 | 14,14,15 |
| USGRB-037 | RB07GU-1/12 | 7 | 1/12 | Galvanized | 10 | 10x10 | 4 | 10 | 16,16,15 |
| USGRB-038 | RB07GU-2/12 | 7 | 2/12 | Galvanized | 10 | 10x10 | 4 | 10 | 16,16,15 |
| USGRB-039 | RB07GU-3/12 | 7 | 3/12 | Galvanized | 10 | 10x10 | 4 | 10 | 16,16,15 |
| USGRB-040 | RB07GU-4/12 | 7 | 4/12 | Galvanized | 10 | 10x10 | 4 | 10 | 16,16,15 |
| USGRB-041 | RB07GU-5/12 | 7 | 5/12 | Galvanized | 10 | 10x10 | 4 | 10 | 16,16,15 |
| USGRB-042 | RB07GU-6/12 | 7 | 6/12 | Galvanized | 10 | 10x10 | 4 | 10 | 16,16,15 |
| USGRB-043 | RB07GO-7/12 | 7 | 7/12 | Galvanized | 10 | 10x10 | 4 | 10 | 16,16,15 |
| USGRB-044 | RB07GO-8/12 | 7 | 8/12 | Galvanized | 10 | 10x10 | 4 | 10 | 16,16,15 |
| USGRB-045 | RB07GO-9/12 | 7 | 9/12 | Galvanized | 10 | 10x10 | 4 | 10 | 16,16,15 |
| USGRB-046 | RB07GO-10/12 | 7 | 10/12 | Galvanized | 10 | 10x10 | 4 | 10 | 16,16,15 |
| USGRB-047 | RB07GO-11/12 | 7 | 11/12 | Galvanized | 10 | 10x10 | 4 | 10 | 16,16,15 |
| USGRB-048 | RB07GO-12/12 | 7 | 12/12 | Galvanized | 10 | 10x10 | 4 | 10 | 16,16,15 |
| USGRB-049 | RB08GU-1/12 | 8 | 1/12 | Galvanized | 10 | 10x10 | 4 | 10 | 16,16,15 |
| USGRB-050 | RB08GU-2/12 | 8 | 2/12 | Galvanized | 10 | 10x10 | 4 | 10 | 16,16,15 |
| USGRB-051 | RB08GU-3/12 | 8 | 3/12 | Galvanized | 10 | 10x10 | 4 | 10 | 16,16,15 |
| USGRB-052 | RB08GU-4/12 | 8 | 4/12 | Galvanized | 10 | 10x10 | 4 | 10 | 16,16,15 |
| USGRB-053 | RB08GU-5/12 | 8 | 5/12 | Galvanized | 10 | 10x10 | 4 | 10 | 16,16,15 |
| USGRB-054 | RB08GU-6/12 | 8 | 6/12 | Galvanized | 10 | 10x10 | 4 | 10 | 16,16,15 |

GalvaRidge
Ridge Roof Mounting Base
 Data Sheet

| | | | | | | | | | |
|------------------|--------------|---|-------|------------|----|-------|---|----|----------|
| USGRB-055 | RB08GO-7/12 | 8 | 7/12 | Galvanized | 10 | 10x10 | 4 | 10 | 16,16,15 |
| USGRB-056 | RB08GO-8/12 | 8 | 8/12 | Galvanized | 10 | 10x10 | 4 | 10 | 16,16,15 |
| USGRB-057 | RB08GO-9/12 | 8 | 9/12 | Galvanized | 10 | 10x10 | 4 | 10 | 16,16,15 |
| USGRB-058 | RB08GO-10/12 | 8 | 10/12 | Galvanized | 10 | 10x10 | 4 | 10 | 16,16,15 |
| USGRB-059 | RB08GO-11/12 | 8 | 11/12 | Galvanized | 10 | 10x10 | 4 | 10 | 16,16,15 |
| USGRB-060 | RB08GO-12/12 | 8 | 12/12 | Galvanized | 10 | 10x10 | 4 | 10 | 16,16,15 |

| Item # | Manufacturing # | Diameter (S) In. | Pitch | Material | Base Height (H) In. | Roof Opening (O) In. | Flange (F) In. | Weight and Dimension with Packaging | |
|------------------|-----------------|------------------|-------|------------|---------------------|----------------------|----------------|-------------------------------------|-----------|
| | | | | | | | | Lbs. | L,W,H In. |
| USGRB-061 | RB09GU-1/12 | 9 | 1/12 | Galvanized | 10 | 12x12 | 4 | 13 | 18,18,15 |
| USGRB-062 | RB09GU-2/12 | 9 | 2/12 | Galvanized | 10 | 12x12 | 4 | 13 | 18,18,15 |
| USGRB-063 | RB09GU-3/12 | 9 | 3/12 | Galvanized | 10 | 12x12 | 4 | 13 | 18,18,15 |
| USGRB-064 | RB09GU-4/12 | 9 | 4/12 | Galvanized | 10 | 12x12 | 4 | 13 | 18,18,15 |
| USGRB-065 | RB09GU-5/12 | 9 | 5/12 | Galvanized | 10 | 12x12 | 4 | 13 | 18,18,15 |
| USGRB-066 | RB09GU-6/12 | 9 | 6/12 | Galvanized | 10 | 12x12 | 4 | 13 | 18,18,15 |
| USGRB-067 | RB09GO-7/12 | 9 | 7/12 | Galvanized | 10 | 12x12 | 4 | 13 | 18,18,15 |
| USGRB-068 | RB09GO-8/12 | 9 | 8/12 | Galvanized | 10 | 12x12 | 4 | 13 | 18,18,15 |
| USGRB-069 | RB09GO-9/12 | 9 | 9/12 | Galvanized | 10 | 12x12 | 4 | 13 | 18,18,15 |
| USGRB-070 | RB09GO-10/12 | 9 | 10/12 | Galvanized | 10 | 12x12 | 4 | 13 | 18,18,15 |
| USGRB-071 | RB09GO-11/12 | 9 | 11/12 | Galvanized | 10 | 12x12 | 4 | 13 | 18,18,15 |
| USGRB-072 | RB09GO-12/12 | 9 | 12/12 | Galvanized | 10 | 12x12 | 4 | 13 | 18,18,15 |
| USGRB-073 | RB10GU-1/12 | 10 | 1/12 | Galvanized | 10 | 12x12 | 4 | 13 | 18,18,15 |
| USGRB-074 | RB10GU-2/12 | 10 | 2/12 | Galvanized | 10 | 12x12 | 4 | 13 | 18,18,15 |
| USGRB-075 | RB10GU-3/12 | 10 | 3/12 | Galvanized | 10 | 12x12 | 4 | 13 | 18,18,15 |
| USGRB-076 | RB10GU-4/12 | 10 | 4/12 | Galvanized | 10 | 12x12 | 4 | 13 | 18,18,15 |
| USGRB-077 | RB10GU-5/12 | 10 | 5/12 | Galvanized | 10 | 12x12 | 4 | 13 | 18,18,15 |
| USGRB-078 | RB10GU-6/12 | 10 | 6/12 | Galvanized | 10 | 12x12 | 4 | 13 | 18,18,15 |
| USGRB-079 | RB10GO-7/12 | 10 | 7/12 | Galvanized | 10 | 12x12 | 4 | 13 | 18,18,15 |
| USGRB-080 | RB10GO-8/12 | 10 | 8/12 | Galvanized | 10 | 12x12 | 4 | 13 | 18,18,15 |
| USGRB-081 | RB10GO-9/12 | 10 | 9/12 | Galvanized | 10 | 12x12 | 4 | 13 | 18,18,15 |
| USGRB-082 | RB10GO-10/12 | 10 | 10/12 | Galvanized | 10 | 12x12 | 4 | 13 | 18,18,15 |
| USGRB-083 | RB10GO-11/12 | 10 | 11/12 | Galvanized | 10 | 12x12 | 4 | 13 | 18,18,15 |
| USGRB-084 | RB10GO-12/12 | 10 | 12/12 | Galvanized | 10 | 12x12 | 4 | 13 | 18,18,15 |
| USGRB-085 | RB12GU-1/12 | 12 | 1/12 | Galvanized | 10 | 14x14 | 4 | 15 | 20,20,15 |
| USGRB-086 | RB12GU-2/12 | 12 | 2/12 | Galvanized | 10 | 14x14 | 4 | 15 | 20,20,15 |
| USGRB-087 | RB12GU-3/12 | 12 | 3/12 | Galvanized | 10 | 14x14 | 4 | 15 | 20,20,15 |
| USGRB-088 | RB12GU-4/12 | 12 | 4/12 | Galvanized | 10 | 14x14 | 4 | 15 | 20,20,15 |
| USGRB-089 | RB12GU-5/12 | 12 | 5/12 | Galvanized | 10 | 14x14 | 4 | 15 | 20,20,15 |
| USGRB-090 | RB12GU-6/12 | 12 | 6/12 | Galvanized | 10 | 14x14 | 4 | 15 | 20,20,15 |
| USGRB-091 | RB12GO-7/12 | 12 | 7/12 | Galvanized | 10 | 14x14 | 4 | 15 | 20,20,15 |
| USGRB-092 | RB12GO-8/12 | 12 | 8/12 | Galvanized | 10 | 14x14 | 4 | 15 | 20,20,15 |
| USGRB-093 | RB12GO-9/12 | 12 | 9/12 | Galvanized | 10 | 14x14 | 4 | 15 | 20,20,15 |
| USGRB-094 | RB12GO-10/12 | 12 | 10/12 | Galvanized | 10 | 14x14 | 4 | 15 | 20,20,15 |
| USGRB-095 | RB12GO-11/12 | 12 | 11/12 | Galvanized | 10 | 14x14 | 4 | 15 | 20,20,15 |
| USGRB-096 | RB12GO-12/12 | 12 | 12/12 | Galvanized | 10 | 14x14 | 4 | 15 | 20,20,15 |
| USGRB-097 | RB14GU-1/12 | 14 | 1/12 | Galvanized | 10 | 16x16 | 4 | 23 | 22,22,15 |
| USGRB-098 | RB14GU-2/12 | 14 | 2/12 | Galvanized | 10 | 16x16 | 4 | 23 | 22,22,15 |
| USGRB-099 | RB14GU-3/12 | 14 | 3/12 | Galvanized | 10 | 16x16 | 4 | 23 | 22,22,15 |
| USGRB-100 | RB14GU-4/12 | 14 | 4/12 | Galvanized | 10 | 16x16 | 4 | 23 | 22,22,15 |



GalvaRidge
Ridge Roof Mounting Base
 Data Sheet

| USGRB-101 | RB14GU-5/12 | 14 | 5/12 | Galvanized | 10 | 16x16 | 4 | 23 | 22,22,15 |
|------------------|-----------------|------------------|-------|------------|---------------------|----------------------|----------------|-------------------------------------|-----------|
| USGRB-102 | RB14GU-6/12 | 14 | 6/12 | Galvanized | 10 | 16x16 | 4 | 23 | 22,22,15 |
| USGRB-103 | RB14GO-7/12 | 14 | 7/12 | Galvanized | 10 | 16x16 | 4 | 23 | 22,22,15 |
| USGRB-104 | RB14GO-8/12 | 14 | 8/12 | Galvanized | 10 | 16x16 | 4 | 23 | 22,22,15 |
| USGRB-105 | RB14GO-9/12 | 14 | 9/12 | Galvanized | 10 | 16x16 | 4 | 23 | 22,22,15 |
| Item # | Manufacturing # | Diameter (S) In. | Pitch | Material | Base Height (H) In. | Roof Opening (O) In. | Flange (F) In. | Weight and Dimension with Packaging | |
| | | | | | | | | Lbs. | L,W,H In. |
| USGRB-106 | RB14GO-10/12 | 14 | 10/12 | Galvanized | 10 | 16x16 | 4 | 23 | 22,22,15 |
| USGRB-107 | RB14GO-11/12 | 14 | 11/12 | Galvanized | 10 | 16x16 | 4 | 23 | 22,22,15 |
| USGRB-108 | RB14GO-12/12 | 14 | 12/12 | Galvanized | 10 | 16x16 | 4 | 23 | 22,22,15 |
| USGRB-109 | RB16GU-1/12 | 16 | 1/12 | Galvanized | 10 | 18x18 | 4 | 33 | 24,24,15 |
| USGRB-110 | RB16GU-2/12 | 16 | 2/12 | Galvanized | 10 | 18x18 | 4 | 33 | 24,24,15 |
| USGRB-111 | RB16GU-3/12 | 16 | 3/12 | Galvanized | 10 | 18x18 | 4 | 33 | 24,24,15 |
| USGRB-112 | RB16GU-4/12 | 16 | 4/12 | Galvanized | 10 | 18x18 | 4 | 33 | 24,24,15 |
| USGRB-113 | RB16GU-5/12 | 16 | 5/12 | Galvanized | 10 | 18x18 | 4 | 33 | 24,24,15 |
| USGRB-114 | RB16GU-6/12 | 16 | 6/12 | Galvanized | 10 | 18x18 | 4 | 33 | 24,24,15 |
| USGRB-115 | RB16GO-7/12 | 16 | 7/12 | Galvanized | 10 | 18x18 | 4 | 33 | 24,24,15 |
| USGRB-116 | RB16GO-8/12 | 16 | 8/12 | Galvanized | 10 | 18x18 | 4 | 33 | 24,24,15 |
| USGRB-117 | RB16GO-9/12 | 16 | 9/12 | Galvanized | 10 | 18x18 | 4 | 33 | 24,24,15 |
| USGRB-118 | RB16GO-10/12 | 16 | 10/12 | Galvanized | 10 | 18x18 | 4 | 33 | 24,24,15 |
| USGRB-119 | RB16GO-11/12 | 16 | 11/12 | Galvanized | 10 | 18x18 | 4 | 33 | 24,24,15 |
| USGRB-120 | RB16GO-12/12 | 16 | 12/12 | Galvanized | 10 | 18x18 | 4 | 33 | 24,24,15 |
| USGRB-121 | RB18GU-1/12 | 18 | 1/12 | Galvanized | 10 | 22x22 | 4 | 40 | 28,28,15 |
| USGRB-122 | RB18GU-2/12 | 18 | 2/12 | Galvanized | 10 | 22x22 | 4 | 40 | 28,28,15 |
| USGRB-123 | RB18GU-3/12 | 18 | 3/12 | Galvanized | 10 | 22x22 | 4 | 40 | 28,28,15 |
| USGRB-124 | RB18GU-4/12 | 18 | 4/12 | Galvanized | 10 | 22x22 | 4 | 40 | 28,28,15 |
| USGRB-125 | RB18GU-5/12 | 18 | 5/12 | Galvanized | 10 | 22x22 | 4 | 40 | 28,28,15 |
| USGRB-126 | RB18GU-6/12 | 18 | 6/12 | Galvanized | 10 | 22x22 | 4 | 40 | 28,28,15 |
| USGRB-127 | RB18GO-7/12 | 18 | 7/12 | Galvanized | 10 | 22x22 | 4 | 40 | 28,28,15 |
| USGRB-128 | RB18GO-8/12 | 18 | 8/12 | Galvanized | 10 | 22x22 | 4 | 40 | 28,28,15 |
| USGRB-129 | RB18GO-9/12 | 18 | 9/12 | Galvanized | 10 | 22x22 | 4 | 40 | 28,28,15 |
| USGRB-130 | RB18GO-10/12 | 18 | 10/12 | Galvanized | 10 | 22x22 | 4 | 40 | 28,28,15 |
| USGRB-131 | RB18GO-11/12 | 18 | 11/12 | Galvanized | 10 | 22x22 | 4 | 40 | 28,28,15 |
| USGRB-132 | RB18GO-12/12 | 18 | 12/12 | Galvanized | 10 | 22x22 | 4 | 40 | 28,28,15 |
| USGRB-133 | RB20GU-1/12 | 20 | 1/12 | Galvanized | 10 | 24x24 | 4 | 48 | 30,30,15 |
| USGRB-134 | RB20GU-2/12 | 20 | 2/12 | Galvanized | 10 | 24x24 | 4 | 48 | 30,30,15 |
| USGRB-135 | RB20GU-3/12 | 20 | 3/12 | Galvanized | 10 | 24x24 | 4 | 48 | 30,30,15 |
| USGRB-136 | RB20GU-4/12 | 20 | 4/12 | Galvanized | 10 | 24x24 | 4 | 48 | 30,30,15 |
| USGRB-137 | RB20GU-5/12 | 20 | 5/12 | Galvanized | 10 | 24x24 | 4 | 48 | 30,30,15 |
| USGRB-138 | RB20GU-6/12 | 20 | 6/12 | Galvanized | 10 | 24x24 | 4 | 48 | 30,30,15 |
| USGRB-139 | RB20GO-7/12 | 20 | 7/12 | Galvanized | 10 | 24x24 | 4 | 48 | 30,30,15 |
| USGRB-140 | RB20GO-8/12 | 20 | 8/12 | Galvanized | 10 | 24x24 | 4 | 48 | 30,30,15 |
| USGRB-141 | RB20GO-9/12 | 20 | 9/12 | Galvanized | 10 | 24x24 | 4 | 48 | 30,30,15 |
| USGRB-142 | RB20GO-10/12 | 20 | 10/12 | Galvanized | 10 | 24x24 | 4 | 48 | 30,30,15 |
| USGRB-143 | RB20GO-11/12 | 20 | 11/12 | Galvanized | 10 | 24x24 | 4 | 48 | 30,30,15 |
| USGRB-144 | RB20GO-12/12 | 20 | 12/12 | Galvanized | 10 | 24x24 | 4 | 48 | 30,30,15 |
| USGRB-145 | RB24GU-1/12 | 24 | 1/12 | Galvanized | 12 | 30x30 | 4 | 60 | 36,36,17 |
| USGRB-146 | RB24GU-2/12 | 24 | 2/12 | Galvanized | 12 | 30x30 | 4 | 60 | 36,36,17 |

| USGRB-147 | RB24GU-3/12 | 24 | 3/12 | Galvanized | 12 | 30x30 | 4 | 60 | 36,36,17 |
|------------------|-----------------|------------------|-------|------------|---------------------|----------------------|----------------|-------------------------------------|-----------|
| USGRB-148 | RB24GU-4/12 | 24 | 4/12 | Galvanized | 12 | 30x30 | 4 | 60 | 36,36,17 |
| USGRB-149 | RB24GU-5/12 | 24 | 5/12 | Galvanized | 12 | 30x30 | 4 | 60 | 36,36,17 |
| USGRB-150 | RB24GU-6/12 | 24 | 6/12 | Galvanized | 12 | 30x30 | 4 | 60 | 36,36,17 |
| Item # | Manufacturing # | Diameter (S) In. | Pitch | Material | Base Height (H) In. | Roof Opening (O) In. | Flange (F) In. | Weight and Dimension with Packaging | |
| | | | | | | | | Lbs. | L,W,H In. |
| USGRB-151 | RB24GO-7/12 | 24 | 7/12 | Galvanized | 12 | 30x30 | 4 | 60 | 36,36,17 |
| USGRB-152 | RB24GO-8/12 | 24 | 8/12 | Galvanized | 12 | 30x30 | 4 | 60 | 36,36,17 |
| USGRB-153 | RB24GO-9/12 | 24 | 9/12 | Galvanized | 12 | 30x30 | 4 | 60 | 36,36,17 |
| USGRB-154 | RB24GO-10/12 | 24 | 10/12 | Galvanized | 12 | 30x30 | 4 | 60 | 36,36,17 |
| USGRB-155 | RB24GO-11/12 | 24 | 11/12 | Galvanized | 12 | 30x30 | 4 | 60 | 36,36,17 |
| USGRB-156 | RB24GO-12/12 | 24 | 12/12 | Galvanized | 12 | 30x30 | 4 | 60 | 36,36,17 |

Dimensions (in) of Ridge Roof Mounting Base GalvaRidge

| Series | Length | | Width | | Height |
|------------------|--------|-----|-------|-----|--------|
| | A | B | B | C | |
| USGRB-001 to 012 | 6" | 6" | 6" | 10 | |
| USGRB-013 to 034 | 8" | 8" | 8" | 10 | |
| USGRB-035 to 036 | 8" | 8" | 8" | 10 | |
| USGRB-037 to 048 | 10" | 10" | 10" | 10 | |
| USGRB-049 to 060 | 10" | 10" | 10" | 10 | |
| USGRB-061 to 072 | 12" | 12" | 12" | 10 | |
| USGRB-073 to 084 | 12" | 12" | 12" | 10 | |
| USGRB-085 to 096 | 14" | 14" | 14" | 10 | |
| USGRB-097 to 108 | 16" | 16" | 16" | 10 | |
| USGRB-109 to 120 | 18" | 18" | 18" | 10 | |
| USGRB-121 to 132 | 22" | 22" | 22" | 10" | |
| USGRB-133 to 144 | 24" | 24" | 24" | 10" | |
| USGRB-145 to 156 | 30" | 30" | 30" | 12" | |



| Short Description of Ridge Roof Mounting Base GalvanizedRidge | | |
|---|-----------------|--|
| Item # | Manufacturing # | Short Description 70 Characters Maximum |
| | | 012345678901234567890123456789012345678901234567890123456789 |
| USGRB-001 | RB04GU-1/12 | 4"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 6x6", Height 10", 1/12 Pitch |
| USGRB-002 | RB04GU-2/12 | 4"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 6x6", Height 10", 2/12 Pitch |
| USGRB-003 | RB04GU-3/12 | 4"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 6x6", Height 10", 3/12 Pitch |
| USGRB-004 | RB04GU-4/12 | 4"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 6x6", Height 10", 4/12 Pitch |
| USGRB-005 | RB04GU-5/12 | 4"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 6x6", Height 10", 5/12 Pitch |
| USGRB-006 | RB04GU-6/12 | 4"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 6x6", Height 10", 6/12 Pitch |
| USGRB-007 | RB04GO-7/12 | 4"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 6x6", Height 10", 7/12 Pitch |
| USGRB-008 | RB04GO-8/12 | 4"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 6x6", Height 10", 8/12 Pitch |
| USGRB-009 | RB04GO-9/12 | 4"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 6x6", Height 10", 9/12 Pitch |
| USGRB-010 | RB04GO-10/12 | 4"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 6x6", Height 10", 10/12 Pitch |
| USGRB-011 | RB04GO-11/12 | 4"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 6x6", Height 10", 11/12 Pitch |
| USGRB-012 | RB04GO-12/12 | 4"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 6x6", Height 10", 12/12 Pitch |
| USGRB-013 | RB05GU-1/12 | 5"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 8x8", Height 10", 1/12 Pitch |
| USGRB-014 | RB05GU-2/12 | 5"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 8x8", Height 10", 2/12 Pitch |
| USGRB-015 | RB05GU-3/12 | 5"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 8x8", Height 10", 3/12 Pitch |
| USGRB-016 | RB05GU-4/12 | 5"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 8x8", Height 10", 4/12 Pitch |
| USGRB-017 | RB05GU-5/12 | 5"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 8x8", Height 10", 5/12 Pitch |
| USGRB-018 | RB05GU-6/12 | 5"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 8x8", Height 10", 6/12 Pitch |
| USGRB-019 | RB05GO-7/12 | 5"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 8x8", Height 10", 7/12 Pitch |
| USGRB-020 | RB05GU-8/12 | 5"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 8x8", Height 10", 8/12 Pitch |
| USGRB-021 | RB05GO-9/12 | 5"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 8x8", Height 10", 9/12 Pitch |
| USGRB-022 | RB05GO-10/12 | 5"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 8x8", Height 10", 10/12 Pitch |
| USGRB-023 | RB05GO-11/12 | 5"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 8x8", Height 10", 11/12 Pitch |
| USGRB-024 | RB05GO-12/12 | 5"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 8x8", Height 10", 12/12 Pitch |
| USGRB-025 | RB06GU-1/12 | 6"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 8x8", Height 10", 1/12 Pitch |

| | | |
|------------------|-------------|---|
| USGRB-026 | RB06GU-2/12 | 6"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 8x8", Height 10", 2/12 Pitch |
| USGRB-027 | RB06GU-3/12 | 6"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 8x8", Height 10", 3/12 Pitch |

| Item # | Manufacturing # | Short Description 70 Characters Maximum |
|------------------|-----------------|--|
| | | 012345678901234567890123456789012345678901234567890123456789 |
| USGRB-028 | RB06GU-4/12 | 6"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 8x8", Height 10", 4/12 Pitch |
| USGRB-029 | RB06GU-5/12 | 6"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 8x8", Height 10", 5/12 Pitch |
| USGRB-030 | RB06GU-6/12 | 6"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 8x8", Height 10", 6/12 Pitch |
| USGRB-031 | RB06GO-7/12 | 6"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 8x8", Height 10", 7/12 Pitch |
| USGRB-032 | RB06GO-8/12 | 6"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 8x8", Height 10", 8/12 Pitch |
| USGRB-033 | RB06GO-9/12 | 6"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 8x8", Height 10", 9/12 Pitch |
| USGRB-034 | RB06GO-10/12 | 6"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 8x8", Height 10", 10/12 Pitch |
| USGRB-035 | RB06GO-11/12 | 6"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 8x8", Height 10", 11/12 Pitch |
| USGRB-036 | RB06GO-12/12 | 6"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 8x8", Height 10", 12/12 Pitch |
| USGRB-037 | RB07GU-1/12 | 7"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 10x10", Height 10", 1/12 Pitch |
| USGRB-038 | RB07GU-2/12 | 7"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 10x10", Height 10", 2/12 Pitch |
| USGRB-039 | RB07GU-3/12 | 7"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 10x10", Height 10", 3/12 Pitch |
| USGRB-040 | RB07GU-4/12 | 7"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 10x10", Height 10", 4/12 Pitch |
| USGRB-041 | RB07GU-5/12 | 7"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 10x10", Height 10", 5/12 Pitch |
| USGRB-042 | RB07GU-6/12 | 7"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 10x10", Height 10", 6/12 Pitch |
| USGRB-043 | RB07GO-7/12 | 7"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 10x10", Height 10", 7/12 Pitch |
| USGRB-044 | RB07GO-8/12 | 7"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 10x10", Height 10", 8/12 Pitch |
| USGRB-045 | RB07GO-9/12 | 7"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 10x10", Height 10", 9/12 Pitch |
| USGRB-046 | RB07GO-10/12 | 7"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 10x10", Height 10", 10/12 Pitch |
| USGRB-047 | RB07GO-11/12 | 7"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 10x10", Height 10", 11/12 Pitch |
| USGRB-048 | RB07GO-12/12 | 7"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 10x10", Height 10", 12/12 Pitch |
| USGRB-049 | RB08GU-1/12 | 8"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 10x10", Height 10", 1/12 Pitch |
| USGRB-050 | RB08GU-2/12 | 8"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 10x10", Height 10", 2/12 Pitch |
| USGRB-051 | RB08GU-3/12 | 8"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 10x10", Height 10", 3/12 Pitch |
| USGRB-052 | RB08GU-4/12 | 8"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 10x10", Height 10", 4/12 Pitch |

| | | |
|------------------|-------------|---|
| USGRB-053 | RB08GU-5/12 | 8"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 10x10", Height 10", 5/12 Pitch |
| USGRB-054 | RB08GU-6/12 | 8"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 10x10", Height 10", 6/12 Pitch |
| USGRB-055 | RB08GO-7/12 | 8"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 10x10", Height 10", 7/12 Pitch |

| Item # | Manufacturing # | Short Description 70 Characters Maximum |
|------------------|------------------------|--|
| | | 0123456789012345678901234567890123456789012345678901234567890123456789 |
| USGRB-056 | RB08GO-8/12 | 8"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 10x10", Height 10", 8/12 Pitch |
| USGRB-057 | RB08GO-9/12 | 8"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 10x10", Height 10", 9/12 Pitch |
| USGRB-058 | RB08GO-10/12 | 8"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 10x10", Height 10", 10/12 Pitch |
| USGRB-059 | RB08GO-11/12 | 8"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 10x10", Height 10", 11/12 Pitch |
| USGRB-060 | RB08GO-12/12 | 8"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 10x10", Height 10", 12/12 Pitch |
| USGRB-061 | RB09GU-1/12 | 9"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 12x12", Height 10", 1/12 Pitch |
| USGRB-062 | RB09GU-2/12 | 9"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 12x12", Height 10", 2/12 Pitch |
| USGRB-063 | RB09GU-3/12 | 9"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 12x12", Height 10", 3/12 Pitch |
| USGRB-064 | RB09GU-4/12 | 9"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 12x12", Height 10", 4/12 Pitch |
| USGRB-065 | RB09GU-5/12 | 9"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 12x12", Height 10", 5/12 Pitch |
| USGRB-066 | RB09GU-6/12 | 9"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 12x12", Height 10", 6/12 Pitch |
| USGRB-067 | RB09GO-7/12 | 9"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 12x12", Height 10", 7/12 Pitch |
| USGRB-067 | RB09GO-7/12 | 9"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 12x12", Height 10", 7/12 Pitch |
| USGRB-068 | RB09GO-8/12 | 9"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 12x12", Height 10", 8/12 Pitch |
| USGRB-069 | RB09GO-9/12 | 9"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 12x12", Height 10", 9/12 Pitch |
| USGRB-070 | RB09GO-10/12 | 9"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 12x12", Height 10", 10/12 Pitch |
| USGRB-071 | RB09GO-11/12 | 9"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 12x12", Height 10", 11/12 Pitch |
| USGRB-072 | RB09GO-12/12 | 9"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 12x12", Height 10", 12/12 Pitch |
| USGRB-073 | RB10GU-1/12 | 10"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 12x12", Height 10", 1/12 Pitch |
| USGRB-074 | RB10GU-2/12 | 10"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 12x12", Height 10", 2/12 Pitch |
| USGRB-075 | RB10GU-3/12 | 10"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 12x12", Height 10", 3/12 Pitch |
| USGRB-076 | RB10GU-4/12 | 10"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 12x12", Height 10", 4/12 Pitch |
| USGRB-077 | RB10GU-5/12 | 10"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 12x12", Height 10", 5/12 Pitch |
| USGRB-078 | RB10GU-6/12 | 10"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 12x12", Height 10", 6/12 Pitch |

| | | |
|------------------|-------------|--|
| USGRB-079 | RB10GO-7/12 | 10"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 12x12", Height 10", 7/12 Pitch |
| USGRB-080 | RB10GO-8/12 | 10"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 12x12", Height 10", 8/12 Pitch |

| Item # | Manufacturing # | Short Description 70 Characters Maximum |
|------------------|------------------------|---|
| | | 0123456789012345678901234567890123456789012345678901234567890123456789 |
| USGRB-081 | RB10GO-9/12 | 10"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 12x12", Height 10", 9/12 Pitch |
| USGRB-082 | RB10GO-10/12 | 10"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 12x12", Height 10", 10/12 Pitch |
| USGRB-083 | RB10GO-11/12 | 10"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 12x12", Height 10", 11/12 Pitch |
| USGRB-084 | RB10GO-12/12 | 10"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 12x12", Height 10", 12/12 Pitch |
| USGRB-085 | RB12GU-1/12 | 12"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 14x14", Height 10", 1/12 Pitch |
| USGRB-086 | RB12GU-2/12 | 12"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 14x14", Height 10", 2/12 Pitch |
| USGRB-087 | RB12GU-3/12 | 12"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 14x14", Height 10", 3/12 Pitch |
| USGRB-088 | RB12GU-4/12 | 12"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 14x14", Height 10", 4/12 Pitch |
| USGRB-089 | RB12GU-5/12 | 12"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 14x14", Height 10", 5/12 Pitch |
| USGRB-090 | RB12GU-6/12 | 12"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 14x14", Height 10", 6/12 Pitch |
| USGRB-091 | RB12GO-7/12 | 12"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 14x14", Height 10", 7/12 Pitch |
| USGRB-092 | RB12GO-8/12 | 12"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 14x14", Height 10", 8/12 Pitch |
| USGRB-093 | RB12GO-9/12 | 12"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 14x14", Height 10", 9/12 Pitch |
| USGRB-094 | RB12GO-10/12 | 12"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 14x14", Height 10", 10/12 Pitch |
| USGRB-095 | RB12GO-11/12 | 12"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 14x14", Height 10", 11/12 Pitch |
| USGRB-096 | RB12GO-12/12 | 12"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 14x14", Height 10", 12/12 Pitch |
| USGRB-097 | RB14GU-1/12 | 14"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 16x16", Height 10", 1/12 Pitch |
| USGRB-098 | RB14GU-2/12 | 14"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 16x16", Height 10", 2/12 Pitch |
| USGRB-099 | RB14GU-3/12 | 14"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 16x16", Height 10", 3/12 Pitch |
| USGRB-100 | RB14GU-4/12 | 14"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 16x16", Height 10", 4/12 Pitch |
| USGRB-101 | RB14GU-5/12 | 14"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 16x16", Height 10", 5/12 Pitch |
| USGRB-102 | RB14GU-6/12 | 14"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 16x16", Height 10", 6/12 Pitch |
| USGRB-103 | RB14GO-7/12 | 14"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 16x16", Height 10", 7/12 Pitch |
| USGRB-104 | RB14GO-8/12 | 14"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 16x16", Height 10", 8/12 Pitch |

| | | |
|------------------|--------------|---|
| USGRB-105 | RB14GO-9/12 | 14"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 16x16", Height 10", 9/12 Pitch |
| USGRB-106 | RB14GO-10/12 | 14"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 16x16", Height 10", 10/12 Pitch |
| USGRB-107 | RB14GO-11/12 | 14"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 16x16", Height 10", 11/12 Pitch |

| Item # | Manufacturing # | Short Description 70 Characters Maximum |
|------------------|------------------------|---|
| | | 012345678901234567890123456789012345678901234567890123456789 |
| USGRB-108 | RB14GO-12/12 | 14"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 16x16", Height 10", 12/12 Pitch |
| USGRB-109 | RB16GU-1/12 | 16"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 18x18", Height 10", 1/12 Pitch |
| USGRB-110 | RB16GU-2/12 | 16"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 18x18", Height 10", 2/12 Pitch |
| USGRB-111 | RB16GU-3/12 | 16"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 18x18", Height 10", 3/12 Pitch |
| USGRB-112 | RB16GU-4/12 | 16"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 18x18", Height 10", 4/12 Pitch |
| USGRB-113 | RB16GU-5/12 | 16"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 18x18", Height 10", 5/12 Pitch |
| USGRB-114 | RB16GU-6/12 | 16"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 18x18", Height 10", 6/12 Pitch |
| USGRB-115 | RB16GO-7/12 | 16"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 18x18", Height 10", 7/12 Pitch |
| USGRB-116 | RB16GO-8/12 | 16"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 18x18", Height 10", 8/12 Pitch |
| USGRB-117 | RB16GO-9/12 | 16"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 18x18", Height 10", 9/12 Pitch |
| USGRB-118 | RB16GO-10/12 | 16"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 18x18", Height 10", 10/12 Pitch |
| USGRB-119 | RB16GO-11/12 | 16"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 18x18", Height 10", 11/12 Pitch |
| USGRB-120 | RB16GO-12/12 | 16"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 18x18", Height 10", 12/12 Pitch |
| USGRB-121 | RB18GU-1/12 | 18"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 22x22", Height 10", 1/12 Pitch |
| USGRB-122 | RB18GU-2/12 | 18"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 22x22", Height 10", 2/12 Pitch |
| USGRB-123 | RB18GU-3/12 | 18"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 22x22", Height 10", 3/12 Pitch |
| USGRB-124 | RB18GU-4/12 | 18"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 22x22", Height 10", 4/12 Pitch |
| USGRB-125 | RB18GU-5/12 | 18"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 22x22", Height 10", 5/12 Pitch |
| USGRB-126 | RB18GU-6/12 | 18"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 22x22", Height 10", 6/12 Pitch |
| USGRB-127 | RB18GO-7/12 | 18"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 22x22", Height 10", 7/12 Pitch |
| USGRB-128 | RB18GO-8/12 | 18"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 22x22", Height 10", 8/12 Pitch |
| USGRB-129 | RB18GO-9/12 | 18"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 22x22", Height 10", 9/12 Pitch |
| USGRB-130 | RB18GO-10/12 | 18"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 22x22", Height 10", 10/12 Pitch |
| USGRB-131 | RB18GO-11/12 | 18"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 22x22", Height 10", 11/12 Pitch |

| | | |
|------------------|--------------|---|
| USGRB-132 | RB18GO-12/12 | 18"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 22x22", Height 10", 12/12 Pitch |
| USGRB-133 | RB20GU-1/12 | 20"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 24x24", Height 10", 1/12 Pitch |
| USGRB-134 | RB20GU-2/12 | 20"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 24x24", Height 10", 2/12 Pitch |

| Item # | Manufacturing # | Short Description 70 Characters Maximum |
|------------------|-----------------|---|
| | | 0123456789012345678901234567890123456789012345678901234567890123456789 |
| USGRB-135 | RB20GU-3/12 | 20"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 24x24", Height 10", 3/12 Pitch |
| USGRB-136 | RB20GU-4/12 | 20"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 24x24", Height 10", 4/12 Pitch |
| USGRB-137 | RB20GU-5/12 | 20"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 24x24", Height 10", 5/12 Pitch |
| USGRB-138 | RB20GU-6/12 | 20"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 24x24", Height 10", 6/12 Pitch |
| USGRB-139 | RB20GO-7/12 | 20"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 24x24", Height 10", 7/12 Pitch |
| USGRB-140 | RB20GO-8/12 | 20"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 24x24", Height 10", 8/12 Pitch |
| USGRB-141 | RB20GO-9/12 | 20"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 24x24", Height 10", 9/12 Pitch |
| USGRB-142 | RB20GO-10/12 | 20"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 24x24", Height 10", 10/12 Pitch |
| USGRB-143 | RB20GO-11/12 | 20"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 24x24", Height 10", 11/12 Pitch |
| USGRB-144 | RB20GO-12/12 | 20"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 24x24", Height 10", 12/12 Pitch |
| USGRB-145 | RB24GU-1/12 | 24"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 30x30", Height 12", 1/12 Pitch |
| USGRB-146 | RB24GU-2/12 | 24"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 30x30", Height 12", 2/12 Pitch |
| USGRB-147 | RB24GU-3/12 | 24"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 30x30", Height 12", 3/12 Pitch |
| USGRB-148 | RB24GU-4/12 | 24"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 30x30", Height 12", 4/12 Pitch |
| USGRB-149 | RB24GU-5/12 | 24"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 30x30", Height 12", 5/12 Pitch |
| USGRB-150 | RB24GU-6/12 | 24"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 30x30", Height 12", 6/12 Pitch |
| USGRB-151 | RB24GO-7/12 | 24"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 30x30", Height 12", 7/12 Pitch |
| USGRB-152 | RB24GO-8/12 | 24"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 30x30", Height 12", 8/12 Pitch |
| USGRB-153 | RB24GO-9/12 | 24"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 30x30", Height 12", 9/12 Pitch |
| USGRB-154 | RB24GO-10/12 | 24"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 30x30", Height 12", 10/12 Pitch |
| USGRB-155 | RB24GO-11/12 | 24"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 30x30", Height 12", 11/12 Pitch |
| USGRB-156 | RB24GO-12/12 | 24"Ø Neck, Galvanized Ridge Base, Flange 4", Square Opening 30x30", Height 12", 12/12 Pitch |

| SEO Table of Ridge Roof Mounting Base GalvaRidge |
|--|
| Title |
| Ridge Roof Mounting Base Galvanized GalvaRidge. |
| Meta Description |
| Ridge Roof Mounting Base Galvanized GalvaRidge for Commercial Use, Ridge Roof Mounting Base Galvanized GalvaRidge for Industrial Use, Ridge Roof Mounting Base Galvanized GalvaRidge for Residential Use, Ridge Roof Mounting Base Galvanized GalvaRidge for Outdoor Use, Ridge Roof Mounting Base Galvanized GalvaRidge for Ventilation Use, Ridge Roof Mounting Base Galvanized GalvaRidge for Cooling Use, Ridge Roof Mounting Base Galvanized GalvaRidge for Extraction Use. |
| Meta Key Words |
| Ridge Roof Mounting Base Galvanized GalvaRidge for Commercial Use, Ridge Roof Mounting Base Galvanized GalvaRidge for Industrial Use, Ridge Roof Mounting Base Galvanized GalvaRidge for Residential Use, Ridge Roof Mounting Base Galvanized GalvaRidge for Outdoor Use, Ridge Roof Mounting Base Galvanized GalvaRidge for Ventilation Use, Ridge Roof Mounting Base Galvanized GalvaRidge for Cooling Use, Ridge Roof Mounting Base Galvanized GalvaRidge for Extraction Use. |
| Meta URL (file name) |
| ridge-roof-mounting-base-galvanized-galvaridge-us-english.htm |

| Product Line Description of Ridge Roof Mounting Base GalvaRidge |
|--|
| <pre> Product Description: Ridge Roof Mounting Base GalvaRidge Neck Diameters: 4,5,6,7,8,9,10,12,14,16,18,20 & 24 Base Type: Ridge Base Material: Galvanized Finish: Natural Color: Natural Galvanized Use: Turbine Vents for Ventilation in small, medium and large areas, Industrial, Commercial, and Residential Warranty: 10 years Manufactured in: 0-15 business days </pre> |