

General Characteristics of Slope Roof Mounting Base GalvaSlope


The GalvaSlope is a Galvanized made Slope base made for Galvanized turbines.
 Installed properly the Slope bases will stop the turbines from leaking water.
 Perfect for Ventilation, cooling and the extraction of fumes, dust, smoke, pollen, gases, or etc.
 The GalvaSlope bases are made from sheet galvanized Steel, with excellent manufacturing detail.
 The galvanized bases for the turbines, allow them to operate correctly and more efficiently.
 All turbines and bases must be leveled horizontally for them to work properly and have proper airflow.
 When ordering the GalvaSlope the pitch will need to be supplied by the customer.
 For Industrial, Commercial, and Residential use.

Product Applications of Slope Roof Mounting Base GalvaSlope

These bases are used with our Turbine Vents for ventilation in small, medium, and large areas, bathrooms, warehouses, factories, commercial buildings, and all large ventilation projects.

Warranties of Slope Roof Mounting Base GalvaSlope

Manufacturer's Limited Warranty: 10 Years, void with Tornados, Hurricanes, Chimneys, and Chemical Destruction



Specific characteristics of Slope Roof Mounting Base GalvaSlope

Item #	Manufacturing #	Diameters In.	Pitch	Material	Base Height H In.	Roof Opening O In.	Flange F In.	Weight and Dimension with Packaging	
								Lbs.	L,W,H In.
USGSB-001	SB04GU-01/12	4	1/12	Galvanized	10	6x6	4	7	6,6,13
USGSB-002	SB04GU-02/12	4	2/12	Galvanized	10	6x6	4	7	6,6,13
USGSB-003	SB04GU-03/12	4	3/12	Galvanized	10	6x6	4	7	6,6,14
USGSB-004	SB04GU-04/12	4	4/12	Galvanized	10	6x6	4	7	6,6,14
USGSB-005	SB04GU-05/12	4	5/12	Galvanized	10	6x6	4	7	6,6,15
USGSB-006	SB04GU-06/12	4	6/12	Galvanized	10	6x6	4	7	6,6,15
USGSB-007	SB04GO-07/12	4	7/12	Galvanized	10	6x6	4	7	6,6,16
USGSB-008	SB04GO-08/12	4	8/12	Galvanized	10	6x6	4	7	6,6,16
USGSB-009	SB04GO-09/12	4	9/12	Galvanized	10	6x6	4	7	6,6,17
USGSB-010	SB04GO-10/12	4	10/12	Galvanized	10	6x6	4	7	6,6,17
USGSB-011	SB04GO-11/12	4	11/12	Galvanized	10	6x6	4	7	6,6,18
USGSB-012	SB04GO-12/12	4	12/12	Galvanized	10	6x6	4	7	6,6,18
USGSB-013	SB06GU-01/12	6	1/12	Galvanized	10	8x8	4	9	8,8,13
USGSB-014	SB06GU-02/12	6	2/12	Galvanized	10	8x8	4	9	8,8,13



Item #	Manufacturing #	Diameters In.	Pitch	Material	Base Height H In.	Roof Opening O In.	Flange F In.	Weight and Dimension with Packaging	
								Lbs.	L,W,H In.
USGSB-015	SB06GU-03/12	6	3/12	Galvanized	10	8x8	4	9	8,8,14
USGSB-016	SB06GU-04/12	6	4/12	Galvanized	10	8x8	4	9	8,8,15
USGSB-017	SB06GU-05/12	6	5/12	Galvanized	10	8x8	4	9	8,8,15
USGSB-018	SB06GU-06/12	6	6/12	Galvanized	10	8x8	4	9	8,8,16
USGSB-019	SB06GO-07/12	6	7/12	Galvanized	10	8x8	4	9	8,8,17
USGSB-020	SB06GO-08/12	6	8/12	Galvanized	10	8x8	4	9	8,8,17
USGSB-021	SB06GO-09/12	6	9/12	Galvanized	10	8x8	4	9	8,8,18
USGSB-022	SB06GO-10/12	6	10/12	Galvanized	10	8x8	4	9	8,8,19
USGSB-023	SB06GO-11/12	6	11/12	Galvanized	10	8x8	4	9	8,8,19
USGSB-024	SB06GO-12/12	6	12/12	Galvanized	10	8x8	4	9	8,8,20
USGSB-025	SB08GU-01/12	8	1/12	Galvanized	10	10x10	4	10	10,10,13
USGSB-026	SB08GU-02/12	8	2/12	Galvanized	10	10x10	4	10	10,10,14
USGSB-027	SB08GU-03/12	8	3/12	Galvanized	10	10x10	4	10	10,10,15
USGSB-028	SB08GU-04/12	8	4/12	Galvanized	10	10x10	4	10	10,10,15
USGSB-029	SB08GU-05/12	8	5/12	Galvanized	10	10x10	4	10	10,10,16
USGSB-030	SB08GU-06/12	8	6/12	Galvanized	10	10x10	4	10	10,10,17
USGSB-031	SB08GO-07/12	8	7/12	Galvanized	10	10x10	4	10	10,10,18
USGSB-032	SB08GO-08/12	8	8/12	Galvanized	10	10x10	4	10	10,10,19
USGSB-033	SB08GO-09/12	8	9/12	Galvanized	10	10x10	4	10	10,10,20
USGSB-034	SB08GO-10/12	8	10/12	Galvanized	10	10x10	4	10	10,10,20
USGSB-035	SB08GO-11/12	8	11/12	Galvanized	10	10x10	4	10	10,10,21
USGSB-036	SB08GO-12/12	8	12/12	Galvanized	10	10x10	4	10	10,10,22
USGSB-037	SB10GU-01/12	10	1/12	Galvanized	10	12x12	4	13	12,12,13
USGSB-038	SB10GU-02/12	10	2/12	Galvanized	10	12x12	4	13	12,12,14
USGSB-039	SB10GU-03/12	10	3/12	Galvanized	10	12x12	4	13	12,12,15
USGSB-040	SB10GU-04/12	10	4/12	Galvanized	10	12x12	4	13	12,12,16
USGSB-041	SB10GU-05/12	10	5/12	Galvanized	10	12x12	4	13	12,12,17
USGSB-042	SB10GU-06/12	10	6/12	Galvanized	10	12x12	4	13	12,12,18
USGSB-043	SB10GO-07/12	10	7/12	Galvanized	10	12x12	4	13	12,12,19
USGSB-044	SB10GO-08/12	10	8/12	Galvanized	10	12x12	4	13	12,12,20
USGSB-045	SB10GO-09/12	10	9/12	Galvanized	10	12x12	4	13	12,12,21
USGSB-046	SB10GO-10/12	10	10/12	Galvanized	10	12x12	4	13	12,12,22
USGSB-047	SB10GO-11/12	10	11/12	Galvanized	10	12x12	4	13	12,12,23
USGSB-048	SB10GO-12/12	10	12/12	Galvanized	10	12x12	4	13	12,12,24
USGSB-049	SB12GU-01/12	12	1/12	Galvanized	10	14x14	4	15	14,14,13
USGSB-050	SB12GU-02/12	12	2/12	Galvanized	10	14x14	4	15	14,14,14
USGSB-051	SB12GU-03/12	12	3/12	Galvanized	10	14x14	4	15	14,14,16
USGSB-052	SB12GU-04/12	12	4/12	Galvanized	10	14x14	4	15	14,14,17
USGSB-053	SB12GU-05/12	12	5/12	Galvanized	10	14x14	4	15	14,14,18
USGSB-054	SB12GU-06/12	12	6/12	Galvanized	10	14x14	4	15	14,14,19
USGSB-055	SB12GO-07/12	12	7/12	Galvanized	10	14x14	4	15	14,14,20
USGSB-056	SB12GO-08/12	12	8/12	Galvanized	10	14x14	4	15	14,14,21
USGSB-057	SB12GO-09/12	12	9/12	Galvanized	10	14x14	4	15	14,14,23
USGSB-058	SB12GO-10/12	12	10/12	Galvanized	10	14x14	4	15	14,14,24
USGSB-059	SB12GO-11/12	12	11/12	Galvanized	10	14x14	4	15	14,14,25



Item #	Manufacturing #	Diameters In.	Pitch	Material	Base Height H In.	Roof Opening O In.	Flange F In.	Weight and Dimension with Packaging	
								Lbs.	L,W,H In.
USGSB-060	SB12GO-12/12	12	12/12	Galvanized	10	14x14	4	15	14,14,26
USGSB-061	SB14GU-01/12	14	1/12	Galvanized	10	16x16	4	23	16,16,13
USGSB-062	SB14GU-02/12	14	2/12	Galvanized	10	16x16	4	23	16,16,15
USGSB-063	SB14GU-03/12	14	3/12	Galvanized	10	16x16	4	23	16,16,16
USGSB-064	SB14GU-04/12	14	4/12	Galvanized	10	16x16	4	23	16,16,17
USGSB-065	SB14GU-05/12	14	5/12	Galvanized	10	16x16	4	23	16,16,19
USGSB-066	SB14GU-06/12	14	6/12	Galvanized	10	16x16	4	23	16,16,20
USGSB-067	SB14GO-07/12	14	7/12	Galvanized	10	16x16	4	23	16,16,21
USGSB-068	SB14GO-08/12	14	8/12	Galvanized	10	16x16	4	23	16,16,23
USGSB-069	SB14GO-09/12	14	9/12	Galvanized	10	16x16	4	23	16,16,24
USGSB-070	SB14GO-10/12	14	10/12	Galvanized	10	16x16	4	23	16,16,25
USGSB-071	SB14GO-11/12	14	11/12	Galvanized	10	16x16	4	23	16,16,27
USGSB-072	SB14GO-12/12	14	12/12	Galvanized	10	16x16	4	23	16,16,28
USGSB-073	SB16GU-01/12	16	1/12	Galvanized	10	18x18	4	33	18,18,14
USGSB-074	SB16GU-02/12	16	2/12	Galvanized	10	18x18	4	33	18,18,15
USGSB-075	SB16GU-03/12	16	3/12	Galvanized	10	18x18	4	33	18,18,17
USGSB-076	SB16GU-04/12	16	4/12	Galvanized	10	18x18	4	33	18,18,18
USGSB-077	SB16GU-05/12	16	5/12	Galvanized	10	18x18	4	33	18,18,20
USGSB-078	SB16GU-06/12	16	6/12	Galvanized	10	18x18	4	33	18,18,21
USGSB-079	SB16GO-07/12	15	7/12	Galvanized	10	18x18	4	33	18,18,23
USGSB-080	SB16GO-08/12	15	8/12	Galvanized	10	18x18	4	33	18,18,24
USGSB-081	SB16GO-09/12	15	9/12	Galvanized	10	18x18	4	33	18,18,26
USGSB-082	SB16GO-10/12	15	10/12	Galvanized	10	18x18	4	33	18,18,27
USGSB-083	SB16GO-11/12	15	11/12	Galvanized	10	18x18	4	33	18,18,29
USGSB-084	SB16GO-12/12	15	12/12	Galvanized	10	18x18	4	33	18,18,30
USGSB-085	SB18GU-01/12	18	1/12	Galvanized	10	22x22	4	40	22,22,14
USGSB-086	SB18GU-02/12	18	2/12	Galvanized	10	22x22	4	40	22,22,16
USGSB-087	SB18GU-03/12	18	3/12	Galvanized	10	22x22	4	40	22,22,18
USGSB-088	SB18GU-04/12	18	4/12	Galvanized	10	22x22	4	40	22,22,19
USGSB-089	SB18GU-05/12	18	5/12	Galvanized	10	22x22	4	40	22,22,21
USGSB-090	SB18GU-06/12	18	6/12	Galvanized	10	22x22	4	40	22,22,23
USGSB-091	SB18GO-07/12	18	7/12	Galvanized	10	22x22	4	40	22,22,25
USGSB-092	SB18GO-08/12	18	8/12	Galvanized	10	22x22	4	40	22,22,27
USGSB-093	SB18GO-09/12	18	9/12	Galvanized	10	22x22	4	40	22,22,29
USGSB-094	SB18GO-10/12	18	10/12	Galvanized	10	22x22	4	40	22,22,30
USGSB-095	SB18GO-11/12	18	11/12	Galvanized	10	22x22	4	40	22,22,32
USGSB-096	SB18GO-12/12	18	12/12	Galvanized	10	22x22	4	40	22,22,34
USGSB-097	SB20GU-01/12	20	1/12	Galvanized	10	24x24	4	48	24,24,14
USGSB-098	SB20GU-02/12	20	2/12	Galvanized	10	24x24	4	48	24,24,16
USGSB-099	SB20GU-03/12	20	3/12	Galvanized	10	24x24	4	48	24,24,18
USGSB-100	SB20GU-04/12	20	4/12	Galvanized	10	24x24	4	48	24,24,20
USGSB-101	SB20GU-05/12	20	5/12	Galvanized	10	24x24	4	48	24,24,22
USGSB-102	SB20GU-06/12	20	6/12	Galvanized	10	24x24	4	48	24,24,24
USGSB-103	SB20GO-07/12	20	7/12	Galvanized	10	24x24	4	48	24,24,26
USGSB-104	SB20GO-08/12	20	8/12	Galvanized	10	24x24	4	48	24,24,28

Item #	Manufacturing #	Diameters In.	Pitch	Material	Base Height H In.	Roof Opening O In.	Flange F In.	Weight and Dimension with Packaging	
								Lbs.	L,W,H In.
USGSB-106	SB20GO-10/12	20	10/12	Galvanized	10	24x24	4	48	24,24,32
USGSB-107	SB20GO-11/12	20	11/12	Galvanized	10	24x24	4	48	24,24,34
USGSB-108	SB20GO-12/12	20	12/12	Galvanized	10	24x24	4	48	24,24,36
USGSB-109	SB24GU-01/12	24	1/12	Galvanized	12	30x30	4	60	30,30,15
USGSB-110	SB24GU-02/12	24	2/12	Galvanized	12	30x30	4	60	30,30,17
USGSB-111	SB24GU-03/12	24	3/12	Galvanized	12	30x30	4	60	30,30,20
USGSB-112	SB24GU-04/12	24	4/12	Galvanized	12	30x30	4	60	30,30,22
USGSB-113	SB24GU-05/12	24	5/12	Galvanized	12	30x30	4	60	30,30,25
USGSB-114	SB24GU-06/12	24	6/12	Galvanized	12	30x30	4	60	30,30,27
USGSB-115	SB24GO-07/12	24	7/12	Galvanized	12	30x30	4	60	30,30,30
USGSB-116	SB24GO-08/12	24	8/12	Galvanized	12	30x30	4	60	30,30,32
USGSB-117	SB24GO-09/12	24	9/12	Galvanized	12	30x30	4	60	30,30,35
USGSB-118	SB24GO-10/12	24	10/12	Galvanized	12	30x30	4	60	30,30,37
USGSB-119	SB24GO-11/12	24	11/12	Galvanized	12	30x30	4	60	30,30,40
USGSB-120	SB24GO-12/12	24	12/12	Galvanized	12	30x30	4	60	30,30,42

Diagram for Curb Roof Mounting Base StainlessSlope Dimensions

