



General Characteristics of GentleBreeze Drum Fan

The GentleBreeze is the largest and most rugged portable fan on the market. As well as being super quiet.
 This unit is a maximum portable cooler that can deliver air up to 150 feet.
 Used for industrial and commercial use.
 For indoor and outdoor use.
 Finished with a powder-coat for resistance against weather and corrosion.
 1 horsepower, 115V single-phase /9A motor.
 Designed to be extra quiet (60dBa @20'.) RPM:220.
 Options: Variable speed drive (for speed control), Suspension mount for hanging from ceiling.
 Ships fully assembled and comes with a 20' grounded, 3 conductor cord with molded plug.
 This product is designed with OSHA compliant wire woven guards.

Product Applications of GentleBreeze Drum Fan

For industrial and commercial use.
 Used for both indoor and outdoor use.
 Ideal for assembly lines, workshops, work areas, warehouses and sporting events.

Warranty of Gentle Breeze Drum Fan

Manufacturer's Warranty: 1 year.




Specific Characteristics of Gentle Breeze Drum Fan

Item #	Manufacturing #	Size Ø(In.)	Volts V	Phases PH	Amperes A	RPM	HP	Added Options	Weight and Dimensions with Packaging	
									Lbs.	L,W,H In.
USGBF-001	GB 8415 V	84"	115	1	9	220	1	-	1030	101,103,42
USGBF-002	GB 8415 SC V	84"	115	1	9	220	1	Speed Control	1050	101,103,42
USGBF-003	GBS 8415 V	84"	115	1	9	220	1	Suspension Mount	1000	101,103,42
USGBF-004	GBS 8415 SC V	84"	115	1	9	220	1	Speed Control & Suspension Mount	1020	101,103,42
USGBF-005	GB 8415 W	84"	115/230	1	18.0/9.0	220	1	-	1030	101,103,42
USGBF-006	GB 8415 SC W	84"	115/230	1	18.0/9.0	220	1	Speed Control	1050	101,103,42
USGBF-007	GBS 8415 W	84"	115/230	1	18.0/9.0	220	1	Suspension Mount	1000	101,103,42
USGBF-008	GBS 8415 SC W	84"	115/230	1	18.0/9.0	220	1	Speed Control & Suspension Mount	1020	101,103,42
USGBF-009	GB 8415 Y	84"	230	3	5.5	220	1	-	1030	101,103,42
USGBF-010	GB 8415 SC Y	84"	230	3	5.5	220	1	Speed Control	1050	101,103,42
USGBF-011	GBS 8415 Y	84"	230	3	5.5	220	1	Suspension Mount	1000	101,103,42
USGBF-012	GBS 8415 SC Y	84"	230	3	5.5	220	1	Speed Control & Suspension Mount	1020	101,103,42
USGBF-013	GB 8415 Z	84"	460	3	2.8	220	1	-	1030	101,103,42
USGBF-014	GB 8415 SC Z	84"	460	3	2.8	220	1	Speed Control	1050	101,103,42
USGBF-015	GBS 8415 Z	84"	460	3	2.8	220	1	Suspension Mount	1000	101,103,42
USGBF-016	GBS 8415 SC Z	84"	460	3	2.8	220	1	Speed Control & Suspension Mount	1020	101,103,42




Specific Characteristics of Gentle Breeze Drum Fan

Series	Length A	Width B	Height C
All USGBF Series	35"	95"	96"



Air Movement Distance (FPM) of Gentle Breeze Drum Fan



- Air speeds are the average velocity for each zone.
- Air speeds were measured 67" from the floor.

Air Movement Distance (FPM) of Gentle Breeze Drum Fan

FPM (Feet Per Minute)	Distance of Air (Feet)
475	40'
310	80'
190	115'
180	150'

VentDepot.com

Ecological HVAC Supply & Engineering
1-888-514-1516, (626) 771-0048, F: (626) 771-0047
sales@ventdepot.com www.VentDepot.com



Triangle Engineering
of Arkansas, Inc.
Since 1948

GentleBreeze
Drum Fan
Data Sheet