

MistHang

Data Sheet

General Characteristics of Misting Fan, MistHang.

Delivers a fine mist combined with airflow to cool down large outdoor spaces effectively. Customize the mist intensity to suit different environments and personal preferences. Easy to move and set up, perfect for patios, outdoor events, and industrial spaces. Large water tank for extended misting sessions without frequent refilling. Built with weather-resistant materials, ideal for outdoor use in various climates. Low power consumption for long hours of cooling without high electricity costs. Minimal noise while providing powerful misting, perfect for relaxation and entertainment spaces. 360-degree oscillation for widespread cooling coverage. Simple to clean and maintain, with minimal upkeep required. Equipped with safety features like automatic shutoff and anti-tip design. Allows for customized airflow to match your cooling needs. Can be easily mounted on walls for more permanent cooling setups. Protected against sun exposure, ensuring longevity and durability. Convenient remote for easy adjustments from a distance. Powerful enough for industrial use in factories, warehouses, or outdoor events.

Product Applications of Misting Fan, MistHang.

The MistHang is ideal for warehouses, factories, machine shops, welding areas; easy to move and install, perfect for patios, outdoor events, and industrial spaces.

Warranties of the Misting Fan, MistHang.

Manufacturer's Warranty: 1-Year.



Specific Characteristics of the Misting Fan, MistHang.

Item #	Manufacturing #	# Pieces	Size Ø(In.)	Power			CFM	Air Outlet	Sq.Ft	Tank Capacity	Speeds	Water Gal/H	Swing Angle (degree)	Weight and Dimension with Packaging	
				V	Hz	Hp								Lbs.	W,H,D In.
USMHA-001	WMF260660	1	26"	110/120	60	1.3	8000	26"	3000	1.6 gal	3	1.6	-25+25	110	43,61,38
USMHA-002	WMF260660	2	26"	110/120	60	1.3	8000	26"	3000	1.6 gal	3	1.6	-25+25	220	86,61,38
USMHA-003	WMF260660	3	26"	110/120	60	1.3	8000	26"	3000	1.6 gal	3	1.6	-25+25	330	86,122,38
USMHA-004	WMF260660	4	26"	110/120	60	1.3	8000	26"	3000	1.6 gal	3	1.6	-25+25	440	86,122,38
USMHA-005	WMF260660	5	26"	110/120	60	1.3	8000	26"	3000	1.6 gal	3	1.6	-25+25	550	86,122,76




MistHang

Data Sheet

Dimensions (In.) of Misting Fan, MistHang.

Series		AØ	B	C	D
USMHA-001-002	WMF260660	26	31.8	17.7	44.4





MistHang

Data Sheet

Gallery Image of Misting Fan, MistHang.



MIST CONTROL
 OSCILLATION CONTROL
 FAN SPEED

Switch
 Three speed regulation

Net cover
 Block sundries and protect safety

Power cord
 length: 4.5m/15ft

POWER
 580W

ELECTRIC CURRENT
 2.7 A

SPEED
 1150 R/MIN

AIR VOLUME
 225 M³/MIN

WIND SPEED
 12 M/S

NET WEIGHT
 47 KG


A tripod

Fan
 Air outlet: 660mm
 Blade size: 640mm

Spray
 6L water consumption per hour

MistHang

Data Sheet



ID	Author	Description Error	Description Update	Supervisor Name
V1	Marcela R.	New Specification Sheet	New Specification Sheet	J.L.