

#### General Characteristics of Copper Tubing RedTube

The VentDepot Copper Tubing RedTube is a pre-fabricated copper mist tubing which is available in 10 foot lengths with mist nozzle spacing of 18", 24", and 30".

The VentDepot Copper Tubing RedTube copper tubing is always soldered together.

The Copper Tubing RedTube guarantees a leak proof assembly now and for years to come.

The Copper Tubing RedTube uses only professional plumbing grade materials and techniques for all its tubing fabrication.

#### Product Applications Copper Tubing RedTube

The VentDepot Copper Tubing RedTube copper tubing can be soldered using standard 1/4" nominal copper fittings.

The VentDepot Copper Tubing RedTube's range includes couplings, 3 way T's, elbows, and specialty nozzle adapters.

The VentDepot Copper Tubing RedTube custom lengths are also available.

### Warranty of Copper Tubing RedTube

Manufacturer's Limited Warranty: 5 Years.



| Specific Characteristics Copper Tubing RedTube |                                 |   |               |                    |        |                        |              |  |  |
|--|---------------------------------|---|---------------|--------------------|--------|------------------------|--------------|--|--|
| VentDepot<br>Item #                            | VentDepot<br>Manufacturing<br># | Description   | Material Type | Shipping<br>Weight |        | Shipping<br>Size L,W,H |              |  |  |
|  |                                 |   |               | lbs                | kg     | in                     | cm           |  |  |
| USRTE-001                                      | 93018                           | 3/16" OD copper tubing 50' coil                                 | Copper        | 7                  | 3.17   | 24,24,1                | 61,61,2.5    |  |  |
| USRTE-002                                      | 93328                           | 1/4" steel vinyl coated clamp black                             | Steel         | .01                | 0.0045 | .5,.5,.5               | 1.3,1.3,1.3  |  |  |
| USRTE-003                                      | 92817                           | 1/4" OD copper tubing 50' coil                                  | Copper        | 7                  | 3.17   | 24,24,1                | 61,61,2.5    |  |  |
| USRTE-004                                      | 92816                           | 3/8" OD copper tubing 50' coil                                  | Copper        | 10                 | 4.53   | 24,24,1                | 61,61,2.5    |  |  |
| USRTE-005                                      | 92800                           | 3/8" OD copper tubing 20ft.                                     | Copper        | 3.0                | 1.30   | 240,.375,.375          | 609,1,1      |  |  |
| USRTE-006                                      | 92961                           | 3/8" copper tubing 18" prefab 10.5 ft.                          | Copper        | 5.0                | 2.26   | 126,.375,.375          | 320,1,1      |  |  |
| USRTE-007                                      | 92962                           | 3/8" copper tubing 24" prefab 10ft.                             | Copper        | 5.0                | 2.26   | 120,.375,.375          | 304,1,.1     |  |  |
| USRTE-008                                      | 92963                           | 3/8" copper tubing 30" prefab 10ft.                             | Copper        | 5.0                | 2.26   | 120,.375,.375          | 304,1,.1     |  |  |
| USRTE-009                                      | 93643                           | 10.5' copper stucco manifold 18" spacing w/anti-drip escutcheon | Copper        | 5.0                | 2.26   | 126,1.5,1.5            | 320,3.8,3.8  |  |  |
| USRTE-010                                      | 93644                           | 10' copper stucco manifold 24" spacing w/anti-drip escutcheon   | Copper        | 5.0                | 2.26   | 120,1.5,1.5            | 304,3.8,3.8  |  |  |
| USRTE-011                                      | 93655                           | 10' copper stucco manifold 30" spacing w/anti-drip escutcheon   | Copper        | 5.0                | 2.26   | 120,1.5,1.5            | 304,3.8,3.8  |  |  |
| USRTE-012                                      | 93601                           | FogDeck flexible copper 3-nozzle assembly 54" wide              | Nylon         | 5.0                | 2.26   | 54,4,1.5               | 137,10.2,3.8 |  |  |
| USRTE-013                                      | 92714                           | 3/8" steel vinyl coated clamp black                             | Nylon         | 5.0                | 2.26   | 54,4,1.5               | 137,10.2,3.8 |  |  |
| USRTE-014                                      | 92807                           | 2 Hole Copper Tubing Strap                                      | Copper        | .01                | 0.0045 | .5,.5,.5               | 1.3,1.3,1.3  |  |  |



### Item Gallery of Copper Tubing RedTube









3/16" OD copper tubing 50' coil USRTE-001/93018

1/4" steel vinyl coated clamp black USRTE-002/93328

1/4" OD copper tubing 50' coil USRTE-003/92817

3/8" OD copper tubing 50' coil length USRTE-004/92816









3/8" OD copper tubing 20ft USRTE-005/92800

3/8" copper tubing 18" prefab 10.5ft USRTE-006/92961

3/8" copper tubing 24" prefab 10ft USRTE-007/92962

3/8" copper tubing 30" prefab 10ft USRTE-008/92963









10.5' copper stucco manifold 18" spacing w/anti-drip escutcheon USRTE-009/93643

10' copper stucco manifold 24" spacing w/anti-drip escutcheon USRTE-010/93644

10' copper stucco manifold 30" spacing w/anti-drip escutcheon USRTE-011/93655

FogDeck flexible copper 3-nozzle assembly 54" wide USRTE-012/93601



### **Item Gallery of Copper Tubing RedTube**



3/8" steel vinyl coated clamp black USRTE-013/92714

3/8" 2Hole Cooper Tubing Strap USRTE-014/92807

|           |                                 | Short Description of Copper Tubing RedTube                             |  |  |  |  |  |
|-----------|---------------------------------|--|--|--|--|--|--|
| VentDepot | VentDepot<br>Manufacturing<br># | Short Description 70 Characters Maximum                                |  |  |  |  |  |
| Item #    |                                 | 123456789012345678901234567890123456789012345678901234567890           |  |  |  |  |  |
| USRTE-001 | 93018                           | 3/16" O.D. soft copper coil 50' total length.                          |  |  |  |  |  |
| USRTE-002 | 93328                           | 1/4" steel vinyl coated clamp black.                                   |  |  |  |  |  |
| USRTE-003 | 92817                           | 1/4" O.D. soft copper coil 50' total length.                           |  |  |  |  |  |
| USRTE-004 | 92816                           | 3/8" O.D. soft copper coil 50' total length.                           |  |  |  |  |  |
| USRTE-005 | 92800                           | 20' lengths of 3/8" O.D. rigid type L copper.                          |  |  |  |  |  |
| USRTE-006 | 92961                           | 3/8" O.D. copper Pre Fab with 18" nozzle spacing 10.5' total length.   |  |  |  |  |  |
| USRTE-007 | 92962                           | 3/8" O.D. copper Pre Fab with 24" nozzle spacing 10' total length.     |  |  |  |  |  |
| USRTE-008 | 92963                           | 3/8" O.D. copper Pre Fab with 30" nozzle spacing 10' total length.     |  |  |  |  |  |
| USRTE-009 | 93643                           | 3/8" O.D. copper Pre Fab with 18" spacing with Fogdeck fitting 10.5.   |  |  |  |  |  |
| USRTE-010 | 93644                           | 3/8" O.D. copper Pre Fab with 24" spacing with Fogdeck fitting 10.     |  |  |  |  |  |
| USRTE-011 | 93655                           | 3/8" O.D. copper Pre Fab with 30" spacing with Fogdeck fitting 10'.    |  |  |  |  |  |
| USRTE-012 | 93601                           | 3/8" O.D. 3 nozzle FogDeck assembly with 18" spacing 54" total length. |  |  |  |  |  |
| USRTE-013 | 92714                           | 3/8" Vinyl Coated Steel Clamp black.                                   |  |  |  |  |  |
| USRTE-014 | 92807                           | 3/8" 2 Hole Copper Tubing Strap.                                       |  |  |  |  |  |

| SEO Table of Copper Tubing RedTube  |  |  |  |  |  |  |
|---|--|--|--|--|--|--|
| Title   |  |  |  |  |  |  |
| Copper Tubing RedTube   |  |  |  |  |  |  |
| Meta Description  |  |  |  |  |  |  |
| Copper Tubing RedTube, Copper Tubing RedTube for humidity control, Copper Tubing RedTube for Climate Control, Copper Tubing RedTube for Greenhouses, Copper Tubing RedTube for laboratories, Copper Tubing RedTube for Commercial use, Copper Tubing RedTube for misting systems. |  |  |  |  |  |  |
| Meta Key Words  |  |  |  |  |  |  |
| Copper Tubing RedTube, Copper Tubing RedTube for humidity control, Copper Tubing RedTube for Climate Control, Copper Tubing RedTube for Greenhouses, Copper Tubing RedTube for laboratories, Copper Tubing RedTube for Commercial use, Copper Tubing RedTube for misting systems. |  |  |  |  |  |  |
| Meta URL (file name)  |  |  |  |  |  |  |
| copper-tubing-redtube-us-english.htm  |  |  |  |  |  |  |



### **Product Line Description of Copper Tubing RedTube**

<FONT Size=1>

<br/>
<br/>
<br/>
d>Product Description:</b> Copper Tubing RedTube<br/>
<br/>
br>

<b>Use:</b> Misting Systems<br>

<b>Weather Rating:
Outdoor/Indoor<br>

<b>Nozzle Spacing Available: 14", 24" and 30"<br>

<b>Nozzle Fittings: 4, 5 and 7<br>

<br/>
<br/>
d>Usual Delivery Time or Lead Time:</b> 0 to 15 Business Days<br/>
b>

<b>Shipping Type:</b> Fedex or UPS Package, LTL Freight<br/>b>

</FONT>