



**General Characteristics of Reversible Direct Drive Intake and Exhaust Fan**

The Triangle Reversible Direct is a direct drive Intake/Exhaust Fan. Used for industrial and commercial use. For indoor use. Finished with a polyester powder-coat protection. Comes in 3 different sizes 30", 36" & 48". Designed with a standard reversible switch, bi-directional airfoil blades and reversible motor. Available in single or three phases. Has a standard wall housing.

**Product Applications of Reversible Direct Drive Intake and Exhaust Fan**

For industrial and commercial use. Used for indoor use.

**Warranty of Reversible Direct Drive Intake and Exhaust Fan**

Manufacturer's Warranty: 1 year.




**Specific Characteristics of Reversible Direct Drive Intake and Exhaust Fan**

Item #	Manufacturing #	Blade Dia. (In.)	CFM			Volts V	Amperes A	Phases Ph	HP	RPM	Weight and Dimensions with Packaging	
			0	0.125	0.25						Lbs.	L,W,H (In.)
<b>USRDD-001</b>	FHIR-DD-30-1-1PH	30	8700	8000	7000	115/230	6.4/3.2	1	1	1160	270	32,38,38
<b>USRDD-002</b>	FHIR-DD-30-2-1PH	30	11500	10750	9500	115/230	12.9/6.4	1	2	1160	320	32,38,38
<b>USRDD-003</b>	FHIR-DD-36-1-1PH	36	12500	11800	8400	115/230	6.4/3.2	1	1	860	315	32,44,44
<b>USRDD-004</b>	FHIR-DD-36-2-1PH	36	13500	12700	11800	115/230	12.9/6.4	1	2	1160	340	32,44,44
<b>USRDD-005</b>	FHIR-DD-48-1-1PH	48	14900	12700	10600	115/230	6.4/3.2	1	1	860	365	36,56,56
<b>USRDD-006</b>	FHIR-DD-48-2-1PH	48	22200	20100	17900	115/230	12.9/6.4	1	2	860	390	36,56,56
<b>USRDD-007</b>	FHIR-DD-30-1-3PH	30	8700	8000	7000	230/460	3.2/1.6	3	1	1160	230	32,38,38
<b>USRDD-008</b>	FHIR-DD-30-2-3PH	30	11500	10750	9500	230/460	6.4/3.2	3	2	1160	285	32,38,38
<b>USRDD-009</b>	FHIR-DD-36-1-3PH	36	12500	11800	8400	230/460	3.2/1.6	3	1	860	285	32,44,44
<b>USRDD-010</b>	FHIR-DD-36-2-3PH	36	13500	12700	11800	230/460	6.4/3.2	3	2	1160	315	32,44,44
<b>USRDD-011</b>	FHIR-DD-48-1-3PH	48	14900	12700	10600	230/460	3.2/1.6	3	1	860	335	36,56,56
<b>USRDD-012</b>	FHIR-DD-48-2-3PH	48	22200	20100	17900	230/460	6.4/3.2	3	2	860	280	36,56,56
<b>USRDD-013</b>	FHIR-DD-48-3-3PH	48	28100	26200	23900	230/460	9.7/4.8	3	3	860	405	36,56,56



**Specific Characteristics of Reversible Direct Drive Intake and Exhaust Fan**

Series	Length A	Width B	Height C
USRDD-001, 002, 007 & 008	30"	36 3/8"	36 3/8"
USRDD-003, 004, 009 & 010	30"	42 3/8"	42 3/8"
USRDD-005, 006, 011, 012 & 013	34"	54 3/8"	54 3/8"



**Short Description Format for Reversible Direct Drive Intake and Exhaust Fan**

Item #	Manufacturing #	Short Description 70 Characters Minimum									
		123456789012345678901234567890123456789012345678901234567890									
<b>USRDD-001</b>	FHIR 30 DD	Blade Size 30", Direct Drive Reversible Fan, CFM 8700, 8000 & 7000, 115/230V, 6.4/3.2A, 1Ph, 1Hp, 1160RPM.									
<b>USRDD-002</b>	FHIR-DD-30-2-1PH	Blade Size 30", Direct Drive Reversible Fan, CFM 11500, 10750 & 9500, 115/230V, 12.9/6.4A, 1Ph, 2Hp, 1160RPM.									
<b>USRDD-003</b>	FHIR-DD-36-1-1PH	Blade Size 36", Direct Drive Reversible Fan, CFM 12500, 11800 & 8400, 115/230V, 6.4/3.2A, 1Ph, 1Hp, 860RPM									
<b>USRDD-004</b>	FHIR-DD-36-2-1PH	Blade Size 36", Direct Drive Reversible Fan, CFM 13500, 12700 & 11800, 115/230V, 12.9/6.4A, 1Ph, 2Hp, 1160RPM									
<b>USRDD-005</b>	FHIR-DD-48-1-1PH	Blade Size 48", Direct Drive Reversible Fan, CFM 14900, 12700 & 10600, 115/230V, 6.4/3.2A, 1Ph, 1Hp, 860RPM									
<b>USRDD-006</b>	FHIR-DD-48-2-1PH	Blade Size 48", Direct Drive Reversible Fan, CFM 22200, 20100 & 17900, 115/230V, 12.9/6.4A, 1Ph, 2Hp, 860RPM									
<b>USRDD-007</b>	FHIR-DD-30-1-3PH	Blade Size 30", Direct Drive Reversible Fan, CFM 8700, 8000 & 7000, 230/460V, 3.2/1.6A, 3Ph, 1Hp, 1160RPM.									
<b>USRDD-008</b>	FHIR-DD-30-2-3PH	Blade Size 30", Direct Drive Reversible Fan, CFM 11500, 10750 & 9500, 230/460V, 6.4/3.2A, 3Ph, 2Hp, 1160RPM.									
<b>USRDD-009</b>	FHIR-DD-36-1-3PH	Blade Size 36", Direct Drive Reversible Fan, CFM 12500, 11800 & 8400, 230/460V, 3.2/1.6A, 3Ph, 1Hp, 860RPM.									
<b>USRDD-010</b>	FHIR-DD-36-2-3PH	Blade Size 36", Direct Drive Reversible Fan, CFM 13500, 12700 & 11800, 230/460V, 6.4/3.2A, 3Ph, 2Hp, 1160RPM.									
<b>USRDD-011</b>	FHIR-DD-48-1-3PH	Blade Size 48", Direct Drive Reversible Fan, CFM 14900, 12700 & 10600, 230/460V, 3.2/1.6A, 3Ph, 1Hp, 860RPM.									
<b>USRDD-012</b>	FHIR-DD-48-2-3PH	Blade Size 48", Direct Drive Reversible Fan, CFM 22200, 20100 & 17900, 230/460V, 6.4/3.2A, 3Ph, 2Hp, 860RPM.									
<b>USRDD-013</b>	FHIR-DD-48-3-3PH	Blade Size 48", Direct Drive Reversible Fan, CFM 28100, 26200 & 23900, 230/460V, 9.7/4.8A, 3Ph, 3Hp, 860RPM.									



**SEO Table of Reversible Direct Direct Drive Intake and Exhaust Fan**

Title
Triangle Reversible Direct Direct Drive Intake and Exhaust Fan.
Meta Description
Triangle Reversible Direct Direct Drive Intake and Exhaust Fan for Industrial Use, Triangle Reversible Direct Direct Drive Intake and Exhaust Fan for Commercial Use, Triangle Reversible Direct Direct Drive Intake and Exhaust Fan for Indoor Use, Triangle Reversible Direct Direct Drive Intake and Exhaust Fan Intake Use, Triangle Reversible Direct Direct Drive Intake and Exhaust Fan for Exhaust Use, Triangle Reversible Direct Direct Drive Intake and Exhaust Fan for Cooling Use, Triangle Reversible Direct Direct Drive Intake and Exhaust Fan for Air Moving Use.
Meta Key Words
Triangle Reversible Direct Direct Drive Intake and Exhaust Fan for Industrial Use, Triangle Reversible Direct Direct Drive Intake and Exhaust Fan for Commercial Use, Triangle Reversible Direct Direct Drive Intake and Exhaust Fan for Indoor Use, Triangle Reversible Direct Direct Drive Intake and Exhaust Fan Intake Use, Triangle Reversible Direct Direct Drive Intake and Exhaust Fan for Exhaust Use, Triangle Reversible Direct Direct Drive Intake and Exhaust Fan for Cooling Use, Triangle Reversible Direct Direct Drive Intake and Exhaust Fan for Air Moving Use.
Meta URL (file name)
triangle-reversible-direct-direct-drive-intake-exhaust-fan-us-english.htm

**Product Line Description of Reversible Direct Direct Drive Intake/Exhaust Fan**

```

<FONT Size=1>
<b>Type:</b> Triangle Reversible Direct Drive Intake/Exhaust Fan<br>
<b>Drive Type:</b> Direct Drive<br>
<b>Motor Type:</b> Open<br>
<b>Manufacturer:</b> Triangle<br>
<b>Model Series:</b> Reversible Direct Drive<br>
<b>Voltage:</b> <br> 115/230 or 230/460V
<b>Horse Power:</b> 1, 2, or 3<br>
<b>Diameters:</b> 30", 36", & 48" <br>
<b>Air Flow:</b> 8700 to 28100CFM<br>
<b>Ship By:</b> Free LTL Freight<br>
</FONT>
    
```