



General Characteristics of SmartDry QZC1500 Infrard Heater

The Ebac QZC1500 Infra-Red heater provides a quick and easy solution for spot heating.

Heat is directed as a beam.

90% of the energy used is converted to usable heat.

The Ebac QZC1500 does not require oxygen, so ventilation is not required.

No exhaust gases are produced, so there is no buildup of odors, fumes, or water vapor; as with paraffin or LPG Heaters.

The Ebac QZC1500 **KEY DESIGN**

FEATURES are:

Fixed and instantaneous heat.

Portable and lightweight.

Heats people or objects not air.

Applications of SmartDry QZC1500 Infrard Heater

The Ebac QZC1500 infra-red heater is known for efficiency, economy, safety, and environmental friendliness. If you need to heat a large building from floor to ceiling, then you need a conventional heater. However if you just need to heat a specific area, perhaps where people are working, or dry a freshly painted wall, an infra-red heater is the right tool.

Heat from the Ebac QZC1500 heater is instantaneous, making it ideal for builders, plasterers, and painters as they move from room to room.

Warranty of SmartDry QZC1500 Infrard Heater

The Ebac QZC1500 heater has a 1 year limited manufacturer's warranty.



Specific Characteristics of SmartDry QZC1500 Infrard Heater

VentDepot Item #	Ebac Model No.	Hz	V	A	Ph	Watts	Directional Heat	Shipping			
								Weight		Size (L,W,H)	
								(lbs)	(kg)	(in)	(cm)
USSMR-001	QZC1500	60	115	13	1	1,500	Fixed	17	8	17, 26, 17	44,67,17




Dimensions of Ebac QZC1500 Surface Spot Object Drying Heater SmartDry

Item#	Manufacturer #	Size A	Size B	Size C
USSMR-001	QZC1500	14.3	15.3	25

Product Applications of SmartDry QZC1500 Infrard Heater

Applications	QZC1500	Applications	QZC1500
Warehouse	√	Storage Areas	√
Loading Bays	√	Horticulture	√
Building Sites	√	Public Areas	√
Laboratories	√	Sports Halls	√
Manufacturing Facilities	√	Flood Damage Drying	√



Product Specifications of Ebac QZC1500 Surface Spot Object Drying Heater SmartDry

Specifications	QZC1500	Features	QZC1500
Model No.	10962RD-US	Model No.	10962RD-US
Height	25" (640mm)	On/Off Control	√
Width	15.3" (390mm)	2 Heat Settings	√
Depth	14.3" (365mm)	Fitted Mains Plug	√
Weight	16.5 lbs (7.5kg)	Anti-Vibration Rubber Feet	√



SmartDry
QZC1500 Infrared Heater
 Data Sheet

Voltage	115 V	Cable Wrap	√
Phase	1	Carrying Handle	√
Frequency	60 Hz	Freestanding	√
Current	13 A	Epoxy Powder Coating	√
Power	1,500W		