

General Characteristics of Ridge Roof Mounting Base StainlessRidge

The StainlessRidge is an Stainless Steel made ridge base made for Stainless Steel turbines.

Installed properly the ridge bases will stop the turbines from leaking water.

For Industrial, Commercial and residential use.

Perfect for Ventilation, cooling and the extraction of fumes, dust, smoke, pollen or gases ect.

The StainlessRidge bases are made from sheet Stainless Steel, with excellent manufacturing detail.

The Stainless Steel bases for the turbines, allow them to operate correctly and more efficiently.

All turbines and bases must be leveled horizontally for them to work properly and have proper air flow.

When ordering the StainlessRidge the pitch will need to be supplied by customer.

For Industrial and Commercial use.



Product Applications of Ridge Roof Mounting Base StainlessRidge

These bases are used with our Turbine Vents for ventilation in small, medium, and large areas, bathrooms, warehouses, factories, commercial buildings, and all large ventilation projects.

Warranties of Ridge Roof Mounting Base StainlessRidge

Manufacturer's Limited Warranty: 10 Years, void with Tornados, Hurricanes, and Chemical Destruction

Specific characteristics of Ridge Roof Mounting Base StainlessRidge

Item #	Manufacturing #	Diameter (S) In.	Pitch P	Material	Base Height (H) In.	Roof Opening (O) In.	Flange (F) In.	Weight and Dimension with Packaging	
								Lbs.	L,W,H In.
USSRB-001	RB04SSU-1/12	4	1/12	Stainless Steel	10	6x6	4	7	6,6,12
USSRB-002	RB04SSU-2/12	4	2/12	Stainless Steel	10	6x6	4	7	6,6,12
USSRB-003	RB04SSU-3/12	4	3/12	Stainless Steel	10	6x6	4	7	6,6,12
USSRB-004	RB04SSU-4/12	4	4/12	Stainless Steel	10	6x6	4	7	6,6,12
USSRB-005	RB04SSU-5/12	4	5/12	Stainless Steel	10	6x6	4	7	6,6,12
USSRB-006	RB04SSU-6/12	4	6/12	Stainless Steel	10	6x6	4	7	6,6,12
USSRB-007	RB04SSO-7/12	4	7/12	Stainless Steel	10	6x6	4	7	6,6,12
USSRB-008	RB04SSO-8/12	4	8/12	Stainless Steel	10	6x6	4	7	6,6,12
USSRB-009	RB04SSO-9/12	4	9/12	Stainless Steel	10	6x6	4	7	6,6,12
USSRB-010	RB04SSO-10/12	4	10/12	Stainless Steel	10	6x6	4	7	6,6,12
USSRB-011	RB04SSO-11/12	4	11/12	Stainless Steel	10	6x6	4	7	6,6,12
USSRB-012	RB04SSO-12/12	4	12/12	Stainless Steel	10	6x6	4	7	6,6,12
USSRB-013	RB05SSU-1/12	5	1/12	Stainless Steel	10	8x8	4	9	8,8,12
USSRB-014	RB05SSU-2/12	5	2/12	Stainless Steel	10	8x8	4	9	8,8,12

StainlessRidge
Ridge Roof Mounting Base
 Data Sheet

Item #	Manufacturing #	Diameter (S) In.	Pitch P	Material	Base Height (H) In.	Roof Opening (O) In.	Flange (F) In.	Weight and Dimension with Packaging	
								Lbs.	L,W,H In.
USSRB-015	RB05SSU-3/12	5	3/12	Stainless Steel	10	8x8	4	9	8,8,12
USSRB-016	RB05SSU-4/12	5	4/12	Stainless Steel	10	8x8	4	9	8,8,12
USSRB-017	RB05SSU-5/12	5	5/12	Stainless Steel	10	8x8	4	9	8,8,12
USSRB-018	RB05SSU-6/12	5	6/12	Stainless Steel	10	8x8	4	9	8,8,12
USSRB-019	RB05SSU-7/12	5	7/12	Stainless Steel	10	8x8	4	9	8,8,12
USSRB-020	RB05SSU-8/12	5	8/12	Stainless Steel	10	8x8	4	9	8,8,12
USSRB-021	RB05SSU-9/12	5	9/12	Stainless Steel	10	8x8	4	9	8,8,12
USSRB-022	RB05SSU-10/12	5	10/12	Stainless Steel	10	8x8	4	9	8,8,12
USSRB-023	RB05SSU-11/12	5	11/12	Stainless Steel	10	8x8	4	9	8,8,12
USSRB-024	RB05SSU-12/12	5	12/12	Stainless Steel	10	8x8	4	9	8,8,12
USSRB-025	RB06SSU-1/12	6	1/12	Stainless Steel	10	8x8	4	9	8,8,12
USSRB-026	RB06SSU-2/12	6	2/12	Stainless Steel	10	8x8	4	9	8,8,12
USSRB-027	RB06SSU-3/12	6	3/12	Stainless Steel	10	8x8	4	9	8,8,12
USSRB-028	RB06SSU-4/12	6	4/12	Stainless Steel	10	8x8	4	9	8,8,12
USSRB-029	RB06SSU-5/12	6	5/12	Stainless Steel	10	8x8	4	9	8,8,12
USSRB-030	RB06SSU-6/12	6	6/12	Stainless Steel	10	8x8	4	9	8,8,12
USSRB-031	RB06SSU-7/12	6	7/12	Stainless Steel	10	8x8	4	9	8,8,12
USSRB-032	RB06SSU-8/12	6	8/12	Stainless Steel	10	8x8	4	9	8,8,12
USSRB-033	RB06SSU-9/12	6	9/12	Stainless Steel	10	8x8	4	9	8,8,12
USSRB-034	RB06SSU-10/12	6	10/12	Stainless Steel	10	8x8	4	9	8,8,12
USSRB-035	RB06SSU-11/12	6	11/12	Stainless Steel	10	8x8	4	9	8,8,12
USSRB-036	RB06SSU-12/12	6	12/12	Stainless Steel	10	8x8	4	9	8,8,12
USSRB-037	RB07SSU-1/12	7	1/12	Stainless Steel	10	10x10	4	10	10,10,12
USSRB-038	RB07SSU-2/12	7	2/12	Stainless Steel	10	10x10	4	10	10,10,12
USSRB-039	RB07SSU-3/12	7	3/12	Stainless Steel	10	10x10	4	10	10,10,12
USSRB-040	RB07SSU-4/12	7	4/12	Stainless Steel	10	10x10	4	10	10,10,12
USSRB-041	RB07SSU-5/12	7	5/12	Stainless Steel	10	10x10	4	10	10,10,12
USSRB-042	RB07SSU-6/12	7	6/12	Stainless Steel	10	10x10	4	10	10,10,12
USSRB-043	RB07SSU-7/12	7	7/12	Stainless Steel	10	10x10	4	10	10,10,12
USSRB-044	RB07SSU-8/12	7	8/12	Stainless Steel	10	10x10	4	10	10,10,12
USSRB-045	RB07SSU-9/12	7	9/12	Stainless Steel	10	10x10	4	10	10,10,12
USSRB-046	RB07SSU-10/12	7	10/12	Stainless Steel	10	10x10	4	10	10,10,12
USSRB-047	RB07SSU-11/12	7	11/12	Stainless Steel	10	10x10	4	10	10,10,12
USSRB-048	RB07SSU-12/12	7	12/12	Stainless Steel	10	10x10	4	10	10,10,12
USSRB-049	RB08SSU-1/12	8	1/12	Stainless Steel	10	10x10	4	10	10,10,12
USSRB-050	RB08SSU-2/12	8	2/12	Stainless Steel	10	10x10	4	10	10,10,12
USSRB-051	RB08SSU-3/12	8	3/12	Stainless Steel	10	10x10	4	10	10,10,12
USSRB-052	RB08SSU-4/12	8	4/12	Stainless Steel	10	10x10	4	10	10,10,12
USSRB-053	RB08SSU-5/12	8	5/12	Stainless Steel	10	10x10	4	10	10,10,12
USSRB-054	RB08SSU-6/12	8	6/12	Stainless Steel	10	10x10	4	10	10,10,12
USSRB-055	RB08SSU-7/12	8	7/12	Stainless Steel	10	10x10	4	10	10,10,12
USSRB-056	RB08SSU-8/12	8	8/12	Stainless Steel	10	10x10	4	10	10,10,12
USSRB-057	RB08SSU-9/12	8	9/12	Stainless Steel	10	10x10	4	10	10,10,12
USSRB-058	RB08SSU-10/12	8	10/12	Stainless Steel	10	10x10	4	10	10,10,12
USSRB-059	RB08SSU-11/12	8	11/12	Stainless Steel	10	10x10	4	10	10,10,12
USSRB-060	RB08SSU-12/12	8	12/12	Stainless Steel	10	10x10	4	10	10,10,12

StainlessRidge Ridge Roof Mounting Base

Data Sheet

Item #	Manufacturing #	Diameter (S) In.	Pitch P	Material	Base Height (H) In.	Roof Opening (O) In.	Flange (F) In.	Weight and Dimension with Packaging	
								Lbs.	L,W,H In.
USSRB-061	RB09SSU-1/12	9	1/12	Stainless Steel	10	12x12	4	13	12,12,12
USSRB-062	RB09SSU-2/12	9	2/12	Stainless Steel	10	12x12	4	13	12,12,12
USSRB-063	RB09SSU-3/12	9	3/12	Stainless Steel	10	12x12	4	13	12,12,12
USSRB-064	RB09SSU-4/12	9	4/12	Stainless Steel	10	12x12	4	13	12,12,12
USSRB-065	RB09SSU-5/12	9	5/12	Stainless Steel	10	12x12	4	13	12,12,12
USSRB-066	RB09SSU-6/12	9	6/12	Stainless Steel	10	12x12	4	13	12,12,12
USSRB-067	RB09SSU-7/12	9	7/12	Stainless Steel	10	12x12	4	13	12,12,12
USSRB-068	RB09SSU-8/12	9	8/12	Stainless Steel	10	12x12	4	13	12,12,12
USSRB-069	RB09SSU-9/12	9	9/12	Stainless Steel	10	12x12	4	13	12,12,12
USSRB-070	RB09SSU-10/12	9	10/12	Stainless Steel	10	12x12	4	13	12,12,12
USSRB-071	RB09SSU-11/12	9	11/12	Stainless Steel	10	12x12	4	13	12,12,12
USSRB-072	RB09SSU-12/12	9	12/12	Stainless Steel	10	12x12	4	13	12,12,12
USSRB-073	RB10SSU-1/12	10	1/12	Stainless Steel	10	12x12	4	13	12,12,12
USSRB-074	RB10SSU-2/12	10	2/12	Stainless Steel	10	12x12	4	13	12,12,12
USSRB-075	RB10SSU-3/12	10	3/12	Stainless Steel	10	12x12	4	13	12,12,12
USSRB-076	RB10SSU-4/12	10	4/12	Stainless Steel	10	12x12	4	13	12,12,12
USSRB-077	RB10SSU-5/12	10	5/12	Stainless Steel	10	12x12	4	13	12,12,12
USSRB-078	RB10SSU-6/12	10	6/12	Stainless Steel	10	12x12	4	13	12,12,12
USSRB-079	RB10SSU-7/12	10	7/12	Stainless Steel	10	12x12	4	13	12,12,12
USSRB-080	RB10SSU-8/12	10	8/12	Stainless Steel	10	12x12	4	13	12,12,12
USSRB-081	RB10SSU-9/12	10	9/12	Stainless Steel	10	12x12	4	13	12,12,12
USSRB-082	RB10SSU-10/12	10	10/12	Stainless Steel	10	12x12	4	13	12,12,12
USSRB-083	RB10SSU-11/12	10	11/12	Stainless Steel	10	12x12	4	13	12,12,12
USSRB-084	RB10SSU-12/12	10	12/12	Stainless Steel	10	12x12	4	13	12,12,12
USSRB-085	RB12SSU-1/12	12	1/12	Stainless Steel	10	14x14	4	15	14,14,12
USSRB-086	RB12SSU-2/12	12	2/12	Stainless Steel	10	14x14	4	15	14,14,12
USSRB-087	RB12SSU-3/12	12	3/12	Stainless Steel	10	14x14	4	15	14,14,12
USSRB-088	RB12SSU-4/12	12	4/12	Stainless Steel	10	14x14	4	15	14,14,12
USSRB-089	RB12SSU-5/12	12	5/12	Stainless Steel	10	14x14	4	15	14,14,12
USSRB-090	RB12SSU-6/12	12	6/12	Stainless Steel	10	14x14	4	15	14,14,12
USSRB-091	RB12SSU-7/12	12	7/12	Stainless Steel	10	14x14	4	15	14,14,12
USSRB-092	RB12SSU-8/12	12	8/12	Stainless Steel	10	14x14	4	15	14,14,12
USSRB-093	RB12SSU-9/12	12	9/12	Stainless Steel	10	14x14	4	15	14,14,12
USSRB-094	RB12SSU-10/12	12	10/12	Stainless Steel	10	14x14	4	15	14,14,12
USSRB-095	RB12SSU-11/12	12	11/12	Stainless Steel	10	14x14	4	15	14,14,12
USSRB-096	RB12SSU-12/12	12	12/12	Stainless Steel	10	14x14	4	15	14,14,12
USSRB-097	RB14SSU-1/12	14	1/12	Stainless Steel	10	16x16	4	23	16,16,12
USSRB-098	RB14SSU-2/12	14	2/12	Stainless Steel	10	16x16	4	23	16,16,12
USSRB-099	RB14SSU-3/12	14	3/12	Stainless Steel	10	16x16	4	23	16,16,12
USSRB-100	RB14SSU-4/12	14	4/12	Stainless Steel	10	16x16	4	23	16,16,12
USSRB-101	RB14SSU-5/12	14	5/12	Stainless Steel	10	16x16	4	23	16,16,12
USSRB-102	RB14SSU-6/12	14	6/12	Stainless Steel	10	16x16	4	23	16,16,12
USSRB-103	RB14SSU-7/12	14	7/12	Stainless Steel	10	16x16	4	23	16,16,12
USSRB-104	RB14SSU-8/12	14	8/12	Stainless Steel	10	16x16	4	23	16,16,12
USSRB-105	RB14SSU-9/12	14	9/12	Stainless Steel	10	16x16	4	23	16,16,12

StainlessRidge Ridge Roof Mounting Base


Data Sheet

Item #	Manufacturing #	Diameter (S) In.	Pitch P	Material	Base Height (H) In.	Roof Opening (O) In.	Flange (F) In.	Weight and Dimension with Packaging	
								Lbs.	L,W,H In.
USSRB-106	RB14SSO-10/12	14	10/12	Stainless Steel	10	16x16	4	23	16,16,12
USSRB-107	RB14SSO-11/12	14	11/12	Stainless Steel	10	16x16	4	23	16,16,12
USSRB-108	RB14SSO-12/12	14	12/12	Stainless Steel	10	16x16	4	23	16,16,12
USSRB-109	RB15SSU-1/12	15	1/12	Stainless Steel	10	18x18	4	33	18,18,12
USSRB-110	RB15SSU-2/12	15	2/12	Stainless Steel	10	18x18	4	33	18,18,12
USSRB-111	RB15SSU-3/12	15	3/12	Stainless Steel	10	18x18	4	33	18,18,12
USSRB-112	RB15SSU-4/12	15	4/12	Stainless Steel	10	18x18	4	33	18,18,12
USSRB-113	RB15SSU-5/12	15	5/12	Stainless Steel	10	18x18	4	33	18,18,12
USSRB-114	RB15SSU-6/12	15	6/12	Stainless Steel	10	18x18	4	33	18,18,12
USSRB-115	RB15SSO-7/12	15	7/12	Stainless Steel	10	18x18	4	33	18,18,12
USSRB-116	RB15SSO-8/12	15	8/12	Stainless Steel	10	18x18	4	33	18,18,12
USSRB-117	RB15SSO-9/12	15	9/12	Stainless Steel	10	18x18	4	33	18,18,12
USSRB-118	RB15SSO-10/12	15	10/12	Stainless Steel	10	18x18	4	33	18,18,12
USSRB-119	RB15SSO-11/12	15	11/12	Stainless Steel	10	18x18	4	33	18,18,12
USSRB-120	RB15SSO-12/12	15	12/12	Stainless Steel	10	18x18	4	33	18,18,12
USSRB-121	RB16SSU-1/12	16	1/12	Stainless Steel	10	18x18	4	33	18,18,12
USSRB-122	RB16SSU-2/12	16	2/12	Stainless Steel	10	18x18	4	33	18,18,12
USSRB-123	RB16SSU-3/12	16	3/12	Stainless Steel	10	18x18	4	33	18,18,12
USSRB-124	RB16SSU-4/12	16	4/12	Stainless Steel	10	18x18	4	33	18,18,12
USSRB-125	RB16SSU-5/12	16	5/12	Stainless Steel	10	18x18	4	33	18,18,12
USSRB-126	RB16SSU-6/12	16	6/12	Stainless Steel	10	18x18	4	33	18,18,12
USSRB-127	RB16SSO-7/12	15	7/12	Stainless Steel	10	18x18	4	33	18,18,12
USSRB-128	RB16SSO-8/12	15	8/12	Stainless Steel	10	18x18	4	33	18,18,12
USSRB-129	RB16SSO-9/12	15	9/12	Stainless Steel	10	18x18	4	33	18,18,12
USSRB-130	RB16SSO-10/12	15	10/12	Stainless Steel	10	18x18	4	33	18,18,12
USSRB-131	RB16SSO-11/12	15	11/12	Stainless Steel	10	18x18	4	33	18,18,12
USSRB-132	RB16SSO-12/12	15	12/12	Stainless Steel	10	18x18	4	33	18,18,12
USSRB-133	RB18SSU-1/12	18	1/12	Stainless Steel	10	22x22	4	40	22,22,12
USSRB-134	RB18SSU-2/12	18	2/12	Stainless Steel	10	22x22	4	40	22,22,12
USSRB-135	RB18SSU-3/12	18	3/12	Stainless Steel	10	22x22	4	40	22,22,12
USSRB-136	RB18SSU-4/12	18	4/12	Stainless Steel	10	22x22	4	40	22,22,12
USSRB-137	RB18SSU-5/12	18	5/12	Stainless Steel	10	22x22	4	40	22,22,12
USSRB-138	RB18SSU-6/12	18	6/12	Stainless Steel	10	22x22	4	40	22,22,12
USSRB-139	RB18SSO-7/12	18	7/12	Stainless Steel	10	22x22	4	40	22,22,12
USSRB-140	RB18SSO-8/12	18	8/12	Stainless Steel	10	22x22	4	40	22,22,12
USSRB-141	RB18SSO-9/12	18	9/12	Stainless Steel	10	22x22	4	40	22,22,12
USSRB-142	RB18SSO-10/12	18	10/12	Stainless Steel	10	22x22	4	40	22,22,12
USSRB-143	RB18SSO-11/12	18	11/12	Stainless Steel	10	22x22	4	40	22,22,12
USSRB-144	RB18SSO-12/12	18	12/12	Stainless Steel	10	22x22	4	40	22,22,12
USSRB-145	RB20SSU-1/12	20	1/12	Stainless Steel	10	24x24	4	48	24,24,12
USSRB-146	RB20SSU-2/12	20	2/12	Stainless Steel	10	24x24	4	48	24,24,12
USSRB-147	RB20SSU-3/12	20	3/12	Stainless Steel	10	24x24	4	48	24,24,12
USSRB-148	RB20SSU-4/12	20	4/12	Stainless Steel	10	24x24	4	48	24,24,12
USSRB-149	RB20SSU-5/12	20	5/12	Stainless Steel	10	24x24	4	48	24,24,12
USSRB-150	RB20SSU-6/12	20	6/12	Stainless Steel	10	24x24	4	48	24,24,12

StainlessRidge Ridge Roof Mounting Base

Data Sheet

Item #	Manufacturing #	Diameter (S) In.	Pitch P	Material	Base Height (H) In.	Roof Opening (O) In.	Flange (F) In.	Weight and Dimension with Packaging	
								Lbs.	L,W,H In.
USSRB-151	RB20SSO-7/12	20	7/12	Stainless Steel	10	24x24	4	48	24,24,12
USSRB-152	RB20SSO-8/12	20	8/12	Stainless Steel	10	24x24	4	48	24,24,12
USSRB-153	RB20SSO-9/12	20	9/12	Stainless Steel	10	24x24	4	48	24,24,12
USSRB-154	RB20SSO-10/12	20	10/12	Stainless Steel	10	24x24	4	48	24,24,12
USSRB-155	RB20SSO-11/12	20	11/12	Stainless Steel	10	24x24	4	48	24,24,12
USSRB-156	RB20SSO-12/12	20	12/12	Stainless Steel	10	24x24	4	48	24,24,12
USSRB-157	RB24SSU-1/12	24	1/12	Stainless Steel	12	30x30	4	60	30,30,14
USSRB-158	RB24SSU-2/12	24	2/12	Stainless Steel	12	30x30	4	60	30,30,14
USSRB-159	RB24SSU-3/12	24	3/12	Stainless Steel	12	30x30	4	60	30,30,14
USSRB-160	RB24SSU-4/12	24	4/12	Stainless Steel	12	30x30	4	60	30,30,14
USSRB-161	RB24SSU-5/12	24	5/12	Stainless Steel	12	30x30	4	60	30,30,14
USSRB-162	RB24SSU-6/12	24	6/12	Stainless Steel	12	30x30	4	60	30,30,14
USSRB-163	RB24SSO-7/12	24	7/12	Stainless Steel	12	30x30	4	60	30,30,14
USSRB-164	RB24SSO-8/12	24	8/12	Stainless Steel	12	30x30	4	60	30,30,14
USSRB-165	RB24SSO-9/12	24	9/12	Stainless Steel	12	30x30	4	60	30,30,14
USSRB-166	RB24SSO-10/12	24	10/12	Stainless Steel	12	30x30	4	60	30,30,14
USSRB-167	RB24SSO-11/12	24	11/12	Stainless Steel	12	30x30	4	60	30,30,14
USSRB-168	RB24SSO-12/12	24	12/12	Stainless Steel	12	30x30	4	60	30,30,14
USSRB-169	RB30SSU-1/12	30	1/12	Stainless Steel	12	36x36	4	72	36,36,14
USSRB-170	RB30SSU-2/12	30	2/12	Stainless Steel	12	36x36	4	72	36,36,14
USSRB-171	RB30SSU-3/12	30	3/12	Stainless Steel	12	36x36	4	72	36,36,14
USSRB-172	RB30SSU-4/12	30	4/12	Stainless Steel	12	36x36	4	72	36,36,14
USSRB-173	RB30SSU-5/12	30	5/12	Stainless Steel	12	36x36	4	72	36,36,14
USSRB-174	RB30SSU-6/12	30	6/12	Stainless Steel	12	36x36	4	72	36,36,14
USSRB-175	RB30SSO-7/12	30	7/12	Stainless Steel	12	36x36	4	72	36,36,14
USSRB-176	RB30SSO-8/12	30	8/12	Stainless Steel	12	36x36	4	72	36,36,14
USSRB-177	RB30SSO-9/12	30	9/12	Stainless Steel	12	36x36	4	72	36,36,14
USSRB-178	RB30SSO-10/12	30	10/12	Stainless Steel	12	36x36	4	72	36,36,14
USSRB-179	RB30SSO-11/12	30	11/12	Stainless Steel	12	36x36	4	72	36,36,14
USSRB-180	RB30SSO-12/12	30	12/12	Stainless Steel	12	36x36	4	72	36,36,14



Short Description of Ridge Roof Mounting Base StainlessRidge

Item #	Manufacturing #	Short Description 70 Characters Maximum
USSRB-001	RB04SSU-1/12	Dia. 4", Base Height 10", Flange 4", Roof Opening 6"x6", Pitch 1/12, Alu.

SEO Table of Ridge Roof Mounting Base StainlessRidge

Title
Ridge Roof Mounting Base Stainless Steel StainlessRidge.
Meta Description
Ridge Roof Mounting Base Stainless Steel StainlessRidge for Commercial Use, Ridge Roof Mounting Base Stainless Steel StainlessRidge for Industrial Use, Ridge Roof Mounting Base Stainless Steel StainlessRidge for Residential Use, Ridge Roof Mounting Base Stainless Steel StainlessRidge for Outdoor Use, Ridge Roof Mounting Base Stainless Steel StainlessRidge for Ventilation Use, Ridge Roof Mounting Base Stainless Steel StainlessRidge for Cooling Use, Ridge Roof Mounting Base Stainless Steel StainlessRidge for Extraction Use.
Meta Key Words
Ridge Roof Mounting Base Stainless Steel StainlessRidge for Commercial Use, Ridge Roof Mounting Base Stainless Steel StainlessRidge for Industrial Use, Ridge Roof Mounting Base Stainless Steel StainlessRidge for Residential Use, Ridge Roof Mounting Base Stainless Steel StainlessRidge for Outdoor Use, Ridge Roof Mounting Base Stainless Steel StainlessRidge for Ventilation Use, Ridge Roof Mounting Base Stainless Steel StainlessRidge for Cooling Use, Ridge Roof Mounting Base Stainless Steel StainlessRidge for Extraction Use.
Meta URL (file name)
ridge-roof-mounting-base-Stainless Steel-StainlessRidge-us-english.htm



StainlessRidge Ridge Roof Mounting Base

Data Sheet

Product Line Description of Ridge Roof Mounting Base StainlessRidge

Product Description: Ridge Roof Mounting Base StainlessRidge

Neck Diameters: 4,5,6,7,8,9,10,12,14,16,18,20,24 & 30

Base Type: Ridge Base

Material: Stainless Steel

Finish: Natural

Color: Natural Stainless Steel

Use: Turbine Vents for Ventilation in small, medium and large areas, Industrial, Commercial, and Residential

Warranty: 10 years

Manufactured in: 0-15 business days

