


AlumFlat

Flat Roof Mounting Base

Data Sheet

General Characteristics of Flat Roof Mounting Base AlumFlat

The AlumFlat is an Aluminum made flat base made for aluminum turbines.
 Installed properly the flat bases will stop the turbines from leaking water.
 For Industrial, commercial and residential use.
 Outdoor use only.
 Perfect for ventilation, cooling and the extraction of fumes, dust, smoke, pollen or gases etc.
 The AlumFlat bases are made from sheet aluminum, with excellent manufacturing detail.
 The aluminum bases for the turbines, allow them to operate correctly and more efficiently.
 All turbines and bases must be leveled horizontally for them to work properly and have proper air flow.



Product Applications of Flat Roof Mounting Base AlumFlat

These bases are used with our Turbine Vents for ventilation in small, medium, and large areas, bathrooms, warehouses, factories, commercial buildings, and all large ventilation projects.
 For residential, commercial and industrial use.
 Used outdoors.

Warranties of Flat Roof Mounting Base AlumFlat

Manufacturer's Limited Warranty: 10 Years, void with Tornados, Hurricanes, and Chemical Destruction

Specific characteristics of Flat Roof Mounting Base AlumFlat

Item #	Manufacturing #	Diameter (S) In.	Material	Base Height (H) In.	Roof Opening (O) In.	Flange (F) In.	Weight and Dimension with Packaging	
							Lbs.	L,W,H In.
USAMF-001	FB04A	04	Aluminum	10	6x6	4	7	18,18,18
USAMF-002	FB05A	05	Aluminum	10	8x8	4	9	18,18,18
USAMF-003	FB06A	06	Aluminum	10	8x8	4	9	22,22,18
USAMF-004	FB07A	07	Aluminum	10	10x10	4	10	22,22,18
USAMF-005	FB08A	08	Aluminum	10	10x10	4	10	26,26,18
USAMF-006	FB09A	09	Aluminum	10	12x12	4	13	26,26,18
USAMF-007	FB10A	10	Aluminum	10	12x12	4	13	26,26,18
USAMF-008	FB12A	12	Aluminum	10	14x14	4	15	32,32,18
USAMF-009	FB14A	14	Aluminum	10	16x16	4	23	32,32,18


AlumFlat Flat Roof Mounting Base Data Sheet

USAMF-010	FB16A	16	Aluminum	10	18x18	4	33	32,32,18
USAMF-011	FB18A	18	Aluminum	10	22x22	4	40	38,38,18

Item #	Manufacturing #	Diameter (S) In.	Material	Base Height (H) In.	Roof Opening (O) In.	Flange (F) In.	Weight and Dimension with Packaging	
							Lbs.	L,W,H In.
USAMF-012	FB20A	20	Aluminum	10	24x24	4	48	38,38,18
USAMF-013	FB24A	24	Aluminum	12	30x30	4	60	42,42,26

Dimensions (in) of Flat Roof Mounting Base AlumFlat

Series	Length		Width		Height
	A		B		C
USAMF-001 & 002	16"		16"		16"
USAMF-003 & 004	20"		20"		16"
USAMF-005 to 007	24"		24"		16"
USAMF-008 to 010	30"		30"		16"
USAMF-011 & 012	36"		36"		24"
USAMF-013	40"		40"		24"



Short Description of Flat Roof Mounting Base AlumFlat

Item #	Manufacturing #	Short Description 70 Characters Maximum
		0123456789012345678901234567890123456789012345678901234567890123456789
USAMF-001	FB04A	Ø4" Neck, Base Height 10", Flange 4", Roof Opening 6"x6", Aluminum Flat Base.
USAMF-002	FB05A	Ø5" Neck, Base Height 10", Flange 4", Roof Opening 8"x8", Aluminum Flat Base.
USAMF-003	FB06A	Ø6" Neck, Base Height 10", Flange 4", Roof Opening 8"x8", Aluminum Flat Base.
USAMF-004	FB07A	Ø7" Neck, Base Height 10", Flange 4", Roof Opening 10"x10", Aluminum Flat Base.
USAMF-005	FB08A	Ø8" Neck, Base Height 10", Flange 4", Roof Opening 10"x10", Aluminum Flat Base.
USAMF-006	FB09A	Ø9" Neck, Base Height 10", Flange 4", Roof Opening 12"x12", Aluminum Flat Base.
USAMF-007	FB10A	10" Neck, Base Height 10", Flange 4", Roof Opening 12"x12", Aluminum Flat Base.

AlumFlat
Flat Roof Mounting Base
 Data Sheet

USAMF-008	FB12A	12" Neck, Base Height 10", Flange 4", Roof Opening 14"x14", Aluminum Flat Base.
------------------	-------	---

Item #	Manufacturing #	Short Description 70 Characters Maximum
		0123456789012345678901234567890123456789012345678901234567890123456789
USAMF-009	FB14A	14" Neck, Base Height 10", Flange 4", Roof Opening 16"x16", Aluminum Flat Base.
USAMF-010	FB16A	16" Neck, Base Height 10", Flange 4", Roof Opening 18"x18", Aluminum Flat Base.
USAMF-011	FB18A	16" Neck, Base Height 10", Flange 4", Roof Opening 22"x22", Aluminum Flat Base.
USAMF-012	FB20A	20" Neck, Base Height 10", Flange 4", Roof Opening 24"x24", Aluminum Flat Base.
USAMF-013	FB24A	24" Neck, Base Height 10", Flange 4", Roof Opening 30"x30", Aluminum Flat Base.

SEO Table of Flat Roof Mounting Base AlumFlat	
Title	
Flat Roof Mounting Base Aluminum AlumFlat.	
Meta Description	
Flat Roof Mounting Base Aluminum AlumFlat for Commercial Use, Flat Roof Mounting Base Aluminum AlumFlat for Industrial Use, Flat Roof Mounting Base Aluminum AlumFlat for Residential Use, Flat Roof Mounting Base Aluminum AlumFlat for Outdoor Use, Flat Roof Mounting Base Aluminum AlumFlat for Ventilation Use, Flat Roof Mounting Base Aluminum AlumFlat for Cooling Use, Flat Roof Mounting Base Aluminum AlumFlat for Extraction Use.	
Meta Key Words	
at Roof Mounting Base Aluminum AlumFlat for Commercial Use, Flat Roof Mounting Base Aluminum AlumFlat for Industrial Use, Flat Roof Mounting Base Aluminum AlumFlat for Residential Use, Flat Roof Mounting Base Aluminum AlumFlat for Outdoor Use, Flat Roof Mounting Base Aluminum AlumFlat for Ventilation Use, Flat Roof Mounting Base Aluminum AlumFlat for Cooling Use, Flat Roof Mounting Base Aluminum AlumFlat for Extraction Use.	
Meta URL (file name)	
flat-roof-mounting-base-aluminum-alumflat-us-english.htm	

Product Line Description of Flat Roof Mounting Base AlumFlat
 Type: Flat Roof Mounting Base Aluminum AlumFlat Neck Diameters: 4,5,6,7,8,9,10,12,14,16,18,20 & 24 Base Type: Flat Base Material: Aluminum Finish: Natural Color: Natural Aluminum Use: Turbine Vents for Ventilation in small, medium and large areas, Industrial, Commercial, and Residential Warranty: 10 years Ship By: LTL Freight