


GalvaFlat

Flat Roof Mounting Base

Data Sheet


General Characteristics of Flat Roof Mounting Base GalvaFlat

The GalvaFlat is a galvanized made flat base made for galvanized turbines.
 Installed properly the flat bases will stop the turbines from leaking water.
 For Industrial, commercial and residential use.
 Outdoor use only.
 Perfect for ventilation, cooling and the extraction of fumes, dust, smoke, pollen or gases etc.
 The GalvaFlat bases are made from sheet galvanized, with excellent manufacturing detail.
 The galvanized bases for the turbines, allow them to operate correctly and more efficiently.
 All turbines and bases must be leveled horizontally for them to work properly and have proper air flow.



Product Applications of Flat Roof Mounting Base GalvaFlat

These bases are used with our Turbine Vents for ventilation in small, medium, and large areas, bathrooms, warehouses, factories, commercial buildings, and all large ventilation projects.
 For residential, commercial and industrial use.
 Used outdoors.



Warranties of Flat Roof Mounting Base GalvaFlat

Manufacturer's Limited Warranty: 10 Years, void with Tornados, Hurricanes, and Chemical Destruction


Specific characteristics of Flat Roof Mounting Base GalvaFlat

Item #	Manufacturing #	Diameter (S) In.	Material	Base Height (H) In.	Roof Opening (O) In.	Flange (F) In.	Weight and Dimension with Packaging	
							Lbs.	L,W,H In.
USGVF-001	FB04G	04	Galvanized	10	6x6	4	7	18,18,18
USGVF-002	FB05G	05	Galvanized	10	8x8	4	9	18,18,18
USGVF-003	FB06G	06	Galvanized	10	8x8	4	9	22,22,18
USGVF-004	FB07G	07	Galvanized	10	10x10	4	10	22,22,18
USGVF-005	FB08G	08	Galvanized	10	10x10	4	10	26,26,18
USGVF-006	FB09G	09	Galvanized	10	12x12	4	13	26,26,18
USGVF-007	FB10G	10	Galvanized	10	12x12	4	13	26,26,18
USGVF-008	FB12G	12	Galvanized	10	14x14	4	15	32,32,18
USGVF-009	FB14G	14	Galvanized	10	16x16	4	23	32,32,18
USGVF-010	FB16G	16	Galvanized	10	18x18	4	33	32,32,18
USGVF-011	FB18G	18	Galvanized	10	22x22	4	40	38,38,18

Item #	Manufacturing #	Diameter (S) In.	Material	Base Height (H) In.	Roof Opening (O) In.	Flange (F) In.	Weight and Dimension with Packaging	
							Lbs.	L,W,H In.
USGVF-012	FB20G	20	Galvanized	10	24x24	4	48	38,38,18
USGVF-013	FB24G	24	Galvanized	12	30x30	4	60	42,42,26

Dimensions (in) of Flat Roof Mounting Base GalvaFlat

Series	Length	Width	Height
	A	B	C
USGVF-001 & 002	16"	16"	16"
USGVF-003 & 004	20"	20"	16"
USGVF-005 to 007	24"	24"	16"
USGVF-008 to 010	30"	30"	16"
USGVF-011 & 012	36"	36"	24"
USGVF-013	40"	40"	24"



Short Description of Flat Roof Mounting Base GalvaFlat

Item #	Manufacturing #	Short Description 70 Characters Maximum
		0123456789012345678901234567890123456789012345678901234567890123456789
USGVF-001	FB04G	Ø4" Neck, Base Height 10", Flange 4", Roof Opening 6"x6", Galvanized Flat Base.
USGVF-002	FB05G	Ø5" Neck, Base Height 10", Flange 4", Roof Opening 8"x8", Galvanized Flat Base.
USGVF-003	FB06G	Ø6" Neck, Base Height 10", Flange 4", Roof Opening 8"x8", Galvanized Flat Base.
USGVF-004	FB07G	Ø7" Neck, Base Height 10", Flange 4", Roof Opening 10"x10", Galvanize Flat Base.
USGVF-005	FB08G	Ø8" Neck, Base Height 10", Flange 4", Roof Opening 10"x10", Galvanized Flat Base.
USGVF-006	FB09G	Ø9" Neck, Base Height 10", Flange 4", Roof Opening 12"x12", Galvanized Flat Base.
USGVF-007	FB10G	10" Neck, Base Height 10", Flange 4", Roof Opening 12"x12", Galvanized Flat Base.
USGVF-008	FB12G	12" Neck, Base Height 10", Flange 4", Roof Opening 14"x14", Galvanized Flat Base.



GalvaFlat

Flat Roof Mounting Base

Data Sheet

Item #	Manufacturing #	Short Description 70 Characters Maximum
		012345678901234567890123456789012345678901234567890123456789
USGVF-009	FB14G	14" Neck, Base Height 10", Flange 4", Roof Opening 16"x16", Galvanized Flat Base.
USGVF-010	FB16G	16" Neck, Base Height 10", Flange 4", Roof Opening 18"x18", Galvanized Flat Base.
USGVF-011	FB18G	18" Neck, Base Height 10", Flange 4", Roof Opening 22"x22", Galvanized Flat Base.
USGVF-012	FB20G	20" Neck, Base Height 10", Flange 4", Roof Opening 24"x24", Galvanized Flat Base.
USGVF-013	FB24G	24" Neck, Base Height 10", Flange 4", Roof Opening 30"x30", Galvanized Flat Base.

SEO Table of Flat Roof Mounting Base GalvaFlat

Title
Flat Roof Mounting Base Galvanized GalvaFlat.
Meta Description
Flat Roof Mounting Base Galvanized GalvaFlat for Commercial Use, Flat Roof Mounting Base Galvanized GalvaFlat for Industrial Use, Flat Roof Mounting Base Galvanized GalvaFlat for Residential Use, Flat Roof Mounting Base Galvanized GalvaFlat for Outdoor Use, Flat Roof Mounting Base Galvanized GalvaFlat for Ventilation Use, Flat Roof Mounting Base Galvanized GalvaFlat for Cooling Use, Flat Roof Mounting Base Galvanized GalvaFlat for Extraction Use.
Meta Key Words
at Roof Mounting Base Galvanized GalvaFlat for Commercial Use, Flat Roof Mounting Base Galvanized GalvaFlat for Industrial Use, Flat Roof Mounting Base Galvanized GalvaFlat for Residential Use, Flat Roof Mounting Base Galvanized GalvaFlat for Outdoor Use, Flat Roof Mounting Base Galvanized GalvaFlat for Ventilation Use, Flat Roof Mounting Base Galvanized GalvaFlat for Cooling Use, Flat Roof Mounting Base Galvanized GalvaFlat for Extraction Use.
Meta URL (file name)
flat-roof-mounting-base-galvanized-galvaflat-us-english.htm

Product Line Description of Flat Roof Mounting Base GalvaFlat

```

<FONT Size=1>
<b>Type:</b> Flat Roof Mounting Base Galvanized GalvaFlat<br>
<b>Neck Diameters:</b> 4,5,6,7,8,9,10,12,14,16,18,20 & 24<br>
<b>Base Type:</b> Flat Base<br>
<b>Material:<b> Galvanized <br>
<b>Finish:</b> Natural<br>
<b>Color:</b> Natural Galvanized <br>
<b>Use:</b> Turbine Vents for Ventilation in small, medium and large areas, Industrial, Commercial, and Residential<br>
<b>Warranty:</b> 10 years<br>
<b>Ship By:</b> LTL Freight<br>
</FONT>

```